



3 1761 11632808 9

84-201

Canada. Statistics.
Vital statistics. 1974



RR

Government
Publications

Vital statistics

PRELIMINARY ANNUAL REPORT

1974

La statistique de l'état civil

RAPPORT ANNUEL PRÉLIMINAIRE

1974



STATISTICS CANADA — STATISTIQUE CANADA

Health Division — Division de la santé

Vital Statistics Section — Section de l'état civil

VITAL STATISTICS

LA STATISTIQUE DE L'ÉTAT CIVIL

1974

PRELIMINARY ANNUAL REPORT — RAPPORT ANNUEL PRÉLIMINAIRE

Published by Authority of
The Minister of Industry, Trade and Commerce

Publication autorisée par
le ministre de l'Industrie et du Commerce

May - 1976 - Mai
4-2302-508

Price—Prix: \$1.40

Statistics Canada should be credited when republishing all or any part of this document
Reproduction autorisée sous réserve d'indication de la source: Statistique Canada

Ottawa

VITAL STATISTICS TERMS AND DEFINITIONS

A summary of symbols, definitions, populations, and the method of computing rates used in this report are given below.

SYMBOLS

- .. figures not available.
- ... figures not appropriate or not applicable.
- nil or zero.
- amount too small to be expressed.
- * or 0.0 a rate less than 0.1.
- ^r figures revised since previous report.
- ^p provisional.

DEFINITIONS

Population:

De jure (resident) population as enumerated in Census years or estimated for inter-censal years.

1967-1972—June 1 estimates.

1921-1971—Census or revised estimates.

Births:

Unless otherwise indicated, infants born alive, i.e., excluding stillbirths.

Stillbirths:

Unless otherwise indicated, foetal deaths of 28 or more weeks' gestation.

Deaths:

Unless otherwise indicated, exclude stillbirths.

Infant —deaths under 1 year of age.

Neonatal —deaths under 28 days (4 weeks) of age.

Post-neonatal —deaths between 4 weeks and one year of age.

Maternal —deaths due to delivery and complications of pregnancy, childbirth and the puerperium (Categories 630-678 International List).

Perinatal —foetal deaths of 28 or more weeks' gestation plus infant deaths under 7 days (1 week) of age.

Natural increase:

Excess of births over deaths.

Rates:

Crude —birth, marriage, death and natural increase rates per 1,000 population.

Age-specific fertility —birth rate per 1,000 women in the respective age period.

Age-specific legitimate fertility —number of legitimate births per 1,000 married women in the respective age period.

Total fertility —sum of female age-specific fertility rates.

General fertility —birth rate per 1,000 women 15-49 years.

Legitimate fertility —number of legitimate births per 1,000 married women 15-49 years.

Gross reproduction —average number of live daughters that would be born to a hypothetical female birth cohort if subjected to current age-specific fertility rates, and assuming that mortality before age 50 is zero.

Total births:

Live births and stillbirths.

Age:

Completed ages in years, months, etc.

Average—arithmetic mean.

Median—age above and below which half of the total events occur.

RATES OR RATIOS

(Unless otherwise indicated, computed as follows)

Live births: per 1,000 population.

Stillbirths: " 1,000 live births.

Deaths: " 1,000 population.

Infant: " 1,000 live births.

Neonatal: " 1,000 " "

Post-neonatal: " 1,000 " "

Maternal: " 10,000 " "

Perinatal: " 1,000 total births.

Causes of death:

All causes: per 100,000 population.

Infant: " 100,000 live births.

Neonatal: " 100,000 " "

Maternal: " 100,000 " "

Marriages: " 1,000 population.

Divorces: " 100,000 " "

Natural increase: " 1,000 " "

(See also Introduction for further details)

TERMES DÉMOGRAPHIQUES ET DÉFINITIONS

Un sommaire des signes conventionnels, définitions et populations et de la méthode utilisée pour calculer les taux du présent rapport paraît ci-dessous.

SIGNES CONVENTIONNELS

- .. non disponible.
- ... n'ayant pas lieu de figurer.
- néant ou zéro.
- infimes.
- * ou 0.0 taux inférieur à 0.1.
- ^r rectifiés depuis le rapport précédent.
- ^p provisoire.

DÉFINITIONS

Population:

Population résidente dénombrée aux années de recensement ou estimée aux années intercensales.

1967-1972—Estimations du 1er juin.

1921-1971—Estimations du recensement ou rectifiées.

Natalité:

Sauf indication contraire, il s'agit d'enfants nés vivants (sans la mortalité).

Mortalité:

Sauf indication contraire, décès du fœtus de 28 semaines ou plus.

Mortalité générale:

Sauf indication contraire, ce terme exclut la mortalité.

Infantile —décès des moins d'un an.

Néonatale —décès des moins de 28 jours (4 semaines).

Post-néonatale —décès d'enfants de 4 semaines à un an.

Maternelle —décès dus à l'accouchement et aux complications de la grossesse, de l'accouchement et des suites de couches (rubriques 630-678 de la liste internationale).

Périnatale —décès des fœtus de 28 semaines ou plus, plus les décès d'enfants âgés de moins de 7 jours (1 semaine).

Accroissement naturel:

Excédent des naissances sur les décès.

Taux (de):

Bruts —taux de natalité, de nuptialité, de mortalité et d'accroissement naturel pour 1,000 habitants.

Fécondité par âge —taux de natalité pour 1,000 femmes du groupe d'âges concerné.

Fécondité légitime par âge —nombre de naissances légitimes pour 1,000 femmes mariées du groupe d'âges concerné.

Fécondité totale —somme des taux de fécondité féminine par âge.

Global de fécondité —taux de natalité pour 1,000 femmes âgées de 15 à 49 ans.

Global de fécondité légitime —nombre de naissances légitimes pour 1,000 femmes mariées âgées de 15 à 49 ans.

Reproduction brute —moyenne de filles vivantes qui seraient nées d'une cohorte de naissances féminines hypothétiques si elles étaient sujettes aux taux courants de fécondité suivant l'âge et en supposant que la mortalité avant l'âge 50 ans soit zéro.

Naissances:

Naissances vivantes et mortinaissances.

Âge:

Âge en années, mois revolus

Moyen —moyenne arithmétique.

Médian—âge au-dessus et au-dessous duquel surviennent la moitié des événements.

TAUX OU RAPPORTS

(sauf indication contraire, ils sont calculés ainsi)

Naissances vivantes: pour 1,000 habitants.

Mortalité: " 1,000 naissances vivantes.

Mortalité: " 1,000 habitants.

Infantile: " 1,000 naissances vivantes.

Néonatale: " 1,000 " "

Post-néonatale: " 1,000 " "

Maternelle: " 10,000 " "

Périnatale: " 1,000 naissances.

Causes de mortalité:

Toutes causes: pour 100,000 habitants.

Infantile: " 100,000 naissances vivantes.

Néonatale: " 100,000 " "

Maternelle: " 100,000 " "

Nuptialité: " 1,000 habitants.

Divortialité: " 100,000 " "

Accroissement naturel: " 1,000 " "

(Voir Introduction pour plus de détails)

TABLE OF CONTENTS

	Page
Introduction	5
Table	
1. Estimated Population by Sex and Age Group, Canada and Provinces, 1974	6
2. Vital Statistics Summary, 1973 and 1974	7
3. Principal Vital Statistics Rates, Canada, 1922-1974	8
4A. Live Births and Rates, Canada and Provinces, 1921-1974 and by Month, 1974	9
4B. Live Births by Sex, Canada and Provinces, 1936-1974	10
5. Live Births by Age of Mother, Canada and Provinces, 1974	11
6. Age-specific Fertility Rates, Canada, 1926-1974, and Selected Years for Provinces, 1931-1974	12
7. Live Births by Age of Mother and Live Birth Order, Canada, 1974	16
8. Live Births by Live Birth Order, Canada and Provinces, 1971-1974	16
9. Natural Increase and Rates, Canada and Provinces, 1921-1974	17
10. Marriages and Rates, Canada and Provinces, 1921-1974 and by Month, 1974	18
11. Marriages by Age of Bride and Groom, Canada and Provinces, 1974	19
12. Marriages, Age of Bride by Age of Groom, Canada, 1974	20
13. Age of Brides and Grooms, by Marital Status, Canada, 1974	20
14. Divorces and Rates, Canada and Provinces, 1926-1974	21
15. Deaths and Rates, Canada and Provinces, 1926-1974 and by Month, 1974	23
16. Death Rates (per 1,000 Population) by Sex and Age, Canada, 1921-1974 and Provinces, 1974	24
17. Deaths and Rates (per 100,000 Population) by Cause and Sex, Canada and Provinces, 1974	30
18. Deaths by Cause, Age and Sex, Canada, 1974	50

TABLE DES MATIÈRES

	Page
Introduction	5
Tableau	
1. Population estimée par sexe et par groupe d'âges, Canada et provinces, 1974	6
2. Statistique sommaire de l'état civil, 1973 et 1974	7
3. Principaux taux de la statistique de l'état civil, Canada, 1922-1974	8
4A. Naissances vivantes et taux, Canada et provinces, 1921-1974, par mois, 1974	9
4B. Naissances vivantes selon le sexe, Canada et provinces, 1936-1974	10
5. Naissances vivantes suivant l'âge de la mère, Canada et provinces, 1974	11
6. Taux de fécondité par âge, Canada, 1926-1974, et certaines années pour les provinces, 1931-1974	12
7. Naissances vivantes suivant l'âge de la mère et le rang des naissances vivantes, Canada, 1974	16
8. Naissances vivantes suivant le rang des naissances vivantes, Canada et provinces, 1971-1974	16
9. Accroissement naturel et taux, Canada et provinces, 1921-1974	17
10. Mariages et taux de nuptialité, Canada et provinces, 1921-1974, par mois, 1974	18
11. Mariages selon l'âge des époux, Canada et provinces, 1974	19
12. Mariages, âges combinés des époux, Canada, 1974	20
13. Âge des conjoints par état matrimonial, Canada, 1974	20
14. Divorces et taux, Canada et provinces, 1926-1974	21
15. Décès et taux de mortalité, Canada et provinces, 1926-1974, par mois, 1974	23
16. Taux de mortalité (pour 1,000 habitants) selon le sexe et le groupe d'âges, Canada, 1921-1974 et provinces, 1974	24
17. Décès et taux (pour 100,000 habitants) suivant la cause et le sexe, Canada et provinces, 1974	30
18. Décès suivant la cause, le sexe et l'âge, Canada, 1974	50

Digitized by the Internet Archive
in 2023 with funding from
University of Toronto

<https://archive.org/details/31761116328089>

INTRODUCTION

The present report follows the pattern of its predecessor (1973). All of the tables which appeared in the expanded 1965 to 1973 editions — notably those dealing with births by birth-order and legitimacy, age-specific fertility rates, marriages and divorces and the expanded cause-of-death data — have been repeated in the present edition in response to increasing demands for more detailed data, particularly that relating to fertility in the light of changing fertility patterns. Since 1969, causes of death are published in accordance with the new (8th Revision) of the International Classification of Diseases (American Adaptation — ICDA). Adoption of the new revision does therefore affect comparability, for some causes of death, of 1974 data with that for 1968 and previous years.

Current figures in this report are subject to minor revision but at this stage may be regarded as virtually final. The final detailed statistics for 1974 will be given in three separate reports, at a later date. *Vital Statistics of Canada, Vol. 1, Births*, Catalogue 84-204, *Vol. 2, Marriages and Divorces*, Catalogue 84-205, *Vol. 3, Deaths*, Catalogue 84-206. As in the past, unpublished data may be obtained on request, in the meantime, from the Vital Statistics Section, Health Division, subject only to reasonable limitations on the amount of data and detail required.

The data are compiled from microfilm copies of official registrations of vital events filed under the vital statistics legislation of the Provinces and Territories. The microfilm copies are supplied to Statistics Canada for statistical purposes under Dominion-Provincial agreements. Since 1944 births, stillbirths, and deaths have been classified by area of reported residence — births and stillbirths according to the residence of the mother — and marriages by the place in which the event was solemnized; prior to 1944 all events were classified by place of occurrence. Except for marriages and divorces they include events occurring in the United States to Canadian residents and exclude events occurring in Canada to United States residents. Rates shown in this report are computed on census counts or on official intercensal estimates of population.

Over the past few years most of the provinces have amended their legislation to provide for the compulsory registration of stillbirths of at least 20 weeks' gestation; formerly, only those of at least 28 weeks' gestation were required to be registered. Data for stillbirths of at least 20 weeks' gestation are shown in this report separate from those of at least 28 weeks' gestation for such provinces. (See Table 2.)

Selected publications on demographic and health statistics and analytical reports on certain aspects of vital statistics issued by Statistics Canada are listed on the back cover.

Le présent rapport est semblable à celui de 1973. Tous les tableaux parus dans les éditions augmentées de 1965 à 1973, notamment ceux qui portaient sur les naissances suivant le rang et la légitimité, les taux de fécondité par âge, les mariages et les divorces, ainsi que les données plus nombreuses sur les causes de décès, sont présentés de nouveau dans la présente édition, en réponse à la demande croissante de renseignements plus détaillés, surtout au sujet de la fécondité, vu l'état de transformation des tendances de la fécondité. Depuis 1969, les causes de décès sont publiées selon la 8e Révision de la classification internationale des maladies (Adaptation Américaine — C.I.M.A.). L'adoption de cette nouvelle révision affecte par conséquent la comparaison de certaines causes de décès de 1974 avec celles de 1968 et des années antérieures.

Les données du présent rapport sont sujettes à de légères modifications, mais, à toutes fins pratiques, elles peuvent être considérées comme définitives. Les statistiques détaillées et définitives pour 1974 paraîtront plus tard, dans trois rapports séparés. *La statistique canadienne de l'état civil vol. 1, Natalité*, n° 84-204 au catalogue, *vol. 2, Mariages et divorces*, n° 84-205 au catalogue, *vol. 3, Mortalité*, n° 84-206 au catalogue. Comme par le passé, les données non publiées peuvent être obtenues, sur demande, de la Section de l'état civil, Division de la santé, à condition toutefois que les requêtes soient raisonnables sur le plan quantitatif et l'aspect détaillé.

Ces données sont tirées de microfilms (fournis à Statistique Canada en vertu d'ententes fédérales-provinciales) des actes de l'état civil enregistrés en vertu de lois des provinces ou territoires. Depuis 1944, les naissances, mortinaissances et décès sont classés suivant le lieu de résidence déclaré (celui de la mère, dans le cas des naissances et mortinaissances) et les mariages, suivant l'endroit où ils ont été célébrés; avant 1944, ces actes étaient classés suivant le lieu de l'événement. Sauf quand il s'agit de mariages et de divorces, ces actes concernent aussi des événements survenus aux États-Unis touchant des ressortissants canadiens, mais non ces mêmes événements survenus au Canada touchant des ressortissants américains. Les taux du présent rapport sont calculés, selon le cas, d'après les chiffres du recensement ou suivant les estimations intercensales officielles de la population.

Ces dernières années, la plupart des provinces ont modifié leur législation pour rendre obligation l'enregistrement des mortinaissances à partir de 20 semaines de durée de gestation: autrefois, la durée de gestation requise était de 28 semaines. Toutefois les données sur les mortinaissances sont publiées selon les deux définitions de la durée de gestation. (Voir tableau 2.)

La couverture arrière du présent rapport donne une liste de certaines publications sur la statistique démographique et sanitaire ainsi que des rapports analytiques spéciaux sur certains aspects de la statistique de l'état civil et publiés par Statistique Canada.

TABLE 1. Estimated Population by Sex and Age Group, Canada and Provinces, 1974

TABLEAU 1. Population estimée par sexe, et par groupe d'âges, Canada et provinces, 1974

Age - Âge	Canada	Nfld. T.-N.	P.E.I. Î. P.-É.	N.S. N.-É.	N.B. N.-B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
thousands - milliers													
Both sexes - Deux sexes													
Total	22,446.3	542.5	116.7	813.2	661.8	6,134.3	8,093.9	1,011.0	907.0	1,713.9	2,395.2	19.4	37.5
0 - 4	1,765.8	60.8	10.0	68.2	58.5	431.5	637.0	85.2	72.0	149.6	184.9	2.2	5.7
1 - 4	1,420.2	50.6	8.1	55.3	47.1	345.9	512.8	67.9	56.9	119.8	149.5	1.7	4.7
5 - 9	1,979.4	64.0	11.1	74.8	63.2	533.2	696.4	87.9	80.4	161.0	199.7	2.1	5.4
10-14	2,352.1	66.2	13.2	87.3	74.1	657.7	818.0	102.5	99.1	190.6	236.4	2.3	4.9
15-19	2,277.1	63.4	12.7	85.1	74.5	658.9	775.3	98.8	98.6	176.6	228.0	1.7	3.4
20-24	2,032.7	51.8	10.7	74.5	64.5	583.7	709.7	91.6	79.0	153.3	209.7	1.4	3.0
25-29	1,856.3	39.7	8.3	63.4	50.6	527.1	684.6	79.5	56.0	140.4	201.3	2.0	3.4
30-34	1,505.7	30.1	6.2	48.3	38.0	434.5	553.9	61.2	45.9	114.8	168.1	1.9	2.9
35-39	1,274.9	25.5	5.7	41.8	32.1	355.3	477.7	51.8	42.9	98.9	140.0	1.2	2.1
40-44	1,273.8	24.2	5.5	40.8	31.8	358.6	477.0	51.8	46.1	98.4	136.8	1.1	1.8
45-49	1,244.4	22.7	5.2	39.8	31.6	344.8	472.3	53.1	49.0	91.4	132.1	1.0	1.4
50-54	1,179.1	22.5	5.3	41.2	31.6	313.1	444.6	54.5	50.1	84.0	130.1	0.8	1.2
55-59	967.4	19.8	5.1	37.8	28.2	257.4	346.2	48.1	46.6	68.2	108.5	0.6	0.8
60-64	854.5	17.6	4.8	33.9	25.1	224.5	307.9	43.7	41.4	57.8	96.7	0.5	0.7
65-69	672.8	12.0	3.9	26.3	19.9	175.7	244.9	34.7	33.3	45.9	75.6	0.3	0.4
70-74	501.7	9.2	3.2	19.6	15.0	125.2	185.9	26.4	25.3	34.3	57.2	0.2	0.3
75-79	343.3	6.6	2.7	14.3	11.1	80.7	129.0	18.4	17.7	22.5	40.1	0.1	0.1
80-84	212.3	3.8	1.7	9.4	7.1	44.5	78.3	12.2	13.0	14.7	27.5	--	0.1
85-89	109.0	1.8	0.9	4.7	3.4	20.4	39.2	6.8	7.4	8.3	15.8	--	--
90+	43.9	0.7	0.5	2.1	1.5	7.3	16.0	2.7	3.1	3.3	6.6	--	--
Male - Masculin													
Total	11,216.9	276.2	58.4	407.1	331.9	3,043.1	4,032.5	504.6	459.2	869.5	1,204.3	10.4	19.8
0 - 4	905.8	31.2	5.2	34.9	30.0	221.9	326.7	43.6	36.8	76.9	94.5	1.2	3.0
1 - 4	728.2	25.9	4.2	28.2	24.2	177.9	262.8	34.6	29.1	61.7	76.3	0.9	2.5
5 - 9	1,012.9	32.6	5.6	38.3	32.3	273.1	356.9	44.8	41.1	82.2	102.1	1.1	2.8
10-14	1,202.8	33.9	6.7	44.6	38.0	335.7	419.2	52.5	50.5	97.2	120.8	1.2	2.5
15-19	1,161.6	32.2	6.5	43.7	38.2	335.4	395.5	50.3	50.4	90.7	116.1	0.9	1.8
20-24	1,022.2	26.2	5.3	38.1	32.5	293.0	355.3	46.0	40.6	76.9	106.2	0.7	1.5
25-29	926.5	19.7	4.2	32.0	25.9	260.7	341.8	39.9	28.4	69.8	101.4	1.0	1.7
30-34	768.4	15.5	3.1	24.6	19.5	219.8	283.2	31.3	23.0	58.7	87.1	1.1	1.6
35-39	648.0	13.1	2.9	21.2	16.1	178.0	243.1	26.5	21.7	50.7	72.9	0.7	1.2
40-44	651.4	12.7	2.9	20.5	15.9	179.2	245.0	26.3	23.4	51.6	72.2	0.7	1.0
45-49	622.9	11.8	2.6	19.6	15.6	169.8	237.3	26.2	24.7	47.0	67.1	0.6	0.8
50-54	579.0	11.7	2.6	20.2	15.5	152.5	218.6	26.1	25.0	41.9	63.6	0.4	0.6
55-59	472.1	10.4	2.6	18.5	14.0	123.4	169.6	23.5	23.3	34.1	52.0	0.3	0.5
60-64	417.1	9.3	2.4	16.9	12.4	107.0	150.2	21.5	20.8	28.8	47.1	0.3	0.4
65-69	318.2	6.1	1.9	13.0	9.7	80.2	113.3	16.6	16.9	23.1	36.9	0.2	0.2
70-74	228.6	4.4	1.5	9.0	6.9	54.2	82.1	12.6	13.0	17.3	27.4	0.1	0.1
75-79	142.3	2.9	1.1	6.0	4.8	33.2	50.6	8.0	8.3	10.6	16.8	--	0.1
80-84	83.9	1.7	0.7	3.7	3.0	16.8	28.2	5.3	6.2	6.8	11.4	--	--
85-89	40.5	0.7	0.4	1.8	1.3	7.1	12.6	2.8	3.5	3.9	6.4	--	--
90+	13.0	0.2	0.1	0.6	0.5	2.0	3.5	0.9	1.4	1.3	2.4	--	--
Female - Féminin													
Total	11,229.4	266.3	58.4	406.1	329.9	3,091.2	4,061.3	506.4	447.8	844.4	1,190.9	9.0	17.8
0 - 4	860.0	29.6	4.8	33.3	28.6	209.7	310.3	41.6	35.1	72.8	90.4	1.1	2.7
1 - 4	692.0	24.7	3.9	27.1	22.9	168.0	250.0	33.3	27.7	58.2	73.2	0.9	2.2
5 - 9	966.5	31.5	5.5	36.5	30.9	260.1	339.6	43.2	39.3	78.8	97.6	1.0	2.6
10-14	1,149.3	32.3	6.5	42.7	36.1	322.0	398.8	50.0	48.6	93.3	115.6	1.1	2.4
15-19	1,115.5	31.2	6.3	41.4	36.3	323.5	379.8	48.5	48.2	86.0	111.9	0.8	1.7
20-24	1,010.5	25.7	5.3	36.3	32.0	290.7	354.4	45.6	38.4	76.4	103.5	0.7	1.5
25-29	929.8	20.0	4.1	31.4	24.7	266.5	342.8	39.6	27.6	70.5	99.9	1.0	1.7
30-34	737.3	14.7	3.1	23.7	18.4	214.7	270.7	29.9	22.9	56.1	81.0	0.8	1.3
35-39	627.0	12.4	2.8	20.6	16.0	177.3	234.6	25.3	21.2	48.2	67.1	0.5	1.0
40-44	622.5	11.5	2.6	20.2	15.8	179.3	232.1	25.5	22.6	46.8	64.6	0.5	0.8
45-49	621.5	10.9	2.6	20.3	16.0	175.0	235.1	26.9	24.3	44.4	65.0	0.4	0.6
50-54	600.1	10.7	2.7	21.0	16.1	160.6	226.0	28.3	25.1	42.1	66.5	0.4	0.5
55-59	495.3	9.4	2.6	19.3	14.2	134.1	176.6	24.5	23.3	34.2	56.5	0.2	0.3
60-64	437.4	8.3	2.4	16.9	12.7	117.5	157.8	22.2	20.5	28.9	49.6	0.2	0.3
65-69	354.6	5.9	2.0	13.3	10.2	95.5	131.5	18.1	16.4	22.8	38.7	0.1	0.2
70-74	273.1	4.8	1.7	10.6	8.2	71.0	103.8	13.8	12.4	16.9	29.8	--	0.1
75-79	201.0	3.7	1.5	8.4	6.3	47.5	78.4	10.4	9.4	11.9	23.3	0.1	0.1
80-84	128.5	2.1	1.0	5.6	4.2	27.6	50.1	7.0	6.8	7.9	16.1	--	--
85-89	68.5	1.1	0.6	3.0	2.1	13.3	26.6	4.0	3.9	4.5	9.5	--	--
90+	30.9	0.5	0.4	1.5	1.1	5.2	12.4	1.8	1.7	2.0	4.2	--	--

Note: Population estimates produced by the Population Estimates and Projections Division of Statistics Canada. - Nota: Ces estimations étaient produites par la Division des estimations et des projections démographiques, Statistique Canada.

TABLE 2. Vital Statistics Summary, 1973 and 1974

TABLEAU 2. Statistique sommaire de l'état civil, 1973 et 1974

	Canada	Nfld. N.-N.	P.E.I. Î. P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Population (000's) June 1 – 1974 1 ^{er} juin (milliers) 1973	22,446 22,095	542 541	117 115	813 805	662 652	6,134 6,081	8,094 7,939	1,011 998	907 908	1,714 1,683	2,395 2,315	19 20	38 38
Live births – Naissances vivantes 1974 1973 Rate ¹ – Taux ¹ 1974 1973	345,645 343,373 15.4 15.5	10,236 11,906 18.9 22.0	1,939 1,886 16.6 16.4	12,941 13,289 15.9 16.5	11,444 11,425 17.3 17.5	85,627 84,057 14.0 13.8	124,229 123,776 15.3 15.6	17,311 16,964 17.1 17.0	15,118 14,806 16.7 16.3	29,813 29,288 17.4 17.4	35,450 34,352 14.8 14.8	495 420 25.5 21.3	1,042 1,204 27.8 31.9
Number born in hospital ² – Nés à l'hôpital ² 1974 1973 Percentage born in hospital – Pourcentage de nés à l'hôpital 1974 1973	334,340 330,269 99.7 99.6	1,938 1,884 99.9 99.9	12,923 13,257 99.9 99.8	11,426 11,405 99.8 99.8	85,335 83,634 99.7 99.5	123,908 123,557 99.7 99.8	17,254 16,902 99.7 99.6	15,068 14,744 99.7 99.6	29,693 29,148 99.6 99.5	35,276 34,174 99.5 99.5	495 398 100.0 94.8	1,024 1,166 98.3 96.8
Deaths – Décès 1974 1973 Rate ¹ – Taux ¹ 1974 1973	166,794 164,039 7.4 7.4	3,286 3,405 6.1 6.3	1,088 1,020 9.3 8.9	6,899 6,928 8.5 8.6	5,205 5,084 7.9 7.8	42,767 42,666 7.0 7.0	60,556 59,876 7.5 7.5	8,430 8,196 8.2 8.2	7,814 7,646 8.6 8.4	11,252 10,763 6.6 6.4	19,177 18,095 8.0 7.8	114 111 5.9 5.6	206 249 5.5 6.6
Infant deaths – Décès d'enfants 1974 1973 Rate ³ – Taux ³ 1974 1973	5,192 5,339 15.0 15.5	181 230 17.7 19.3	34 30 17.5 15.9	185 206 14.3 15.5	173 173 15.1 15.1	1,291 1,378 15.1 16.4	1,666 1,740 13.4 14.1	272 278 15.7 16.4	313 261 20.7 17.6	449 416 15.1 14.2	572 575 16.1 16.7	12 7 24.2 16.7	44 45 42.2 37.4
Neonatal deaths – Mortalité néonatale 1974 1973 Rate ³ – Taux ³ 1974 1973	3,506 3,692 10.1 10.8	118 164 11.5 13.8	30 19 15.5 10.1	115 135 8.9 10.2	122 995 10.7 10.7	924 995 10.8 11.8	1,163 1,238 9.4 10.0	176 169 10.2 10.0	191 180 12.6 12.2	278 266 9.3 9.1	364 380 10.3 11.1	5 4 10.1 9.5	20 20 19.2 16.6
Post-neonatal deaths – Mortalité post-néonatale 1974 1973 Rate ³ – Taux ³ 1974 1973	1,686 1,647 4.9 4.8	63 66 6.2 5.5	4 11 2.1 5.8	70 51 5.4 5.3	51 51 4.5 4.5	367 383 4.3 4.6	503 502 4.0 4.1	96 109 5.5 6.4	122 109 8.1 5.5	171 150 5.7 5.1	208 195 5.9 5.7	7 3 14.1 7.1	24 25 23.0 20.8
Maternal deaths – Mortalité maternelle 1974 1973 Rate ⁴ – Taux ⁴ 1974 1973	35 37 1.0 1.1	1 2 1.0 1.7	– – – –	1 1 0.8 –	1 1 0.9 0.9	12 10 1.4 1.2	12 14 1.0 1.1	– – – –	3 1 2.0 0.7	1 4 0.3 1.4	3 5 0.8 1.5	– – – –	1 – 9.6 –
Stillbirths – Mort-nés:													
20+ weeks gestation ⁵ – semaines de grossesse ⁵ 1974 1973 Ratio ³ – Rapport ³ 1974 1973	3,579 3,634 10.4 10.6	127 151 12.4 12.7	31 19 16.0 10.1	148 141 11.4 10.6	147 153 12.8 13.4	798 814 9.3 9.7	1,335 1,362 10.7 11.0	190 194 11.0 11.4	169 177 11.2 12.0	242 268 8.1 9.2	364 339 10.3 9.9	10 3 20.2 7.1	18 13 17.3 10.8
28+ weeks gestation – semaines de grossesse 1974 1973 Ratio ³ – Rapport ³ 1974 1973	2,766 2,866 8.0 8.3	127 151 12.4 12.7	20 15 10.3 8.0	123 119 9.5 9.0	125 132 10.9 11.6	629 658 7.3 7.8	1,019 1,034 8.2 8.4	128 151 7.4 8.9	132 144 8.7 9.7	188 206 6.3 7.0	252 243 7.1 7.1	7 3 14.1 7.1	16 10 15.4 8.3
Perinatal deaths – Mortalité périnatale 1974 1973 Rate ⁶ – Taux ⁶ 1974 1973	5,835 6,087 16.7 17.6	228 291 22.0 24.1	49 30 24.9 15.8	217 226 16.6 16.9	239 245 20.6 21.2	1,440 1,532 16.7 18.1	2,039 2,127 16.2 17.0	274 296 15.7 17.3	304 300 19.9 20.1	422 433 14.0 14.7	577 576 16.1 16.6	11 5 21.8 11.8	35 26 33.0 21.4
Natural increase – Accroissement naturel 1974 1973 Rate ¹ – Taux ¹ 1974 1973	178,851 179,334 8.0 8.1	6,950 8,501 12.8 15.7	851 866 7.3 7.5	6,042 6,361 7.4 7.9	6,239 6,341 9.4 9.8	42,860 41,391 7.0 6.8	63,673 63,900 7.9 8.0	8,881 8,768 8.8 8.8	7,304 7,160 7.9 7.9	18,561 18,525 10.8 11.0	16,273 16,257 6.8 7.0	381 309 19.6 15.7	836 955 22.3 25.3
Marriages – Mariages 1974 1973 Rate ¹ – Taux ¹ 1974 1973	198,824 199,064 8.9 9.0	4,276 5,048 7.9 9.3	990 1,014 8.5 8.8	7,112 7,273 8.7 9.0	6,108 6,357 9.2 9.8	51,532 51,943 8.4 8.5	72,716 72,731 9.0 9.1	9,231 9,196 8.8 9.2	7,988 7,847 8.6 8.6	16,691 16,280 9.7 9.7	21,734 21,303 9.1 9.2	190 206 9.8 10.3	256 226 6.8 5.9
Divorces ⁷ 1974 1973 Rate ⁸ – Taux ⁸ 1974 1973	45,019 36,704 200.6 166.1	301 224 55.5 41.4	96 54 82.3 47.0	1,591 1,249 195.6 155.2	755 574 114.1 88.0	12,272 8,091 200.1 133.1	15,277 13,781 188.7 173.6	1,796 1,620 177.6 162.3	1,039 887 114.6 97.7	4,947 4,435 288.6 263.5	6,840 5,687 285.6 245.7	46 60 237.1 300.0	59 42 157.3 110.5

1 Per 1,000 population. – Pour 1,000 habitants.

2 Excluding Newfoundland (not available). – Sans Terre-Neuve (indisponible).

3 Per 1,000 live births. – Pour 1,000 naissances vivantes.

4 Per 10,000 live births. – Pour 10,000 naissances vivantes.

5 Includes stillbirths of 28+ weeks gestation only, for Newfoundland. – Comprend les mortinaissances de 28 semaines de grossesse ou plus seulement, pour Terre-Neuve.

6 Per 1,000 total births. – Pour 1,000 naissances.

7 Provisional. – Provisoire.

8 Per 100,000 population. – Pour 100,000 habitants.

TABLE 3. Principal Vital Statistics Rates, Canada, 1922-1974

TABLEAU 3. Principaux taux de la statistique de l'état civil, Canada, 1922-1974

Year — Année	Popula- tion (000's) — (milliers)	Natality — Natalité		Mortality — Mortalité					Still- births — Morti- nata- lité	Perinatal mortality — Mortalité périnatale	Natural increase — Accrois- sement naturel	Marriages per 1,000 pop. — Mariages pour 1,000 hab.	Divorces per 100,000 pop. — Divorces pour 100,000 hab.
		Rate — Taux	Peren- tage born in hospital ¹ — Pourcen- tage de nés à l'hôpital ¹	Rate — Taux	Infant mortality — Mortalité infantile	Neonatal mortality — Mortalité néonatale	Post- neonatal mortality — Mortalité post- néonatale	Maternal mortality — Mortalité puer- pérale					
1922	9,181	28.3 ²	..	11.6 ²	101.6 ²	43.9 ³ , 2	42.9 ³ , 2	50.7 ²	32.9 ²	64.0 ³ , 2	16.7 ²	7.2 ²	6.1 ¹
1923	9,267	26.7 ²	..	11.8 ²	103.4 ²	44.5 ³ , 2	43.6 ³ , 2	49.9 ²	34.1 ²	64.7 ³ , 2	14.9 ²	7.3 ²	5.6 ¹
1924	9,405	26.7	..	10.9	93.9	41.6 ³ , 2	36.9 ³ , 2	53.3 ²	33.4 ²	62.8 ³ , 2	15.8	7.1	5.9 ¹
1925	9,559	26.1	..	10.7	92.7	40.5 ³ , 2	38.1 ³ , 2	49.4 ²	32.8 ²	61.2 ³ , 2	15.4	6.9	5.9 ¹
1926	9,717	24.7	17.8 ²	11.4	101.6	47.7 ¹ , 2	54.1 ¹ , 2	56.3 ²	30.2 ²	62.6 ¹ , 2	13.3	7.0	6.4 ¹
1927	9,904	24.3	19.3 ²	11.0	94.5 ²	45.0 ¹ , 2	49.0 ¹ , 2	55.4	31.0	60.8 ¹ , 2	13.3	7.2	7.8 ¹
1928	10,103	24.1	21.5 ²	11.2	90.2	43.7 ¹ , 2	45.8 ¹ , 2	55.7	31.5	61.6 ¹ , 2	12.9	7.5	8.0 ¹
1929	10,300	23.5	24.5 ²	11.4	92.9	44.3 ¹ , 2	47.8 ¹ , 2	57.0	31.9	61.1 ¹ , 2	12.1	7.7	8.1 ¹
1930	10,484	23.9	26.6 ²	10.8	90.6	42.6 ²	48.0 ²	57.6	31.3	59.9 ¹ , 2	13.1	7.0	8.6 ¹
1931	10,658	23.2	26.8 ²	10.2	86.0	41.5 ²	44.5 ²	50.8	31.5	58.7 ¹ , 2	13.0	6.4	6.7 ¹
1932	10,794	22.5	27.5 ²	10.0	74.6	38.0 ²	36.6 ²	50.2	30.5	55.9 ¹ , 2	12.5	5.9	9.6 ¹
1933	10,919	21.0	28.5 ²	9.7	74.1	37.5 ²	36.5 ²	49.7	30.4	55.6 ¹ , 2	11.3	6.0	8.8 ¹
1934	11,029	20.7	30.0 ²	9.5	72.7	35.5 ²	37.2 ²	53.0	29.0	52.7 ¹ , 2	11.2	6.8	10.5 ¹
1935	11,135	20.5	32.3 ²	9.9	72.5	35.4 ²	37.0 ²	48.8	28.9	52.7 ¹ , 2	10.6	7.1	13.2 ¹
1936	11,242	20.3	34.5 ²	9.9	67.7	34.0 ²	33.6 ²	56.2	28.6	51.9 ¹ , 2	10.4	7.4	14.3 ¹
1937	11,339	20.1	36.4 ²	10.4	77.4	34.4 ²	42.9 ²	48.6	28.2	51.7 ¹ , 2	9.7	7.9	16.6 ¹
1938	11,448	20.7	39.4 ²	9.7	64.2	31.8 ²	32.4 ²	42.9	27.8	50.3 ¹ , 2	11.0	7.9	20.0 ¹
1939	11,565	20.6	41.7 ²	9.7	61.4	30.9 ²	30.4 ²	42.6	27.4	49.1 ¹ , 2	10.9	9.2	18.4 ¹
1940	11,682	21.6	45.3 ²	9.8	57.6	30.0 ²	27.5 ²	40.1	27.0	48.0 ¹ , 2	11.8	10.8	21.2 ¹
1941	11,810	22.4	48.9 ²	10.1	61.1	30.7 ²	30.2 ²	36.4	26.9	48.0 ¹ , 2	12.3	10.6	21.4 ¹
1942	11,962	23.5	53.7 ²	9.8	55.4	28.2 ²	27.0 ²	30.5	26.0	45.6 ¹ , 2	13.7	10.9	26.5 ¹
1943	12,108	24.2	54.7 ²	10.1	55.0	29.9 ²	25.0 ²	28.5	23.9	45.1 ¹ , 2	14.1	9.4	28.8 ¹
1944	12,262	24.0	61.0 ²	9.8	56.3	29.6 ²	26.5 ²	27.8	23.5	43.7 ¹ , 2	14.2	8.5	32.0 ¹
1945	12,394	24.3	63.2 ²	9.5	52.5	28.9 ²	23.3 ²	23.0	22.9	42.8 ¹ , 2	14.8	9.0	42.3 ¹
1946	12,622	27.2	67.6 ²	9.4	47.8	27.4 ²	20.2 ²	18.1	21.4	41.1 ¹ , 2	17.8	10.9	63.1 ¹
1947	12,888	28.9	71.0 ²	9.4	46.2	26.5 ²	19.6 ²	15.8	20.5	39.9 ¹ , 2	19.5	10.1	65.4 ¹
1948	13,167	27.3	72.3 ²	9.3	44.4	25.7 ²	18.5 ²	15.0	19.6	38.3 ¹ , 2	18.0	9.6	54.4 ¹
1949	13,447	27.3	74.3 ²	9.3	43.4	24.1 ²	19.2 ²	14.7	19.8	37.5 ²	18.0	9.2	45.0
1950	13,712	27.1	76.0	9.1	41.5	24.4	17.1	11.4	19.3	37.9	18.0	9.1	39.3
1951	14,009	27.2	79.1	9.0	38.5	22.6	15.9	10.7	18.4	35.8	18.2	9.2	37.6
1952	14,459	27.9	81.4	8.7	38.2	22.7	15.5	9.3	18.0	35.2	19.2	8.9	39.1
1953	14,845	28.1	83.4	8.6	35.6	21.4	14.2	7.8	16.7	33.1	19.5	8.8	41.5
1954	15,287	28.5	84.6	8.2	31.9	19.3	12.6	7.2	16.6	31.9	20.3	8.4	38.7
1955	15,698	28.2	86.5	8.2	31.3	19.3	12.0	7.6	15.6	31.0	20.0	8.2	38.6
1956	16,081	28.0	88.4	8.2	31.9	20.1	11.8	6.2	15.5	31.7	19.8	8.3	37.3
1957	16,610	28.2	90.2	8.2	30.9	20.2	10.7	5.4	14.6	31.0	20.0	8.0	40.3
1958	17,080	27.5	91.7	7.9	30.2	19.3	10.9	5.6	14.3	30.2	19.6	7.7	36.8
1959	17,483	27.4	93.1	8.0	28.4	18.4	10.0	5.5	13.7	28.9	19.4	7.6	37.4
1960	17,870	26.8	94.6	7.8	27.3	17.6	9.7	4.5	13.5	28.4	19.0	7.3	39.1
1961	18,238	26.1	96.9	7.7	27.2	18.0	9.2	4.6	12.7	28.1	18.4	7.0	36.0
1962	18,583	25.3	97.8	7.7	27.6	18.7	8.9	4.1	12.5	28.6	17.6	7.0	36.4
1963	18,931	24.6	98.3	7.8	26.3	18.1	8.2	3.5	12.3	28.0	16.8	6.9	40.6
1964	19,291	23.5	98.7	7.6	24.7	17.3	7.4	3.0	12.2	27.4	15.9	7.2	44.7
1965	19,644	21.3	99.0	7.6	23.6	16.3	7.3	3.2	11.6	26.0	13.7	7.4	45.7
1966	20,015	19.4	99.2	7.5	23.1	16.1	7.0	3.5	11.4	25.5	11.9	7.8	51.2
1967	20,378 ^r	18.2	99.4	7.4	22.0	15.2	6.8	2.4	11.5	24.7	10.8	8.1	54.7
1968	20,701 ^r	17.6	99.5	7.4	20.8	14.8	6.0	2.7	10.8	23.7	10.2	8.3	54.8 ^r
1969	21,001 ^r	17.6	99.5	7.4	19.3	13.9	5.4	2.1	10.0	22.3	10.2 ^r	8.7	124.2 ^r
1970	21,297 ^r	17.5 ^r	99.6	7.3	18.8	13.5	5.3	2.0	9.9	21.8	10.2 ^r	8.8	136.5 ^r
1971	21,569	16.8	99.6	7.3	17.5	12.4	5.2	1.8	9.4	20.1	9.5	8.9	137.6 ^r
1972	21,821	15.9	99.6	7.4	17.1	11.9	5.2	1.6	8.8	19.0	8.5	9.2	148.4 ^r
1973	22,095	15.5	99.6	7.4	15.5	10.8	4.8	1.1	8.3	17.6	8.1	9.0	166.1
1974	22,446	15.4	99.7	7.4	15.0	10.1	4.9	1.0	10.4	16.2	8.0	8.9	200.6

¹ Excluding Newfoundland. — Terre-Neuve exclue.² Excluding the Yukon and Northwest Territories. — Excepté le Yukon et les Territoires du Nord-Ouest.³ Excluding Newfoundland and Quebec. — Terre-Neuve et Québec exclus.

TABLE 4A. Live Births and Rates, Canada and Provinces, 1921-1974 and by Month, 1974

TABLEAU 4A. Naissances vivantes et taux, Canada et provinces, 1921-1974, par mois 1974

Year - Année	Canada	Nfld. - T.-N.	P.I.L. - Î. P.-É.	N.S. - N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N. - O.
Live births - Naissances vivantes													
Average - Moyenne 1921-1925	254,524	6,986	1,965	12,119	11,080	87,032	71,454	16,590	21,580	15,461	10,256		
" " 1926-1930	243,468	6,756	1,735	11,016	10,327	82,771	68,704	14,392	21,298	15,924	10,355	33	158
" " 1931-1935	235,277	6,686	1,961	11,486	10,440	78,888	65,000	13,690	20,325	16,557	10,005	49	190
" " 1936-1940	236,702	7,638	2,054	12,060	11,105	78,509	64,461	13,515	18,675	16,282	12,106	69	228
1941	263,993	8,288	2,049	13,903	12,272	89,209	72,262	14,812	18,464	17,308	15,038	72	316
1942	281,569	8,791	2,137	15,306	12,663	95,031	78,192	15,670	18,189	18,317	16,808	96	369
1943	292,943	8,861	2,177	15,394	13,090	98,744	81,173	16,412	18,504	19,290	18,802	99	403
1944	293,967	9,295	2,286	15,598	13,467	102,262	78,090	16,008	18,138	19,372	18,999	136	316
1945	300,587	11,223	2,258	15,527	13,693	104,283	78,974	16,253	18,263	19,939	18,877	123	511
1946	343,504	12,033	2,793	17,914	16,274	111,285	97,446	18,794	21,433	22,184	22,609	146	625
1947	372,589	12,646	2,992	19,265	17,771	115,553	108,853	20,409	23,334	24,631	26,286	224	622
1948	359,860	11,634	2,842	17,791	17,279	114,709	104,195	18,870	21,562	24,075	25,984	274	644
1949	367,092	12,281	2,831	17,739	16,673	116,824	106,601	19,292	21,662	24,935	27,301	309	644
1950	372,009	13,164	2,885	17,262	16,393	119,111	108,708	19,261	21,546	25,625	27,116	316	622
1951	381,092	11,738	2,651	17,125	16,075	120,930	114,827	19,942	21,733	27,003	28,077	342	649
1952	403,559	12,561	2,703	17,951	16,691	126,416	123,891	20,777	22,605	29,105	29,827	390	642
1953	417,884	12,797	2,737	18,276	16,458	128,719	129,771	21,242	23,703	31,376	31,746	383	676
1954	436,198	13,653	2,724	18,909	16,649	133,178	136,261	22,248	24,981	33,593	32,946	425	631
1955	442,937	14,757	2,784	18,967	16,609	133,372	139,554	22,397	24,746	34,357	34,138	524	735
1956	450,739	14,541	2,657	19,106	16,573	135,884	143,516	21,945	24,059	34,951	36,241	481	785
1957	469,093	15,315	2,676	19,316	17,020	141,707	150,920	22,362	23,921	35,718	38,744	494	900
1958	470,118	14,815	2,581	18,898	16,414	141,396	152,637	21,697	23,843	36,842	39,577	473	945
1959	479,275	14,826	2,720	19,038	16,486	142,383	157,124	22,801	24,319	38,080	39,971	537	990
1960	478,551	15,173	2,734	19,126	16,341	137,850	159,245	23,237	24,088	39,009	40,116	538	1,094
1961	475,700	15,591	2,838	19,382	16,590	137,174	157,663	23,288	23,994	38,914	38,591	558	1,117
1962	469,693	15,064	2,805	19,432	16,467	135,000	156,053	22,918	23,341	38,804	38,128	547	1,134
1963	465,767	15,443	2,949	18,976	15,771	133,640	155,089	22,751	23,543	38,467	37,478	499	1,161
1964	452,915	14,680	2,727	18,314	15,338	130,845	152,729	21,754	22,682	36,169	35,897	514	1,266
1965	418,595	14,740	2,517	16,524	14,175	120,607	141,610	19,976	20,494	32,664	33,669	428	1,191
1966	387,710	14,084	2,199	15,220	12,722	109,878	131,942	18,007	19,037	30,592	32,502	369	1,158
1967	370,894	12,844	2,047	14,312	12,353	101,471	127,509	17,180	17,993	30,691	32,899	385	1,210
1968	364,310	12,820	2,105	13,774	11,607	96,622	126,257	17,424	18,197	30,149	33,687	370	1,298
1969	369,647	13,000	2,009	13,618	11,695	95,610	130,398	17,809	17,592	30,855	35,383	462	1,216
1970	371,988	12,539	1,957	14,159	11,545	91,757	134,724	18,248	16,443	31,967	36,861	451	1,337
1971	362,187	12,767	2,103	14,250	12,187	89,210	130,395	18,031	16,054	30,545	34,852	506	1,287
1972	347,319	12,898	2,010	13,536	11,806	83,603	125,060	17,398	15,473	29,282	34,563	451	1,239
1973	343,713	11,906	1,886	13,289	11,425	84,057	123,776	16,964	14,806	29,288	34,352	420	1,204
1974	345,645	10,236	1,939	12,941	11,444	85,627	124,229	17,311	15,118	29,813	35,450	495	1,042
January - Janvier	28,031	923	154	993	944	7,047	9,945	1,414	1,214	2,392	2,882	40	83
February - Février	26,070	840	147	997	925	6,533	9,294	1,285	1,108	2,179	2,636	39	79
March - Mars	29,236	847	172	1,114	980	7,597	10,225	1,485	1,311	2,610	2,870	46	79
April - Avril	29,383	935	160	1,073	927	7,445	10,415	1,442	1,288	2,561	3,001	33	103
May - Mai	29,677	971	160	1,076	964	7,522	10,504	1,439	1,255	2,542	3,117	47	80
June - Juin	28,172	883	158	1,060	927	7,141	9,778	1,470	1,167	2,529	2,953	32	94
July - Juillet	30,256	900	188	1,166	1,020	7,664	10,950	1,457	1,281	2,473	3,032	39	86
August - Août	29,821	877	153	1,161	950	7,449	10,727	1,449	1,259	2,613	3,041	52	90
September - Septembre	30,155	949	159	1,107	991	7,535	10,884	1,479	1,380	2,566	2,966	46	93
October - Octobre	30,014	790	155	1,124	986	7,264	11,047	1,523	1,310	2,548	3,126	46	95
November - Novembre	27,541	697	145	1,011	937	6,486	10,183	1,456	1,262	2,292	2,885	38	88
December - Décembre	27,189	624	158	1,059	993	5,944	10,277	1,412	1,193	2,477	2,941	37	74
Rate per 1,000 population - Taux pour 1,000 habitants													
Average - Moyenne 1921-1925	27.4	26.7	22.6	23.4	28.4	35.5	23.7	26.8	27.7	26.0	18.4		
" " 1926-1930	24.1	25.1	19.7	21.4	25.0	30.5	21.0	24.1	24.1	24.2	16.2		
" " 1931-1935	21.6	23.4	21.8	21.9	25.0	26.6	18.5	19.4	21.9	22.1	14.0	11.6	19.0
" " 1936-1940	20.7	25.8	21.9	21.7	25.1	24.6	17.5	18.8	20.4	20.8	15.6	13.8	20.0
1941	22.4	27.3	21.6	24.1	26.8	26.8	19.1	20.3	20.6	21.7	18.4	14.4	26.3
1942	23.5	28.6	23.7	25.9	27.3	28.0	20.1	21.6	21.4	23.6	19.3	19.2	30.8
1943	24.2	28.3	23.9	25.4	28.3	28.6	20.7	22.7	22.1	24.6	20.9	19.8	33.6
1944	24.0	29.4	25.1	25.5	29.2	29.2	19.7	22.0	21.7	24.0	20.4	27.2	26.3
1945	24.3	34.9	24.5	25.1	29.3	29.3	19.7	22.4	22.7	24.7	19.9	24.6	42.6
1946	27.2	36.5	29.7	29.5	34.0	30.7	23.8	25.9	25.7	27.6	22.5	18.3	37.1
1947	28.9	37.5	31.8	31.3	36.4	31.1	26.1	27.6	27.9	29.9	25.2	28.0	39.1
1948	27.3	33.8	30.6	28.5	34.7	30.3	24.4	25.3	25.7	28.2	24.0	34.3	40.3
1949	27.3	35.6	30.1	28.2	32.8	30.1	24.3	25.5	26.0	28.2	24.5	38.6	40.3
1950	27.1	37.5	30.1	27.1	32.0	30.0	24.3	25.1	25.9	28.1	23.8	39.5	38.9
1951	27.2	32.5	27.1	26.6	31.2	29.8	25.0	25.7	26.1	28.8	24.1	38.0	40.6
1952	27.9	33.6	27.0	27.5	31.7	30.3	25.9	26.6	26.8	29.9	24.8	43.3	40.1
1953	28.1	33.4	27.1	29.6	30.9	30.2	27.3	27.5	27.5	31.0	25.4	42.6	42.3
1954	28.5	34.6	28.1	30.0	30.4	30.4	26.6	27.0	28.6	31.8	25.4	42.5	37.1
1955	28.2	36.3	27.8	27.8	30.4	29.5	26.5	26.7	28.2	31.5	25.4	47.6	40.7
1956	28.0	35.0	26.8	27.5	29.9	29.4	26.6	25.8	27.3	31.1	25.9	40.1	41.3
1957	28.2	36.1	27.0	27.6	30.3	29.7	26.8	25.9	27.2	30.7	26.1	41.2	47.4
1958	27.5	34.3	25.8	26.7	28.7	28.8	26.2	24.8	26.8	30.5	25.7	36.4	47.3
1959	27.4	33.6	26.9	26.5	28.3	28.3	26.3	25.6	26.8	30.5	25.5	41.3	47.1
1960	26.8	33.9	26.5	26.3	27.7	26.8	26.1	25.6	26.3	30.2	25.0	38.4	49.7
1961	26.1	34.1	27.1	26.3	27.7	26.1	25.3	25.3	25.9	29.2			

TABLE 4B. Live Births by Sex, Canada and Provinces, 1936-1974

TABLEAU 4B. Naissances vivantes selon le sexe, Canada et provinces, 1936-1974

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î. P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
Male - Masculin													
1936	117,006	3,717	1,044	6,127	5,368	38,578	32,124	6,670	9,839	8,081	5,458
1937	116,933	3,790	1,108	6,071	5,452	38,985	31,655	6,594	9,526	8,027	5,725
1938	121,584	3,722	1,032	6,278	5,810	40,336	33,605	6,910	9,381	8,125	6,385
1939	121,836	4,242	1,127	5,919	5,813	40,795	33,935	6,978	9,249	8,420	6,358
1940	129,342	4,063	1,053	5,544	6,021	43,176	34,946	7,568	10,003	8,822	7,146
1941	135,470	4,295	1,078	7,074	6,200	45,905	37,254	7,616	9,472	8,882	7,694
1942	145,036	4,452	1,074	7,880	6,591	49,113	40,412	8,000	9,416	9,417	8,681
1943	150,245	4,520	1,109	7,889	6,756	50,848	41,592	8,463	9,645	9,840	9,583
1944	151,537	4,885	1,158	8,060	6,949	52,673	40,455	8,324	9,330	9,978	9,725
1945	154,709	5,797	1,167	8,086	6,999	53,582	40,817	8,425	9,794	10,315	9,727
1946	175,971	6,026	1,444	9,133	8,293	57,280	50,385	9,645	10,974	11,302	11,489
1947	190,540	6,567	1,532	9,771	9,134	59,393	55,716	10,374	11,968	12,680	13,405
1948	184,055	5,932	1,453	9,094	8,889	58,938	53,459	9,615	11,012	12,331	13,332
1949	188,339	6,255	1,457	9,219	8,603	60,153	54,784	9,949	11,179	12,783	13,957
1950	191,413	6,853	1,442	8,895	8,472	61,333	55,911	9,950	11,027	13,138	13,887	161	344
1951	195,918	5,984	1,373	8,842	8,190	62,160	59,220	10,374	11,107	13,760	14,418	173	317
1952	208,070	6,443	1,405	9,275	8,429	65,265	63,986	10,630	11,659	14,969	15,413	189	407
1953	214,423	6,534	1,368	9,360	8,491	66,110	66,514	10,800	12,122	16,428	16,169	194	333
1954	224,168	7,026	1,405	9,712	8,603	68,533	69,786	11,321	12,914	17,394	16,919	225	330
1955	227,382	7,505	1,455	9,746	8,463	68,681	71,732	11,468	12,605	17,728	17,366	267	366
1956	231,697	7,399	1,313	9,970	8,594	70,016	73,681	11,214	12,409	17,985	18,443	263	410
1957	241,073	7,757	1,383	9,921	8,896	73,065	77,557	11,460	12,367	18,343	19,631	256	437
1958	241,675	7,697	1,325	9,796	8,530	72,441	78,609	11,092	12,242	19,000	20,184	249	510
1959	246,073	7,606	1,386	9,681	8,572	73,021	80,748	11,739	12,442	19,562	20,539	262	515
1960	246,029	7,818	1,373	9,703	8,454	70,795	81,960	12,051	12,344	20,043	20,641	280	567
1961	244,403	8,033	1,469	9,965	8,514	70,949	80,786	11,917	12,314	19,889	19,713	284	570
1962	240,870	7,752	1,504	10,012	8,534	69,344	80,074	11,691	11,911	19,778	19,389	297	584
1963	238,865	7,964	1,505	9,759	8,151	68,408	79,689	11,577	12,065	19,761	19,140	243	603
1964	232,657	7,385	1,419	9,355	7,861	67,392	78,639	11,186	11,595	18,517	18,390	269	656
1965	215,112	7,560	1,296	8,412	7,265	62,207	72,713	10,283	10,491	16,917	17,110	226	632
1966	198,928	7,225	1,139	7,860	6,551	56,559	67,578	9,212	9,833	15,565	16,625	185	596
1967	189,847	6,493	1,061	7,319	6,302	51,769	65,551	8,774	9,242	15,682	16,831	199	624
1968	187,489	6,517	1,083	7,138	5,917	49,906	64,829	9,016	9,386	15,640	17,223	180	654
1969	189,798	6,712	1,005	6,989	6,113	49,304	66,909	9,049	9,006	15,703	18,127	247	634
1970	191,435	6,428	1,081	7,281	5,913	47,321	69,190	9,397	8,440	16,473	19,019	239	734
1971	186,646	6,567	1,109	7,349	6,274	46,094	67,098	9,204	8,156	15,853	18,003	276	663
1972	178,782	6,614	1,056	6,873	6,162	43,111	64,500	8,931	7,893	15,105	17,660	235	642
1973	176,801	6,114	1,005	6,790	5,853	43,483	63,676	8,779	7,562	15,047	17,640	208	644
1974	177,686	5,357	1,023	6,684	5,798	43,984	63,887	8,999	7,701	15,213	18,228	260	552
Female - Féminin													
1936	110,707	3,625	933	5,681	5,145	36,707	30,327	6,185	9,286	7,705	5,113
1937	110,642	3,550	985	5,501	5,128	36,650	29,990	6,294	9,114	7,876	5,554
1938	115,205	3,621	942	5,963	5,637	37,809	31,959	6,568	8,849	7,766	6,091
1939	115,858	3,984	1,001	5,906	5,473	38,826	31,188	6,605	8,810	8,050	6,015
1940	122,911	3,874	1,044	6,312	5,679	40,681	33,578	7,203	9,319	8,537	6,684
1941	128,135	3,993	971	6,829	6,072	43,304	35,008	7,196	8,992	8,426	7,344
1942	136,068	4,339	1,063	7,426	6,072	45,918	37,780	7,670	8,773	9,900	8,127
1943	142,196	4,341	1,062	7,505	6,334	47,896	39,581	7,949	8,859	8,950	9,219
1944	141,978	4,410	1,128	7,538	6,518	49,589	37,635	7,684	8,808	9,394	9,274
1945	145,244	5,426	1,091	7,441	6,694	50,701	38,157	7,828	9,132	9,624	9,150
1946	166,794	6,007	1,349	8,781	7,981	54,005	47,061	9,149	10,459	10,882	11,120
1947	181,200	6,079	1,460	9,494	8,637	56,160	53,137	10,035	11,366	11,951	12,881
1948	174,886	5,702	1,389	8,697	8,390	55,771	50,736	9,255	10,550	11,744	12,652
1949	177,800	6,026	1,374	8,520	8,070	56,671	51,817	9,343	10,483	12,152	13,344
1950	180,596	6,311	1,443	8,367	7,921	57,778	52,797	9,311	10,519	12,487	13,259	155	278
1951	185,174	5,754	1,278	8,283	7,885	58,770	55,607	9,568	10,626	13,243	13,629	169	332
1952	195,489	6,118	1,298	8,676	8,262	61,151	59,905	10,147	10,946	14,136	14,414	201	235
1953	203,461	6,263	1,369	8,916	7,967	62,609	63,257	10,442	11,581	15,207	15,318	189	343
1954	212,030	6,627	1,319	9,197	8,046	64,645	66,475	10,927	12,067	16,199	16,027	200	301
1955	215,555	7,252	1,329	9,221	8,146	64,691	67,822	10,929	12,141	16,629	16,772	257	366
1956	219,064	7,142	1,344	9,136	7,979	65,868	69,835	10,731	11,650	16,966	17,798	218	375
1957	228,020	7,293	1,293	9,395	8,124	68,642	73,363	10,902	11,534	17,375	19,113	238	463
1958	228,443	7,118	1,256	9,102	7,884	68,955	74,028	10,605	11,601	17,842	19,393	224	435
1959	233,202	7,220	1,334	9,357	7,914	69,362	76,376	11,062	11,877	18,518	19,432	275	475
1960	232,522	7,355	1,361	9,423	7,887	67,285	77,285	11,186	11,744	18,966	19,475	258	527
1961	231,297	7,558	1,369	9,417	8,076	66,225	76,877	11,371	11,680	19,025	18,878	274	547
1962	228,823	7,312	1,301	9,420	7,933	65,656	75,979	11,227	11,430	19,026	18,739	250	550
1963	226,902	7,479	1,444	9,217	7,620	65,232	75,400	11,174	11,478	18,706	18,338	256	558
1964	220,258	7,295	1,308	8,959	7,477	63,453	74,090	10,568	11,087	17,659	17,507	245	610
1965	220,483	7,180	1,221	8,112	6,910	58,400	68,897	9,693	10,003	15,747	16,559	202	559
1966	188,782	6,859	1,060	7,360	6,171	53,319	64,364	8,795	9,204	15,027	15,877	184	562
1967	181,047	6,351	986	6,993	6,051	49,702	61,958	8,406	8,751	15,009	16,068	186	586
1968	176,821	6,303	1,022	6,636	5,690	46,716	61,428	8,408	8,811	15,509	16,464	190	644
1969	179,849	6,288	1,004	6,629	5,582	46,306	63,489	8,760	8,586	15,152	17,256	215	582
1970	180,553	6,111	956	6,878	5,632	44,436	65,534	8,851	8,003	15,494	17,843	212	603
1971	175,541	6,200	994	6,901	5,913	43,116	63,297	8,827	7,898	14,692	16,849	230	624
1972	168,537	6,284	954	6,663	5,644	40,492	60,560	8,467	7,580	14,177	16,903	216	597
1973	166,572	5,792	881	6,499	5,572	40,574	60,100	8,185	7,244	14,241	16,712	212	560
1974	167,959	4,879	916	6,257	5,646	41,643	60,342	8,312	7,417	14,600	17,222	235	490

TABLE 5. Live Births by Age of Mother, Canada¹ and Provinces, 1974TABLEAU 5. Naissances vivantes suivant l'âge de la mère, Canada¹ et provinces, 1974

Age of mother Âge de la mère	Canada ¹	P.E.I. Î. P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N.-O.
1 years - ans	-	-	-	-	-	-	-	-	-	-	-	-
2 " "	5	-	-	-	1	1	1	2	-	-	-	-
3 " "	40	1	6	5	2	13	2	3	1	7	-	-
4 " "	267	3	25	13	23	95	30	14	31	28	1	4
Under 15 years - Moins de 15 ans	312	4	31	18	26	109	33	19	32	35	1	4
5 years - ans	1,267	18	96	72	113	440	109	108	129	167	5	10
6 " "	3,925	34	279	231	382	1,464	299	269	427	494	9	37
7 " "	7,501	72	473	389	816	2,970	513	503	827	877	10	51
8 " "	10,863	84	635	543	1,563	4,089	729	679	1,180	1,286	21	54
9 " "	14,758	99	764	718	2,493	5,567	895	900	1,541	1,679	37	65
15-19 years - ans	38,314	307	2,247	1,953	5,367	14,530	2,545	2,459	4,104	4,503	82	217
0 years - ans	17,664	117	822	759	3,431	6,498	1,001	997	1,816	2,125	24	74
1 " "	19,821	108	804	826	4,276	7,263	1,096	1,000	1,992	2,357	37	62
2 " "	22,477	121	950	916	5,247	8,267	1,190	1,100	2,133	2,449	39	65
3 " "	24,859	149	965	888	6,233	9,158	1,241	1,099	2,321	2,696	36	73
4 " "	26,588	164	982	854	7,297	9,433	1,305	1,150	2,462	2,821	41	79
20-24 years - ans	111,409	659	4,523	4,243	26,484	40,619	5,833	5,346	10,724	12,448	177	353
5 years - ans	27,370	142	942	897	7,639	10,011	1,328	1,125	2,336	2,850	32	68
6 " "	27,474	145	987	831	7,586	10,188	1,357	1,064	2,388	2,833	41	54
7 " "	26,320	104	901	757	7,188	10,040	1,290	1,002	2,213	2,734	38	53
8 " "	21,106	113	670	551	6,307	7,807	997	760	1,735	2,093	25	48
9 " "	16,968	94	524	423	5,010	6,323	802	622	1,356	1,747	26	41
25-29 years - ans	119,238	598	4,024	3,459	33,730	44,369	5,774	4,573	10,028	12,257	162	264
0 years - ans	14,605	65	437	375	4,416	5,559	640	511	1,108	1,443	25	26
1 " "	11,529	48	361	278	3,390	4,380	536	439	865	1,184	14	34
2 " "	9,131	52	262	245	2,790	3,367	447	374	682	874	6	32
3 " "	7,231	45	223	173	2,138	2,711	348	295	567	703	8	20
4 " "	5,646	37	172	146	1,760	2,106	264	227	384	528	4	18
30-34 years - ans	48,142	247	1,455	1,217	14,494	18,123	2,235	1,846	3,606	4,732	57	130
5 years - ans	4,371	23	144	129	1,337	1,631	207	198	306	377	6	13
6 " "	3,286	30	122	72	949	1,247	151	142	249	312	3	9
7 " "	2,671	22	96	86	786	1,020	120	114	211	207	2	7
8 " "	2,150	7	82	61	612	802	111	110	167	188	1	9
9 " "	1,655	13	70	68	500	574	102	81	117	121	-	9
35-39 years - ans	14,133	95	514	416	4,184	5,274	691	645	1,050	1,205	12	47
0 years - ans	1,223	14	48	35	373	425	70	72	84	94	1	7
1 " "	855	6	32	42	245	285	48	54	66	70	1	6
2 " "	616	6	20	27	194	213	30	40	34	48	1	3
3 " "	409	2	21	10	133	117	30	28	37	30	-	1
4 " "	230	-	7	13	61	84	5	21	22	13	-	4
40-44 years - ans	3,333	28	128	127	1,006	1,124	183	215	243	255	3	21
5 " "	116	1	6	6	37	35	8	8	10	5	-	-
6 " "	63	-	3	2	22	21	1	5	3	5	1	-
7 " "	28	-	-	1	9	9	2	1	1	3	-	2
8 " "	14	-	1	1	4	4	-	-	4	-	-	-
9 " "	1	-	-	-	1	-	-	-	-	-	-	-
45-49 years - ans	222	1	10	10	73	69	11	14	18	13	1	2
0+ years - ans	4	-	-	-	3	-	-	-	-	-	-	1
Not stated - Non déclaré	302	-	9	1	260	12	6	1	8	2	-	3
Total	335,409	1,939	12,941	11,444	85,627	124,229	17,311	15,118	29,813	35,450	495	1,042

¹ Excluding Newfoundland. - Terre-Neuve exclue.

TABLE 6. Age-specific Fertility Rates, Canada, 1926-1974, and Selected Years for Provinces,¹ 1931-1974TABLEAU 6. Taux de fécondité par âge, Canada, 1926-1974, et certaines années pour les provinces¹, 1931-1974

Year Année	Fertility rates per 1,000 total women by age groups Taux de fécondité pour 1,000 femmes, par groupe d'âges							Total fertility rate — Indice synthé- tique de fécondité	Gross repro- duction rate — Taux brut de repro- duction	General fertility rate — Taux global de fécon- dité générale
	15-19	20-24	25-29	30-34	35-39	40-44	45-49			
Canada ¹										
Average — Moyenne 1926-1930	30.0	140.7	174.4	149.4	110.1	48.3	5.8	3,293	1,601	96.8
“ “ 1931-1935	27.7	121.7	159.3	136.0	96.8	40.6	5.2	2,937	1,431	86.3
“ “ 1936-1940	27.0	119.4	145.8	123.3	84.9	34.0	4.1	2,692	1,310	80.5
1941	30.7	138.4	159.8	122.3	80.0	31.6	3.7	2,832	1,377	86.6
1942	32.0	145.1	168.7	128.0	83.0	32.3	3.6	2,964	1,434	91.1
1943	32.1	146.8	175.4	131.9	86.5	31.9	3.5	3,041	1,478	93.8
1944	31.3	143.3	168.7	134.1	88.1	33.0	3.4	3,010	1,457	92.8
1945	31.6	143.3	166.8	134.3	90.3	33.5	3.7	3,018	1,462	93.2
1946	36.5	169.6	191.4	146.0	94.5	34.5	3.8	3,374	1,640	105.0
1947	42.6	189.1	206.4	150.5	93.1	34.1	3.3	3,595	1,753	112.4
1948	43.2	181.1	197.6	141.4	89.0	32.6	3.3	3,441	1,676	107.5
1949	45.2	181.5	201.2	139.7	88.8	31.5	3.2	3,456	1,678	108.0
1950	46.0	181.3	200.6	141.3	87.9	30.8	3.0	3,455	1,678	107.7
1951	48.1	188.7	198.8	144.5	86.5	30.9	3.1	3,503	1,701	109.2
1952	50.4	201.0	205.2	150.7	87.4	30.7	2.8	3,641	1,763	113.0
1953	52.0	208.2	208.4	153.2	88.1	31.2	2.9	3,721	1,812	114.8
1954	54.3	217.4	213.2	156.5	88.5	32.4	3.2	3,828	1,861	117.2
1955	54.2	218.3	215.1	153.8	89.8	32.3	2.9	3,831	1,863	116.5
1956	55.9	222.2	220.1	150.3	89.6	30.8	2.9	3,858	1,874	116.6
1957	60.2	227.1	224.1	149.4	90.7	30.7	2.8	3,925	1,907	118.0
1958	59.2	226.5	223.3	147.9	87.6	28.9	2.7	3,880	1,886	115.8
1959	60.4	233.8	226.7	147.7	87.3	28.5	2.7	3,935	1,915	116.3
1960	59.8	233.5	224.4	146.2	84.2	28.5	2.4	3,895	1,893	114.1
1961	58.2	233.6	219.2	144.9	81.1	28.5	2.4	3,840	1,868	111.5
1962	55.0	231.6	214.6	143.1	77.1	27.6	2.1	3,756	1,830	108.3
1963	53.1	226.0	210.6	140.3	75.8	25.9	2.1	3,669	1,788	105.3
1964	50.2	212.8	203.1	134.9	72.0	25.1	2.1	3,502	1,702	100.2
1965	49.3	188.6	181.9	119.4	65.9	22.0	2.0	3,145	1,529	90.3
1966	48.2	169.1	163.5	103.3	57.5	19.1	1.7	2,812	1,369	81.5
1967 ^f	45.2	161.4	152.6	91.8	50.9	15.9	1.5	2,597	1,267	76.1
1968 ^f	43.0	152.6	148.7	86.3	44.8	13.8	1.4	2,453	1,190	72.9
1969 ^f	42.2	147.7	149.8	85.0	42.6	12.5	1.1	2,405	1,170	72.3
1970 ^f	42.8	143.3	147.2	81.8	39.0	11.3	0.9	2,331	1,132	71.2
1971 ^f	40.1	134.4	142.0	77.3	33.6	9.4	0.6	2,187	1,060	67.7
1972	38.5	119.8	137.1	72.1	28.9	7.8	0.6	2,024	0,982	63.4
1973	37.2	117.7	131.6	67.1	25.7	6.4	0.4	1,931	0,937	61.5
1974	34.3	110.3	128.2	65.3	22.5	5.4	0.4	1,832	0,891	60.6
Prince Edward Island — Île-du-Prince-Édouard										
1931	27.7	144.7	180.4	166.7	132.4	48.6	3.8	3,521	1,652	97.5
1941	27.8	150.3	177.4	133.7	106.3	43.0	7.1	3,228	1,530	95.0
1951	43.2	203.1	241.6	175.2	122.6	45.6	6.7	4,189	2,020	124.1
1956	56.3	241.3	234.8	191.4	133.4	46.2	4.8	4,542	2,297	128.1
1957	54.9	251.3	252.4	195.6	129.3	51.7	5.4	4,703	2,272	130.5
1958	53.3	231.6	238.5	184.4	127.1	48.2	2.8	4,430	2,156	124.1
1959	60.2	238.1	244.8	210.4	124.3	47.9	6.0	4,659	2,285	130.8
1960	62.1	259.4	258.1	184.6	113.8	49.6	6.5	4,671	2,325	130.2
1961	58.2	268.3	278.7	186.1	128.7	49.6	6.6	4,881	2,355	134.6
1962	64.0	266.3	242.0	167.1	121.7	47.9	3.9	4,565	2,117	129.9
1963	73.2	269.7	265.3	172.9	127.9	40.0	3.6	4,762	2,332	134.7
1964	54.8	264.2	244.3	164.3	106.8	50.7	3.9	4,445	2,132	123.4
1965	52.1	250.3	215.2	162.6	103.7	41.4	3.9	4,146	2,012	113.4
1966	48.2	201.5	190.2	144.0	91.7	36.8	3.3	3,578	1,724	98.4
1967 ^f	42.5	176.9	188.9	125.9	81.9	30.4	4.4	3,255	1,568	90.6
1968 ^f	49.1	187.4	172.4	117.8	71.5	33.5	4.8	3,183	1,545	91.9
1969 ^f	42.7	175.0	180.3	101.1	66.2	21.2	1.9	2,942	1,470	86.2
1970 ^f	47.3	160.5	172.8	93.6	60.0	24.8	2.3	2,807	1,371	84.0
1971 ^f	47.4	175.8	169.7	100.7	68.1	19.2	0.8	2,909	1,375	88.0
1972	47.8	151.2	170.2	86.6	51.5	12.4	1.5	2,606	1,237	81.0
1973	48.1	136.2	143.7	81.0	32.5	11.6	0.8	2,270	1,060	73.1
1974	48.7	124.3	145.9	79.7	33.9	10.8	0.4	2,219	1,048	72.4
Nova Scotia — Nouvelle-Écosse										
1931	44.7	157.4	175.3	142.3	106.3	47.7	5.8	3,397	1,663	98.3
1941	49.7	164.3	161.7	127.5	80.6	32.3	3.3	3,097	1,521	97.7
1951	65.4	206.7	193.7	144.4	90.8	32.2	3.2	3,682	1,781	113.6
1956	74.7	238.4	219.6	150.8	97.1	34.5	3.3	4,092	1,957	120.9
1957	77.3	245.4	226.7	150.2	95.6	35.3	3.0	4,168	2,027	122.2
1958	78.9	238.9	221.5	147.9	92.5	32.3	2.7	4,073	1,962	118.9
1959	80.4	239.9	227.8	146.4	89.2	32.8	3.6	4,100	2,015	118.8
1960	77.5	246.1	225.0	147.4	90.8	34.8	2.2	4,119	2,029	118.5
1961	77.6	254.2	229.8	146.8	87.0	33.0	3.3	4,159	2,021	118.7
1962	77.0	259.8	220.9	153.7	81.7	31.1	2.6	4,134	2,004	117.7

See footnote(s) at end of table. — Voir note(s) à la fin du tableau.

TABLE 6. Age-specific Fertility Rates, Canada, 1926-1974, and Selected Years for Provinces,¹ 1931-1974 - ContinuedTABLEAU 6. Taux de fécondité par âge, Canada, 1926-1974, et certaines années pour les provinces¹, 1931-1974 - suite

Year Année	Fertility rates per 1,000 total women by age groups Taux de fécondité pour 1,000 femmes, par groupe d'âges							Total fertility rate - Indice synthé- tique de fécondité	Gross repro- duction rate - Taux brut de repro- duction	General fertility rate - Taux global de fécon- dité générale
	15-19	20-24	25-29	30-34	35-39	40-44	45-49			
Nova Scotia - Concluded Nouvelle-Écosse - fin										
963	73.1	247.4	220.1	149.9	82.3	28.9	1.7	4,017	1,951	114.5
964	66.0	231.4	217.6	149.1	79.6	30.9	2.8	3,886	1,901	110.1
965	63.9	207.5	186.6	131.8	75.9	25.6	2.1	3,467	1,702	98.8
966	64.3	193.6	172.2	109.7	64.3	24.0	1.9	3,150	1,523	90.6
967	60.2	181.3	161.8	93.7	58.2	19.1	1.5	2,879	1,406	84.2
968	55.2	171.4	154.9	85.8	50.3	17.0	1.6	2,681	1,291	79.9
969	53.9	159.4	147.6	88.9	46.1	15.1	1.4	2,563	1,248	77.6
970	56.5	161.1	150.9	83.8	46.6	14.4	0.9	2,571	1,249	79.4
971	58.3	157.7	147.7	83.8	39.1	13.2	0.7	2,503	1,212	78.7
972	56.3	134.5	146.3	76.8	34.8	10.9	0.7	2,302	1,133	73.4
973	55.9	133.0	135.6	66.7	29.1	8.6	0.4	2,147	1,050	70.2
974	54.3	124.6	128.2	61.4	25.0	6.3	0.5	2,002	0,968	66.7
New Brunswick - Nouveau-Brunswick										
931	42.8	165.3	203.5	172.8	138.3	66.4	9.0	3,990	1,941	114.7
941	47.9	168.6	192.8	158.6	115.0	48.3	6.4	3,688	1,825	110.9
951	67.1	222.6	232.6	181.6	116.6	50.1	5.0	4,378	2,147	135.0
956	68.9	250.2	243.6	178.6	120.3	47.5	6.1	4,576	2,203	134.3
957	72.1	253.3	258.2	178.6	127.5	44.7	4.9	4,694	2,241	136.6
958	68.6	244.8	247.4	173.6	112.3	46.0	4.5	4,486	2,155	130.3
959	69.3	255.2	242.2	171.1	114.3	43.3	4.2	4,498	2,159	129.7
960	70.7	258.1	248.1	167.1	107.3	39.5	4.2	4,475	2,160	128.1
961	70.4	266.7	251.0	173.0	102.2	41.8	3.5	4,543	2,212	129.1
962	68.7	263.3	239.2	175.0	97.6	40.8	3.9	4,439	2,138	126.1
963	65.0	253.9	223.4	164.8	97.1	37.0	4.0	4,227	2,042	119.9
964	56.5	246.1	225.2	158.2	94.5	32.5	3.0	4,124	2,011	116.0
965	59.7	224.2	203.9	146.7	85.3	31.8	2.9	3,772	1,839	105.8
966	59.9	192.9	181.8	124.4	74.0	26.8	2.6	3,312	1,606	93.8
967	56.1	191.1	171.1	105.6	70.2	26.0	1.8	3,110	1,523	89.7
968	54.7	173.5	155.6	96.1	58.8	20.0	1.6	2,802	1,374	82.9
969	52.6	169.2	162.9	91.8	52.0	18.3	1.1	2,740	1,308	82.4
970	51.8	166.5	154.0	85.7	52.1	16.1	1.7	2,640	1,288	80.6
971	56.5	169.1	164.5	83.9	44.3	14.2	0.8	2,667	1,294	83.2
972	56.7	152.8	149.0	83.4	35.9	13.1	1.0	2,460	1,176	78.7
973	56.1	141.6	140.6	69.9	29.0	9.5	0.6	2,237	1,091	73.9
974	53.8	132.6	140.0	66.1	26.0	8.0	0.6	2,136	1,054	71.9
Québec										
931	20.5	136.8	212.3	194.7	154.5	72.3	9.3	4,001	1,940	116.1
941	21.5	137.7	189.9	157.4	114.3	50.6	6.5	3,389	1,645	102.0
951	29.2	176.0	217.3	170.3	113.3	44.2	4.7	3,775	1,834	117.2
956	32.4	193.6	227.6	168.5	112.7	41.7	4.2	3,904	1,892	119.5
957	34.8	201.5	234.8	169.9	112.9	42.5	3.9	4,001	1,938	121.6
958	34.0	201.2	233.4	167.2	108.2	39.6	4.1	3,938	1,920	118.7
959	33.9	203.8	233.4	165.3	106.9	38.5	3.8	3,928	1,913	117.3
960	33.3	199.6	220.5	158.2	100.3	37.3	3.7	3,764	1,831	111.4
961	31.5	198.6	216.8	155.9	96.3	37.3	3.6	3,700	1,787	108.6
962	29.9	195.2	208.9	151.9	91.7	34.9	3.1	3,578	1,740	104.4
963	29.6	193.5	203.2	145.7	87.3	32.2	3.1	3,473	1,695	101.0
964	27.7	185.0	197.5	141.0	81.5	30.9	2.9	3,333	1,616	96.7
965	26.4	168.4	179.6	121.5	73.8	26.7	2.7	2,996	1,451	87.1
966	25.4	150.2	161.2	105.6	62.3	22.2	2.4	2,646	1,284	77.4
967	23.4	140.0	145.3	90.9	53.6	18.4	2.1	2,367	1,159	70.0
968	22.1	128.3	137.9	84.3	46.2	15.4	1.8	2,180	1,054	65.4
969	21.7	120.8	136.4	81.6	43.7	13.3	1.3	2,094	1,017	63.6
970	20.7	113.9	131.0	77.4	39.0	11.8	1.0	1,974	0,956	60.2
971	19.8	107.2	127.6	75.1	34.6	10.5	0.8	1,878	0,908	57.8
972	17.9	94.1	124.7	69.9	29.6	8.4	0.7	1,727	0,836	53.3
973	17.5	93.3	124.7	66.8	27.0	6.7	0.5	1,683	0,812	52.8
974	16.6	91.1	126.6	67.5	23.6	5.6	0.4	1,657	0,806	52.6
Ontario										
931	35.7	127.5	145.2	114.9	74.1	28.8	3.4	2,648	1,285	78.6
941	36.8	133.3	137.3	96.3	55.9	19.1	1.7	2,403	1,164	73.1
951	60.1	186.4	181.8	125.2	68.1	21.0	1.9	3,222	1,560	99.8
956	66.9	225.8	205.7	135.6	73.2	22.6	1.6	3,657	1,780	110.1
957	73.0	228.7	209.0	133.3	74.2	22.6	1.9	3,714	1,806	111.5
958	70.6	228.8	208.3	133.0	72.8	20.9	1.7	3,680	1,785	109.8
959	71.7	239.5	214.7	133.3	73.0	20.8	1.7	3,773	1,834	111.2
960	70.9	241.2	217.1	134.7	71.7	21.6	1.5	3,793	1,841	110.8
961	69.5	239.8	211.6	134.2	69.8	21.9	1.6	3,742	1,824	108.3
962	64.5	239.9	210.5	133.9	65.6	21.9	1.4	3,689	1,796	105.6

TABLE 6. Age-specific Fertility Rates, Canada, 1926-1974, and Selected Years for Provinces,¹ 1931-1974 - ContinuedTABLEAU 6. Taux de fécondité par âge, Canada, 1926-1974, et certaines années pour les provinces¹, 1931-1974 - suite

Year — Année	Fertility rates per 1,000 total women by age groups Taux de fécondité pour 1,000 femmes, par groupe d'âges							Total fertility rate Indice synthé- tique de fécondité	Gross repro- duction rate Taux brut de repro- duction	General fertility rate Taux global de fécon- dité générale
	15-19	20-24	25-29	30-34	35-39	40-44	45-49			
Ontario — Concluded fin										
1963	60.3	233.7	208.1	133.1	66.2	21.1	1.2	3,618	1,759	102.9
1964	57.8	219.7	202.4	128.6	64.6	20.4	1.6	3,475	1,686	98.6
1965	58.3	192.9	180.6	114.5	59.3	17.8	1.3	3,125	1,521	89.0
1966	57.4	171.3	160.2	98.8	52.8	16.2	1.3	2,790	1,361	80.3
1967	53.0	162.7	151.2	89.4	46.4	13.4	1.0	2,586	1,257	75.2
1968 ^r	49.2	155.2	148.8	84.4	41.9	11.7	1.0	2,461	1,198	72.4
1969 ^r	48.5	152.9	152.5	84.5	39.2	10.9	0.8	2,447	1,191	72.8
1970 ^r	49.4	148.5	152.2	83.3	36.4	9.8	0.6	2,401	1,168	72.8
1971 ^r	44.2	137.2	145.9	77.4	31.2	7.8	0.4	2,221	1,078	68.4
1972	42.7	122.2	138.6	72.8	27.2	6.4	0.3	2,051	0,993	64.1
1973	40.9	119.8	132.2	68.0	25.1	5.6	0.3	1,960	0,952	62.1
1974	38.3	114.6	129.4	66.9	22.5	4.8	0.3	1,884	0,915	60.6
Manitoba										
1931	25.9	121.8	157.3	128.1	87.3	37.7	4.9	2,815	1,394	80.7
1941	27.1	125.5	142.0	109.7	67.4	27.0	2.6	2,506	1,218	77.3
1951	46.2	183.1	189.6	133.0	79.5	26.7	2.1	3,302	1,584	103.0
1956	54.2	216.9	212.6	143.6	79.7	26.3	2.8	3,680	1,800	109.0
1957	57.9	218.9	220.4	142.9	84.4	28.1	2.6	3,777	1,842	110.6
1958	58.7	211.8	220.2	136.5	80.3	25.5	2.1	3,675	1,796	106.7
1959	63.8	225.7	223.0	145.3	84.4	26.3	2.4	3,855	1,870	111.0
1960	65.2	234.6	223.0	144.1	80.8	26.2	2.1	3,880	1,892	112.1
1961	63.8	241.9	227.5	146.8	77.4	28.2	1.6	3,936	1,922	111.4
1962	61.8	240.5	220.0	143.8	75.0	27.2	1.8	3,850	1,886	108.4
1963	59.1	234.7	217.5	146.6	74.0	24.9	2.0	3,794	1,863	106.3
1964	58.5	220.8	208.2	134.4	70.7	24.7	1.7	3,595	1,747	100.7
1965	56.0	191.7	190.9	126.5	66.8	22.5	1.4	3,279	1,591	91.8
1966	50.0	172.4	175.6	110.7	58.0	20.5	1.6	2,944	1,438	82.6
1967 ^r	47.2	167.8	168.4	98.4	53.6	16.2	1.6	2,766	1,353	78.5
1968 ^r	50.0	162.8	169.6	94.5	49.2	14.3	1.5	2,710	1,308	78.5
1969 ^r	48.3	159.3	166.5	97.1	49.0	14.8	1.5	2,683	1,320	78.8
1970 ^r	52.7	158.4	168.6	94.3	43.6	12.2	1.1	2,654	1,287	79.9
1971 ^r	55.6	148.5	162.0	87.7	41.5	11.7	1.0	2,540	1,243	78.0
1972	53.0	136.7	157.6	83.1	35.9	9.8	0.6	2,384	1,160	74.6
1973	53.1	132.6	144.6	78.1	30.4	8.7	0.6	2,241	1,081	71.9
1974	52.5	127.9	145.8	74.7	27.3	7.2	0.4	2,179	1,046	71.7
Saskatchewan										
1931	30.3	160.1	190.0	152.8	109.8	46.3	6.3	3,478	1,694	99.5
1941	24.6	130.8	157.3	122.9	86.5	34.5	5.3	2,809	1,368	84.4
1951	42.4	196.7	203.4	150.5	86.5	34.3	4.1	3,590	1,756	110.3
1956	55.8	241.7	233.7	155.4	90.4	34.6	3.7	4,077	1,974	120.0
1957	58.4	246.8	235.8	159.5	96.7	32.9	3.5	4,168	2,014	120.9
1958	61.7	251.7	236.1	159.3	90.0	31.5	3.1	4,167	2,028	120.2
1959	66.3	257.7	243.7	153.9	92.4	31.3	3.6	4,245	2,073	121.5
1960	67.3	258.1	242.3	155.3	89.5	30.9	2.4	4,229	2,062	120.2
1961	69.7	261.7	235.1	154.8	90.5	29.6	2.9	4,221	2,055	119.3
1962	63.4	254.4	239.5	155.3	86.6	30.4	2.1	4,158	2,036	116.2
1963	66.6	263.9	246.9	154.6	86.5	28.7	3.0	4,251	2,073	117.9
1964	63.2	245.0	237.3	152.1	82.6	28.9	2.4	4,058	1,983	112.4
1965	60.5	216.9	201.8	134.8	74.9	26.5	2.5	3,589	1,752	100.2
1966	57.3	202.1	184.1	118.3	68.7	24.3	2.1	3,284	1,588	92.1
1967 ^r	56.6	192.5	172.4	103.1	62.0	19.7	1.9	3,041	1,479	86.5
1968 ^r	57.3	187.8	175.5	105.2	56.1	19.2	1.7	3,014	1,460	86.9
1969 ^r	52.4	179.4	172.7	98.8	56.5	16.7	1.7	2,891	1,411	83.9
1970 ^r	48.9	173.2	164.7	91.6	49.2	16.5	1.8	2,730	1,329	79.6
1971 ^r	51.1	173.7	165.7	89.4	42.8	13.7	1.2	2,688	1,322	78.5
1972	52.8	156.7	165.8	84.2	37.6	12.7	1.0	2,554	1,251	76.0
1973	54.4	148.3	156.9	74.2	32.9	10.7	0.7	2,391	1,170	72.9
1974	51.0	139.2	165.7	80.6	30.4	9.5	0.6	2,385	1,170	73.7
Alberta										
1931	36.0	164.5	189.4	142.5	96.9	40.8	5.2	3,377	1,627	99.3
1941	31.9	150.2	162.6	114.6	74.3	29.3	3.6	2,833	1,379	88.0
1951	55.9	220.5	207.8	143.7	84.6	28.9	2.9	3,721	1,825	117.8
1956	73.7	264.0	243.3	155.0	87.1	30.3	2.9	4,282	2,079	132.1
1957	82.0	270.0	235.8	148.8	89.2	27.5	2.2	4,278	2,081	131.2
1958	81.1	272.6	240.8	151.1	88.8	26.9	3.0	4,321	2,092	131.6
1959	84.8	277.9	242.2	153.0	86.1	28.5	2.8	4,377	2,129	132.3
1960	86.2	276.2	244.8	152.5	85.8	27.7	2.4	4,378	2,128	131.7
1961	84.5	278.4	231.6	148.3	81.2	27.4	1.9	4,267	2,087	127.8
1962	80.7	277.1	225.6	142.8	76.0	27.4	2.1	4,159	2,039	123.8

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 6. Age-specific Fertility Rates, Canada, 1926-1974, and Selected Years for Provinces, 1931-1974 - Concluded

TABLEAU 6. Taux de fécondité par âge, Canada, 1926-1974, et certaines années pour les provinces¹, 1931-1974 - fin

Year Année	Fertility rates per 1,000 total women by age groups Taux de fécondité pour 1,000 femmes, par groupe d'âges							Total fertility rate	Gross repro- duction rate	General fertility rate
	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Indice synthé- tique de fécondité	Taux brut de repro- duction	Taux global de fécon- dité générale
Alberta - Concluded - fin										
1963	77.7	266.7	218.5	141.3	76.3	25.9	1.9	4,042	1,966	119.8
1964	69.2	249.1	204.9	134.0	68.1	25.8	1.8	3,765	1,838	110.7
1965	65.4	213.9	183.2	119.5	63.7	22.2	2.2	3,351	1,616	98.4
1966	65.0	196.7	168.6	103.9	58.4	19.0	1.7	3,066	1,506	90.7
1967	62.6	196.9	164.3	98.9	54.4	16.2	1.7	2,975	1,455	88.8
1968	58.4	186.4	163.1	88.6	44.9	14.4	1.5	2,787	1,341	84.4
1969	56.9	174.8	165.1	88.8	44.4	13.7	1.1	2,724	1,338	83.5
1970	60.0	175.3	160.7	83.6	42.0	12.1	1.1	2,674	1,296	83.6
1971	54.0	159.7	154.3	78.0	31.5	8.7	0.5	2,434	1,171	77.4
1972	52.4	143.1	148.7	68.8	27.9	7.2	0.6	2,244	1,087	72.3
1973	50.2	145.6	140.9	65.1	22.4	5.8	0.5	2,153	1,047	70.4
1974	47.7	140.4	142.2	64.3	21.8	5.2	0.4	2,110	1,033	69.6
British Columbia - Colombie-Britannique										
1931	23.8	110.7	126.2	94.9	55.8	20.3	2.5	2,171	1,054	61.6
1941	31.4	135.1	135.0	95.0	46.9	16.0	1.6	2,305	1,125	73.2
1951	59.2	192.7	183.1	120.6	62.7	19.7	2.2	3,201	1,557	98.9
1956	77.3	254.4	217.9	135.0	72.6	21.3	1.4	3,899	1,915	111.5
1957	83.1	252.2	219.7	134.6	72.1	20.6	1.9	3,918	1,933	112.0
1958	82.3	250.9	219.7	131.8	72.4	20.5	1.5	3,895	1,908	111.1
1959	82.1	263.3	222.5	130.0	71.3	19.9	1.9	3,955	1,923	111.1
1960	78.5	259.5	223.4	133.9	70.5	20.9	1.6	3,941	1,913	109.6
1961	73.8	253.7	214.5	128.7	64.7	20.0	1.5	3,785	1,852	104.1
1962	69.0	249.9	211.3	123.1	60.5	19.0	1.2	3,705	1,821	101.4
1963	66.6	235.4	204.3	124.5	60.6	19.4	1.2	3,560	1,742	97.5
1964	62.7	214.4	186.7	115.2	57.5	18.0	1.2	3,279	1,600	90.4
1965	63.7	185.6	166.3	102.8	51.3	15.1	1.3	2,931	1,442	82.0
1966	62.2	169.9	152.4	88.9	44.6	12.6	1.1	2,659	1,299	76.0
1967	58.4	167.2	144.1	81.5	40.5	11.0	0.7	2,517	1,229	73.3
1968	55.2	159.8	145.4	79.3	36.5	10.1	0.9	2,436	1,191	72.2
1969	55.7	156.9	149.2	77.7	36.1	8.9	0.7	2,426	1,183	73.2
1970	56.6	154.6	148.4	75.3	32.0	8.5	0.5	2,380	1,152	73.3
1971	48.9	141.2	136.6	67.5	26.2	6.2	0.4	2,135	1,032	67.0
1972	46.1	127.8	133.7	64.5	22.3	5.5	0.4	2,002	0,979	63.9
1973	42.2	124.9	124.9	58.2	20.0	4.3	0.2	1,874	0,912	60.8
1974	40.2	120.3	122.7	58.4	18.0	3.9	0.2	1,819	0,884	59.8
Yukon²										
1951	110.0	363.3	218.0	147.5	100.0	65.0	-	5,019	2,480	170.5
1956	90.0	282.0	263.3	175.0	87.5	43.3	10.0	4,156	2,156	171.1
1957	136.7	370.0	250.0	150.0	117.5	56.7	5.0	5,429	2,615	176.4
1958	123.3	347.5	296.0	131.7	96.0	60.0	20.0	5,373	2,544	168.9
1959	153.3	397.5	334.0	182.0	155.0	22.5	15.0	6,297	3,224	198.9
1960	143.3	322.5	328.0	193.3	136.0	35.0	13.3	5,857	2,809	179.3
1961	148.8	322.0	258.8	178.2	103.3	60.6	3.5	5,376	2,640	170.9
1962	145.0	312.0	256.7	166.7	104.0	65.0	3.3	5,263	2,405	165.8
1963	98.0	286.0	243.3	161.7	86.0	47.5	6.7	4,646	2,384	146.8
1964	108.0	330.0	256.0	160.0	96.0	52.5	6.7	5,046	2,405	155.8
1965	110.0	286.0	214.0	158.0	64.0	52.5	6.7	4,456	2,101	138.1
1966	119.3	219.9	186.5	102.2	43.2	41.0	13.1	3,626	1,801	113.6
1967	96.7	211.7	170.0	104.0	72.0	22.5	3.3	3,401	1,641	110.0
1968	106.7	228.3	146.7	96.0	55.0	20.0	3.3	3,280	1,685	108.8
1969	134.3	241.4	203.3	98.0	38.0	12.5	2.5	3,650	1,699	121.6
1970	107.1	213.8	156.3	81.7	38.0	25.0	5.0	3,135	1,474	107.4
1971	128.6	210.0	154.4	98.3	42.0	10.0	2.5	3,229	1,468	115.0
1972	96.3	158.9	163.3	80.0	48.0	6.0	2.5	2,775	1,329	96.0
1973	80.0	201.3	127.0	61.3	30.0	4.0	-	2,518	1,271	87.5
1974	102.5	252.9	162.0	71.3	24.0	6.0	2.5	3,106	1,475	105.3
Northwest Territories² - Territoires du Nord-Ouest²										
1951	140.0	276.7	270.0	226.0	200.0	82.5	36.7	6,159	3,150	190.8
1956	122.5	258.8	315.0	246.7	176.0	117.5	26.7	6,315	3,017	199.1
1957	137.5	296.3	328.6	250.0	265.0	122.5	60.0	7,299	3,755	225.0
1958	142.5	372.9	332.9	270.0	232.0	122.5	33.3	7,530	3,467	236.3
1959	143.8	347.1	325.0	226.0	226.0	90.0	46.7	7,605	3,649	241.5
1960	165.0	325.6	348.8	285.7	234.0	140.0	42.5	7,708	3,713	243.1
1961	149.9	367.1	302.5	294.8	199.0	103.8	20.8	7,189	3,521	233.2
1962	142.2	317.0	296.0	235.0	185.7	116.0	42.5	6,672	3,236	214.0
1963	136.0	327.0	294.0	260.0	200.0	84.0	35.0	6,680	3,210	215.0
1964	129.1	365.0	314.0	302.5	195.7	93.3	25.0	7,123	3,433	226.1
1965	126.4	328.0	297.0	290.0	165.7	136.0	27.5	6,853	3,216	216.5
1966	118.1	277.5	274.1	259.7	190.6	84.9	26.0	6,154	2,997	193.9
1967	115.4	323.6	270.0	238.9	190.0	83.3	18.0	6,196	3,001	195.2
1968	120.0	312.5	276.4	267.8	178.8	93.3	22.0	6,354	3,152	202.8
1969	119.3	275.4	244.2	187.0	171.3	100.0	14.0	5,556	2,660	178.8
1970	154.3	276.7	243.1	189.0	138.9	70.0	11.7	5,419	2,444	180.7
1971	119.3	251.2	215.3	162.7	123.3	67.1	13.3	4,761	2,308	160.9
1972	149.3	238.2	210.0	126.7	88.0	43.8	16.7	4,364	2,103	149.3
1973	125.6	270.0	165.9	129.2	73.0	35.0	-	3,994	1,858	140.0
1974	127.6	235.3	155.3	100.0	47.0	26.3	3.3	3,474	1,633	121.2

¹ Data for Newfoundland not available. - Les données de Terre-Neuve ne sont pas disponibles.² Data for Yukon and Northwest Territories not available prior to 1951. - Les données d'avant 1951 du Yukon et des Territoires du Nord-Ouest ne sont pas disponibles.

TABLE 7. Live Births by Age of Mother and Live Birth Order, Canada,¹ 1974TABLEAU 7. Naissances vivantes suivant l'âge de la mère et le rang des naissances vivantes, Canada¹, 1974

Birth order — Rang de naissance	Total	Age of mother — Âge de la mère								50 and over — et plus	Not stated — Non déclaré
		Under 15 — Moins de 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
Total	335,409	312	38,314	111,409	119,238	48,142	14,133	3,333	222	4	302
1st child — 1 ^{er} enfant	147,433	309	31,715	61,262	42,035	9,617	1,878	356	14	1	246
2nd " 2 ^e "	111,859	3	5,963	38,345	47,825	16,219	3,073	398	15	—	18
3rd " 3 ^e "	45,382	—	566	9,272	20,194	11,845	3,011	462	26	—	6
4th " 4 ^e "	16,570	—	58	1,943	6,128	5,723	2,211	482	20	1	4
5th " 5 ^e "	6,484	—	3	454	1,842	2,329	1,424	409	21	—	2
6th " 6 ^e "	3,115	—	—	96	719	1,078	891	306	24	1	—
7th " 7 ^e "	1,746	—	—	20	302	586	584	227	26	—	1
8th " 8 ^e "	1,027	—	—	5	119	352	350	180	20	—	1
9th " 9 ^e "	624	—	—	3	38	187	260	125	11	—	—
10th and over — 10 ^e et plus	1,111	—	—	2	23	204	450	385	45	1	1
Not stated — Non déclaré	58	—	9	7	13	2	1	3	—	—	23

¹ Data for Newfoundland not available. — Les données de Terre-Neuve sont inconnues.TABLE 8. Live Births by Live Birth Order, Canada and Provinces,¹ 1971-1974TABLEAU 8. Naissances vivantes suivant le rang des naissances vivantes, Canada et provinces¹, 1971-1974

Birth order — Rang de naissance	Canada	P.E.I. Î. P. - É.	N.S. N. - É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. — Alb.	B.C. C. - B.	Yukon	N.W.T. — T. N. - O.
1974 — Total	335,409	1,939	12,941	11,444	85,627	124,229	17,311	15,118	29,813	35,450	495	1,042
1st child — 1 ^{er} enfant	147,433	806	5,658	4,833	40,187	54,338	7,058	5,879	11,932	16,149	219	374
2nd " 2 ^e "	111,859	581	4,007	3,587	28,034	42,654	5,576	4,684	10,208	12,091	172	265
3rd " 3 ^e "	45,382	282	1,793	1,638	10,409	17,267	2,453	2,250	4,479	4,618	64	129
4th " 4 ^e "	16,570	113	779	664	3,692	5,962	1,004	1,022	1,671	1,557	25	81
5th " 5 ^e "	6,484	70	311	322	1,441	2,011	491	501	722	566	8	41
6th " 6 ^e "	3,115	34	155	144	723	936	250	279	315	227	1	51
7th " 7 ^e "	1,746	20	88	94	414	492	151	172	172	108	1	34
8th " 8 ^e "	1,027	19	47	51	282	241	105	86	106	61	2	27
9th " 9 ^e "	624	5	39	31	158	117	67	90	73	29	—	15
10th and over — 10 ^e et plus	1,111	9	57	77	278	201	140	153	129	41	3	23
Not stated — Non déclaré	58	—	7	3	9	10	16	2	6	3	—	2
1973 — Total	331,467	1,886	13,289	11,425	84,057	123,776	16,964	14,806	29,288	34,352	420	1,204
1st child — 1 ^{er} enfant	143,730	747	5,719	4,822	39,223	53,255	6,854	5,731	11,778	14,985	185	431
2nd " 2 ^e "	106,922	553	3,780	3,403	26,112	41,521	5,296	4,380	9,685	11,783	139	270
3rd " 3 ^e "	45,358	262	1,909	1,608	10,334	17,393	2,373	2,193	4,332	4,729	50	175
4th " 4 ^e "	17,871	150	871	678	4,041	6,491	1,063	1,094	1,771	1,607	24	81
5th " 5 ^e "	7,704	71	413	349	1,868	2,545	503	517	757	609	9	63
6th " 6 ^e "	3,975	31	231	213	959	1,201	312	311	361	302	4	50
7th " 7 ^e "	2,182	28	126	118	536	606	188	176	223	142	2	37
8th " 8 ^e "	1,301	19	82	73	326	318	111	139	121	76	2	34
9th " 9 ^e "	881	9	48	52	253	187	95	89	81	50	2	15
10th and over — 10 ^e et plus	1,467	15	100	107	402	247	164	176	138	69	3	46
Not stated — Non déclaré	76	1	10	2	3	12	5	—	41	—	—	2
1972 — Total	334,421	2,010	13,536	11,806	83,603	125,060	17,398	15,473	29,282	34,563	451	1,239
1st child — 1 ^{er} enfant	140,107	754	5,439	4,698	37,373	52,679	6,792	5,669	11,429	14,697	177	400
2nd " 2 ^e "	102,301	555	3,825	3,256	24,855	40,411	5,068	4,359	9,183	11,516	140	297
3rd " 3 ^e "	47,701	287	1,974	1,680	10,881	18,295	2,615	2,309	4,566	4,872	69	153
4th " 4 ^e "	20,767	175	964	885	4,823	7,356	1,229	1,239	2,056	1,910	27	103
5th " 5 ^e "	9,505	93	523	481	2,255	3,091	656	678	880	764	13	71
6th " 6 ^e "	5,020	37	312	281	1,251	1,460	336	406	474	391	9	43
7th " 7 ^e "	2,788	33	179	162	742	754	214	235	249	175	9	36
8th " 8 ^e "	1,787	15	109	102	503	423	155	186	158	102	2	32
9th " 9 ^e "	1,178	15	80	70	322	234	120	141	110	53	1	32
10th and over — 10 ^e et plus	2,059	26	125	189	593	340	207	247	176	83	4	69
Not stated — Non déclaré	44	—	6	2	5	17	6	4	1	—	—	3
1971 — Total	349,420	2,103	14,250	12,187	89,210	130,395	18,031	16,054	30,545	34,852	506	1,287
1st child — 1 ^{er} enfant	142,008	724	5,640	4,606	38,398	53,544	6,975	5,517	11,673	14,349	201	381
2nd " 2 ^e "	102,301	497	3,805	3,218	25,340	39,800	4,878	4,260	9,126	10,950	149	278
3rd " 3 ^e "	51,999	356	2,064	1,737	12,188	19,988	2,695	2,662	4,766	5,314	72	157
4th " 4 ^e "	24,507	187	1,168	992	5,615	8,938	1,420	1,394	2,413	2,237	30	113
5th " 5 ^e "	11,894	115	625	594	2,935	3,896	734	807	1,093	1,001	20	74
6th " 6 ^e "	6,494	72	359	338	1,768	1,938	439	477	570	451	13	69
7th " 7 ^e "	3,648	47	210	214	991	997	254	289	326	250	6	64
8th " 8 ^e "	2,354	38	128	160	678	547	216	215	212	117	4	39
9th " 9 ^e "	1,481	22	95	105	410	312	136	146	138	82	3	32
10th and over — 10 ^e et plus	2,668	45	151	223	884	418	257	287	224	98	5	76
Not stated — Non déclaré	66	—	5	—	3	17	27	—	4	3	—	4

¹ Data for Newfoundland not available. — Les données de Terre-Neuve sont inconnues.

TABLE 9. Natural Increase and Rates, Canada and Provinces, 1921-1974

TABLEAU 9. Accroissement naturel et taux, Canada et provinces, 1921-1974

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î. P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T.N.T.
Natural increase - Accroissement naturel													
Average - Moyenne 1921-1925	149,599	3,321	880	5,600	5,987	53,693	37,202	11,242	15,721	10,508	5,444
" " 1926-1930	130,620	3,072	766	4,653	5,308	46,126	32,054	8,885	15,042	10,393	4,369	-21	..
" " 1931-1935	127,835	3,044	960	5,413	5,730	46,092	29,218	8,277	14,288	11,110	3,661	-12	53
" " 1936-1940	123,257	3,957	974	5,934	6,065	45,288	26,667	7,379	12,309	10,228	4,409	-4	51
1941	145,196	4,504	915	6,989	7,088	54,871	33,036	8,317	12,006	10,923	6,533	5	9
1942	164,459	4,989	1,176	8,921	7,509	61,232	39,073	9,260	11,999	12,226	7,939	-12	147
1943	170,303	5,280	1,259	8,917	8,173	63,675	40,110	9,405	11,850	12,766	8,790	-21	99
1944	173,574	5,403	1,360	9,369	8,336	67,449	38,309	9,307	11,684	13,052	9,302	36	33
1945	183,262	7,877	1,370	9,902	8,828	70,935	39,475	9,703	12,497	13,485	9,121	36	33
1946	224,719	8,606	1,919	11,868	11,408	77,595	57,688	12,257	15,011	15,583	12,472	66	246
1947	251,086	9,321	1,972	13,256	12,939	81,845	67,234	13,638	16,724	18,088	15,673	147	246
1948	236,886	8,526	1,955	11,694	12,320	81,106	61,831	12,195	15,066	17,088	14,668	162	278
1949	242,525	9,413	1,907	11,759	11,797	82,717	63,222	12,373	15,066	17,852	15,986	223	210
1950	247,789	9,996	1,982	11,184	11,498	85,604	64,760	12,651	15,303	18,769	15,535	217	290
1951	255,269	8,734	1,747	11,313	11,202	86,030	70,846	13,207	15,293	19,836	16,439	257	365
1952	277,174	9,788	1,787	12,195	12,044	91,562	79,489	14,225	15,980	21,760	17,747	296	361
1953	290,093	10,064	1,811	12,468	11,821	94,250	84,529	14,227	17,016	23,730	19,528	267	382
1954	311,343	10,737	1,758	13,217	12,363	100,009	91,746	15,529	18,658	26,073	20,532	340	381
1955	314,461	11,551	1,883	13,027	12,174	99,420	94,120	15,544	18,085	26,401	21,322	452	482
1956	318,778	11,483	1,724	13,368	11,915	100,842	96,285	14,887	17,393	27,165	22,826	396	494
1957	332,514	12,117	1,760	13,339	12,425	105,473	101,756	14,994	17,178	27,463	25,033	401	505
1958	334,917	11,693	1,632	12,778	11,886	105,622	103,960	14,552	17,360	28,605	25,836	381	612
1959	339,362	11,647	1,713	12,667	11,739	105,993	106,524	15,380	17,316	29,599	25,635	448	701
1960	338,858	12,158	1,773	13,024	11,671	102,721	107,761	15,756	17,220	30,121	25,420	441	782
1961	334,715	12,553	1,860	13,247	11,309	100,130	106,666	15,919	16,887	30,051	24,188	464	855
1962	325,994	11,866	1,749	13,090	11,679	97,858	103,897	15,465	16,337	29,540	23,216	472	825
1963	318,400	12,260	1,970	12,609	10,956	95,423	101,472	14,823	16,102	29,023	22,449	418	895
1964	307,065	11,617	1,746	11,930	10,602	93,293	100,525	14,033	15,309	26,687	19,846	427	1,050
1965	269,656	11,510	1,481	10,190	9,465	82,073	87,264	12,600	13,077	23,130	17,885	328	993
1966	237,847	11,012	1,151	8,742	7,951	71,198	77,771	10,069	11,610	20,915	16,212	287	929
1967	220,611	9,727	1,009	7,674	7,459	62,806	72,631	9,551	10,552	21,168	16,729	312	993
1968	211,114	9,697	1,115	7,164	6,702	57,085	70,705	9,546	10,699	20,186	16,859	286	1,070
1969	215,170	9,995	1,002	6,955	6,846	55,507	74,691	9,769	10,100	20,934	18,006	367	998
1970	216,027	9,245	942	7,436	6,600	51,365	77,955	10,392	8,971	21,855	19,841	342	1,083
1971	204,915	9,568	1,096	7,568	7,244	48,472	73,772	10,006	8,641	20,020	17,069	402	1,057
1972	184,906	9,549	958	6,632	6,824	41,292	66,155	9,173	7,883	18,583	16,542	348	967
1973	179,334	8,501	866	6,361	6,341	41,391	63,900	8,768	7,160	18,525	16,257	309	988
1974	178,851	6,950	851	6,042	6,239	42,860	63,673	8,881	7,304	18,561	16,273	381	836
Natural increase per 1,000 population - Accroissement naturel pour 1,000 habitants													
Average - Moyenne 1921-1925	16.1	12.7	10.1	10.8	15.4	21.9	12.3	18.1	20.2	17.7	9.8
" " 1926-1930	12.9	11.4	8.7	9.0	13.2	17.0	9.8	13.4	17.5	15.8	6.8	-5.2	-3.1
" " 1931-1935	11.7	10.7	10.7	10.3	13.7	15.6	8.3	11.7	15.4	14.8	5.1	-2.9	5.3
" " 1936-1940	10.8	13.4	10.4	10.7	13.7	14.2	7.2	10.3	13.4	13.1	5.7	-0.8	4.5
1941	12.3	14.8	9.7	12.1	15.5	16.5	8.7	11.4	13.4	13.7	8.0	1.0	0.7
1942	13.7	16.3	13.0	15.1	16.2	18.0	10.0	12.7	14.1	15.8	9.1	-2.4	12.3
1943	14.1	16.9	13.9	14.7	17.7	18.5	10.2	13.0	14.2	16.3	9.8	-4.2	8.3
1944	14.2	17.1	14.9	15.3	18.1	19.3	9.7	12.8	14.0	16.2	10.0	7.2	-2.8
1945	14.8	24.5	14.8	16.0	18.9	19.9	9.8	13.4	15.0	16.7	9.6	7.2	2.8
1946	17.8	26.1	20.4	19.6	23.8	21.4	14.1	16.9	18.0	19.4	12.4	8.3	15.4
1947	19.5	27.6	20.9	21.5	26.5	22.0	16.1	18.4	20.0	22.0	15.0	18.4	15.6
1948	18.0	24.8	21.1	18.7	24.7	21.4	14.5	16.4	17.9	20.0	13.5	20.3	17.2
1949	18.0	27.3	20.3	18.7	23.2	21.3	14.4	16.4	18.1	20.2	14.3	27.8	13.2
1950	18.0	28.5	20.7	17.6	22.4	21.6	14.5	16.5	18.4	20.6	13.6	27.1	18.1
1951	18.2	24.2	17.9	17.6	21.8	21.2	15.4	17.0	18.4	21.2	14.1	28.6	22.8
1952	19.2	26.2	17.8	18.7	22.9	21.9	16.6	17.8	18.9	22.4	14.8	32.9	18.8
1953	19.5	26.3	17.9	18.8	22.2	22.1	17.1	17.6	19.7	23.4	15.6	29.7	23.9
1954	20.3	27.2	19.6	19.6	22.9	22.8	17.9	18.8	21.4	24.7	15.8	34.0	22.4
1955	20.0	28.4	18.8	19.1	22.3	22.0	17.9	18.5	20.6	24.2	15.9	41.1	26.8
1956	19.8	27.6	17.4	19.2	21.5	21.8	17.9	17.5	19.7	24.2	16.3	33.0	26.0
1957	20.0	28.6	17.7	19.1	22.1	22.1	18.1	17.4	19.5	23.6	16.8	33.4	30.3
1958	19.6	27.1	16.3	18.1	20.8	21.5	17.8	16.6	19.5	23.7	16.8	29.3	30.6
1959	19.4	26.4	16.9	17.6	20.1	21.1	17.8	17.3	19.1	23.7	16.4	34.5	33.3
1960	19.0	27.2	17.2	17.9	19.8	20.0	17.7	17.4	18.8	23.3	15.8	31.5	35.8
1961	18.4	27.5	17.8	18.0	19.8	19.1	17.1	17.3	18.2	22.5	14.9	31.7	37.2
1962	17.6	25.4	16.3	17.5	19.3	18.2	16.4	16.5	17.6	21.5	14.0	31.5	38.4
1963	16.8	25.7	18.2	16.8	18.0	17.4	15.6	15.6	17.2	20.7	13.3	27.9	36.9
1964	15.9	24.1	16.0	15.8	17.3	16.7	15.1	14.6	16.3	18.7	11.4	28.5	36.8
1965	13.7	23.6	13.6	15.3	15.3	14.4	12.9	12.7	13.8	15.9	9.9	23.5	32.8
1966	11.9	22.3	10.6	11.5	12.9	12.3	11.2	10.5	12.1	14.3	8.6	20.0	32.8
1967	10.8	19.5	9.3	10.1	12.0	10.7	10.2	9.9	11.0	14.2	8.6	20.8	34.2
1968	10.2	19.1	10.1	9.4	10.8	9.6	9.8	9.8	11.2	13.3	8.4	19.1	34.7
1969	10.3	19.5	9.0	10.9	9.3	9.3	10.2	10.0	10.7	13.4	8.8	23.0	37.7
1970	10.2	17.9	8.6	9.5	10.5	8.6	10.3	10.6	9.6	13.7	9.3	20.1	32.8
1971	9.5	18.4	9.8	9.6	11.4	8.0	9.5	10.1	9.3	12.3	7.9	21.8	36.4
1972	8.5	17.9	8.5	8.3	10.6	6.8	8.5	9.2	8.6	11.2	7.4	18.3	36.9
1973	8.1	15.7	7.5	7.9	9.7	6.8	8.0	8.8	7.9	11.0	7.0	15.7	32.8
1974	8.0	12.8	7.3	7.4	9.4	7.0	7.9	8.8	8.1	10.8	6.8	19.6	32.8

TABLE 10. Marriages and Rates, Canada and Provinces, 1921-1974 and by Month, 1974

TABLÉAU 10. Mariages et taux de nuptialité, Canada et provinces, 1921-1974, par mois, 1974

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	Yukon	N.W.T. T. N. - O.
Marriages - Mariages													
Average - Moyenne 1921-1925	67,558	1,481	473	3,186	2,953	17,529	24,037	4,634	4,982	4,313	3,971	.	.
" " 1926-1930	73,555	1,632	473	3,224	2,970	18,731	25,449	4,951	6,036	5,265	4,786	14	24
" " 1931-1935	70,368	1,708	496	3,522	2,737	17,089	24,260	5,015	5,680	5,530	4,267	24	41
" " 1936-1940	99,139	2,208	623	4,796	3,801	27,111	32,719	6,931	6,599	7,192	7,053	36	72
1941	124,644	2,684	673	6,596	4,941	32,782	43,270	8,305	7,036	8,470	9,769	36	82
1942	130,786	3,269	778	6,874	4,934	33,857	45,466	8,395	7,207	9,034	10,827	36	109
1943	113,827	2,729	653	6,105	3,985	33,856	36,109	6,901	6,172	7,771	9,385	67	94
1944	104,656	3,000	646	5,942	3,813	31,922	31,227	6,294	5,919	7,299	8,434	94	66
1945	111,376	3,154	680	5,992	4,491	33,211	34,137	6,579	6,369	7,310	9,262	69	122
1946	137,398	3,067	837	6,549	5,866	36,650	46,073	8,594	8,279	9,478	11,762	66	177
1947	130,400	2,917	676	5,861	5,189	35,494	44,056	7,712	7,674	8,797	11,852	61	111
1948	126,118	2,610	635	5,093	4,640	34,646	43,242	7,325	7,171	8,844	11,718	77	117
1949	124,087	2,445	619	5,058	4,251	33,485	43,304	7,265	7,037	9,037	11,376	76	134
1950	125,083	2,515	616	5,065	4,376	34,093	43,744	7,128	6,904	9,294	11,110	84	154
1951	128,408	2,517	583	5,094	4,386	35,704	45,198	7,366	6,805	9,305	11,272	68	110
1952	128,474	2,730	613	5,390	4,276	35,374	45,251	7,128	6,944	9,514	11,081	73	100
1953	131,034	2,771	647	5,378	4,232	35,968	45,954	7,277	7,186	10,126	11,298	94	103
1954	128,629	2,952	605	5,265	4,278	35,516	45,028	6,837	6,953	9,960	10,991	110	134
1955	128,029	3,211	667	5,288	4,359	35,356	44,634	6,913	6,494	9,844	11,011	125	127
1956	132,713	3,073	649	5,543	4,591	37,290	46,282	6,709	6,403	9,965	11,950	112	146
1957	133,186	3,041	627	5,206	4,284	37,135	46,780	6,594	6,510	10,117	12,620	110	162
1958	131,525	3,047	619	5,135	4,170	36,229	46,894	6,430	6,464	10,186	12,094	109	148
1959	132,474	2,893	639	5,310	4,310	37,124	46,598	6,661	6,388	10,402	11,910	109	130
1960	130,338	3,104	690	5,250	4,430	36,211	45,855	6,606	6,209	10,482	11,203	107	191
1961	128,475	3,306	624	5,292	4,504	35,943	44,434	6,512	6,149	10,474	10,964	128	145
1962	129,381	3,274	677	5,256	4,382	37,038	44,454	6,354	6,044	10,423	11,196	109	174
1963	131,111	3,280	684	5,127	4,391	37,358	45,306	6,694	6,197	10,163	11,677	95	139
1964	138,135	3,385	662	5,339	4,611	39,400	48,501	6,796	6,382	10,634	12,158	94	173
1965	145,519	3,412	713	5,549	4,766	40,893	51,274	7,012	6,806	11,209	13,639	108	138
1966	155,596	3,728	752	5,833	5,165	44,411	54,571	7,312	6,987	11,879	14,682	94	182
1967	165,879	4,021	802	6,189	5,452	46,275	58,377	7,942	7,579	12,903	16,026	133	180
1968	171,766	4,242	750	6,284	5,389	46,004	62,109	8,291	7,747	13,640	16,914	170	226
1969	182,183	4,279	868	6,568	5,705	47,545	67,150	8,864	7,668	14,846	18,284	169	237
1970	188,428	4,466	913	6,800	6,696	49,606	68,874	9,008	7,317	15,285	20,026	201	236
1971	191,324	4,685	961	6,883	6,149	49,695	69,590	9,127	7,813	15,614	20,389	166	252
1972	200,470	5,106	1,013	7,291	6,455	53,830	72,278	9,181	7,877	16,345	20,659	181	254
1973	199,064	5,048	1,014	7,273	6,357	51,943	72,371	9,196	7,847	16,280	21,303	206	226
1974	198,824	4,276	990	7,112	6,108	51,532	72,716	9,231	7,988	16,691	21,734	190	256
January - Janvier	5,707	177	27	221	144	1,019	2,377	265	205	505	754	7	6
February - Février	8,096	220	48	303	212	1,312	3,264	403	340	787	1,189	7	11
March - Mars	9,907	223	47	404	292	1,537	4,091	487	348	925	1,513	21	19
April - Avril	12,130	285	56	400	333	2,498	4,658	542	532	1,169	1,614	8	35
May - Mai	18,600	316	55	592	545	5,058	7,094	838	687	1,457	1,930	10	18
June - Juin	27,959	578	136	925	792	8,680	9,713	1,292	1,059	2,245	2,499	22	18
July - Juillet	25,499	547	127	854	838	9,627	7,467	1,028	1,085	1,753	2,118	23	32
August - Août	28,923	684	181	1,165	1,032	7,845	9,954	1,310	1,322	2,487	2,890	30	23
September - Septembre	18,342	342	96	663	572	4,761	7,544	865	457	1,227	1,784	8	23
October - Octobre	16,799	301	75	622	539	3,660	6,721	892	789	1,374	1,786	17	23
November - Novembre	13,772	302	83	570	461	1,983	5,200	784	701	1,460	1,786	18	24
December - Décembre	13,490	301	59	393	348	1,552	4,633	525	463	1,302	1,871	19	24
Rate per 1,000 population - Taux pour 1,000 habitants													
Average - Moyenne 1921-1925	7.3	5.7	5.4	6.1	7.6	7.1	8.0	7.5	6.4	7.3	7.1
" " 1926-1930	7.3	6.1	5.4	6.3	7.4	6.9	7.8	7.5	7.0	8.0	7.5	3.6	2.7
" " 1931-1935	6.5	6.0	5.5	6.7	6.5	5.8	6.9	7.1	6.1	7.4	6.0	5.8	4.1
" " 1936-1940	8.7	7.5	6.6	8.6	8.6	8.5	8.9	9.6	7.2	9.2	9.1	7.2	6.3
1941	10.6	8.7	7.1	11.4	10.8	9.8	11.4	11.4	7.9	10.6	11.9	7.2	6.8
1942	10.9	10.6	8.6	11.6	10.6	10.0	11.7	11.6	8.5	11.6	12.4	7.2	9.1
1943	9.4	8.7	7.2	10.1	8.6	9.8	9.2	9.5	7.4	9.9	10.4	13.4	7.8
1944	8.5	9.5	7.1	9.7	8.3	9.1	7.9	8.7	7.1	9.0	9.0	18.8	5.5
1945	9.0	9.8	7.4	9.7	9.6	9.3	8.5	9.0	7.6	9.0	9.8	13.8	10.2
1946	10.9	9.3	8.9	10.8	12.3	10.1	11.3	11.8	9.9	11.8	11.7	8.3	11.1
1947	10.1	8.7	7.2	9.5	10.6	9.6	10.5	10.4	9.2	10.7	11.4	7.6	6.9
1948	9.6	7.6	6.8	8.1	9.3	9.1	10.1	9.8	8.6	10.4	10.8	9.6	7.3
1949	9.2	7.1	6.6	8.0	8.4	8.6	9.9	9.6	8.5	10.2	10.2	9.5	8.4
1950	9.1	7.2	6.4	7.9	8.5	8.6	9.8	9.3	8.3	10.2	9.8	10.5	9.6
1951	9.2	7.0	5.9	7.9	8.5	8.8	9.8	9.5	8.2	9.9	9.7	7.6	6.9
1952	8.9	7.3	6.1	8.3	8.1	8.5	9.5	8.9	8.2	9.8	9.2	8.1	6.3
1953	8.8	7.2	6.4	8.1	7.9	8.4	9.3	9.0	8.3	10.0	9.1	10.4	6.4
1954	8.4	7.5	6.0	7.8	7.9	8.1	8.8	8.3	8.0	9.4	8.5	11.0	7.9
1955	8.2	7.9	6.7	7.7	8.0	7.8	8.5	8.2	7.4	9.0	8.2	11.4	7.1
1956	8.3	7.4	6.6	8.0	8.3	8.1	8.6	7.9	7.3	8.9	8.5	9.3	7.7
1957	8.0	7.2	6.3	7.4	7.6	7.8	8.3	7.6	7.4	8.7	8.5	9.2	8.5
1958	7.7	7.1	6.2	7.2	7.3	7.4	8.1	7.3	7.3	8.4	7.9	8.4	7.4
1959	7.6	6.6	6.3	7.4	7.4	7.4	7.8	7.5	7.0	8.3	7.6	8.4	6.2
1960	7.3	6.9	6.7	7.2	7.5	7.0	7.5	7.3	6.8	8.1	7.0	7.6	8.7
1961	7.0	7.2	6.0	7.2	7.5	6.8	7.1	7.1	6.6	7.9	6.7	8.8	6.3
1962	7.0	7.0	6.3	7.0	7.2	6.9	7.0	6.8	6.5	7.6	6.7	7.3	7.0
1963	6.9	6.9	6.3	6.8	7.2	6.8	7.0	7.1	6.6	7.2	6.9	6.3	5.3
1964	7.2	7.0	6.1	7.1	7.5	7.1	7.3	7.1	6.8	7.4	7.0	6.3	6.4
1965	7.4	7.0	6.5										

TABLE 11. Marriages by Age of Bride and Groom, Canada and Provinces, 1974

TABLEAU 11. Mariages selon l'âge des époux, Canada et provinces, 1974

Age — Âge	Canada	Nfld. T.-N.	P.E.I. Î. P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. — Alb.	B.C. — C.-B.	Yukon	N.W.T. — T. N.-O.
Brides — Épouses													
Total	198,824	4,276	990	7,112	6,108	51,532	72,716	9,231	7,988	16,691	21,734	190	256
Under 15 years — Moins de 15 ans . . .	105	2	2	6	11	20	49	3	1	7	2	—	2
15 years — ans	624	45	5	28	50	62	287	38	17	51	38	2	1
16 " "	3,548	158	24	192	201	330	1,499	202	117	343	465	3	14
17 " "	8,014	340	62	425	404	1,146	3,123	434	294	824	937	6	19
18 " "	17,991	540	112	670	689	3,703	6,926	986	655	1,926	1,748	12	24
19 " "	23,419	624	114	855	865	5,715	8,284	1,187	948	2,129	2,655	20	23
15-19 years — ans	53,596	1,707	317	2,170	2,209	10,956	20,119	2,847	2,031	5,273	5,843	43	81
20 years — ans	24,660	618	132	913	850	7,102	8,539	1,210	926	2,061	2,264	17	28
21 " "	22,580	511	114	831	703	6,904	7,869	1,075	797	1,719	2,031	14	12
22 " "	18,299	385	99	620	546	5,842	6,500	809	571	1,256	1,641	11	19
23 " "	14,008	288	86	489	378	4,477	4,915	573	371	1,069	1,333	11	18
24 " "	10,549	179	57	360	238	3,274	3,751	444	264	802	1,154	13	13
20-24 years — ans	90,096	1,981	488	3,213	2,715	27,599	31,574	4,111	2,929	6,907	8,423	66	90
25-29 years — ans	25,988	317	89	825	612	7,034	9,978	1,112	591	2,041	3,299	41	49
30-34 " "	8,830	90	29	286	173	2,131	3,454	334	196	775	1,326	20	16
35-39 " "	4,714	48	17	142	84	1,007	1,950	194	104	462	692	8	6
40-44 " "	3,296	26	12	117	71	673	1,348	130	69	316	525	4	5
45+ " "	10,392	105	36	353	233	2,112	4,244	500	260	910	1,624	8	7
Not stated — Non déclaré	1,807	—	—	—	—	—	—	—	1,807	—	—	—	—
Grooms — Époux													
Total	198,824	4,276	990	7,112	6,108	51,532	72,716	9,231	7,988	16,691	21,734	190	256
Under 15 years — Moins de 15 ans . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
15 years — ans	2	—	—	—	1	1	—	—	—	—	—	—	—
16 " "	142	4	—	8	8	17	63	10	1	19	12	—	—
17 " "	1,029	45	13	67	62	50	487	49	46	107	98	2	3
18 " "	4,438	161	36	186	213	486	1,988	306	151	527	382	—	2
19 " "	9,996	328	78	455	462	1,618	3,854	557	391	1,112	1,122	8	11
15-19 years — ans	15,607	538	127	716	746	2,172	6,392	922	589	1,765	1,614	10	16
20 years — ans	16,514	520	91	705	680	3,655	5,969	927	664	1,603	1,660	18	22
21 " "	20,582	574	115	786	738	5,463	7,278	1,025	833	1,809	1,921	10	30
22 " "	22,051	550	107	793	787	6,656	7,591	1,015	795	1,734	1,993	9	21
23 " "	20,019	510	114	741	638	6,140	7,011	873	661	1,461	1,828	17	25
24 " "	17,242	392	91	617	507	5,505	5,943	784	501	1,253	1,617	12	20
20-24 years — ans	96,408	2,546	518	3,642	3,350	27,419	33,792	4,624	3,454	7,860	9,019	66	118
25-29 years — ans	45,327	716	213	1,473	1,174	13,212	16,833	1,939	1,178	3,419	5,055	56	59
30-34 " "	14,529	187	39	440	288	3,561	5,611	632	335	1,296	2,080	28	32
35-39 " "	6,779	82	32	214	141	1,478	2,661	285	161	658	1,044	9	14
40-44 " "	4,788	44	14	161	116	939	1,911	184	120	500	787	7	5
45+ " "	13,578	163	47	466	293	2,751	5,516	645	343	1,193	2,135	14	12
Not stated — Non déclaré	1,808	—	—	—	—	—	—	—	1,808	—	—	—	—

TABLE 12. Marriages, Age of Bride by Age of Groom, Canada, 1974

TABLEAU 12. Mariages, âges combinés des époux, Canada, 1974

Age of bride — Âge de l'épouse	Age of groom — Âge de l'époux																	Not stated — Non déclaré
	Total	Under 16 Moins de 16	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45 +		
Total	198,824	2	142	1,029	4,438	9,996	16,514	20,582	22,051	20,019	17,242	45,327	14,529	6,779	4,788	13,578	1,808	
Under 15 years - Moins de 15 ans	105	1	5	11	16	21	11	6	6	8	4	11	3	—	—	2	—	
15 years — ans	624	—	8	63	138	110	84	62	52	29	19	48	6	3	1	1	—	
16 " "	3,548	—	42	256	613	749	602	416	294	165	124	237	39	5	3	3	—	
17 " "	8,014	1	41	302	1,026	1,533	1,567	1,127	804	528	356	622	83	13	8	3	—	
18 " "	17,991	—	25	235	1,392	2,861	3,435	3,142	2,314	1,534	1,023	1,702	238	55	20	15	—	
19 " "	23,419	—	9	101	685	2,392	4,201	4,391	3,667	2,628	1,798	2,985	440	83	21	18	—	
15-19 years — ans . .	53,596	1	125	957	3,854	7,645	9,889	9,138	7,131	4,884	3,320	5,594	806	159	53	40	—	
20 years — ans	24,660	—	2	30	290	1,245	3,396	4,561	4,377	3,411	2,369	4,165	624	119	43	28	—	
21 " "	22,580	—	3	14	114	529	1,646	3,448	4,283	3,540	2,772	5,159	821	161	49	41	—	
22 " "	18,299	—	1	6	80	240	714	1,638	3,061	3,190	2,653	5,467	963	198	57	31	—	
23 " "	14,008	—	3	3	20	131	354	791	1,453	2,252	2,220	5,328	1,053	269	86	45	—	
24 " "	10,549	—	—	3	19	68	207	382	694	1,170	1,640	4,757	1,157	282	113	57	—	
20-24 years — ans . .	90,096	—	9	56	523	2,213	6,317	10,820	13,868	13,563	11,654	24,876	4,618	1,029	348	202	—	
25-29 years — ans . . .	25,988	—	1	3	40	98	258	542	924	1,389	2,008	12,164	5,287	1,981	828	465	—	
30-34 " "	8,830	—	1	5	14	28	60	102	141	209	2,111	2,601	1,734	1,048	775	—	—	
35-39 " "	4,714	—	—	1	—	2	8	12	15	24	34	429	897	1,134	1,041	1,117	—	
40-44 " "	3,296	—	—	—	—	—	1	4	2	7	8	95	220	482	803	1,673	1	
45+ " "	10,392	—	1	—	—	3	2	—	3	3	5	47	97	260	667	9,304	—	
Not stated — Non déclaré	1,807	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1,807	

TABLE 13. Age of Brides and Grooms, by Marital Status, Canada, 1974

TABLEAU 13. Âge des conjoints par état matrimonial, Canada, 1974

Age - Âge	Brides - Épouses				Bridegrooms - Époux			
	Total	Single Célibataires	Widowed - Veuves	Divorced - Divorcées	Total	Single Célibataires	Widowed - Veufs	Divorced - Divorcés
Under 15 years - Moins de 15 ans	105	105	-	-	-	-	-	-
15 years - ans	624	624	-	-	2	2	-	-
16 " "	3,548	3,548	-	-	142	140	1	1
17 " "	8,014	8,013	-	1	1,029	1,029	-	-
18 " "	17,991	17,965	7	19	4,438	4,435	1	2
19 " "	23,419	23,360	8	51	9,996	9,992	-	4
15-19 years - ans	53,596	53,510	15	71	15,607	15,598	2	7
20 years - ans	24,660	24,482	22	156	16,514	16,488	3	23
21 " "	22,580	22,285	27	268	20,582	20,517	3	62
22 " "	18,299	17,838	42	419	22,051	21,920	7	124
23 " "	14,008	13,311	50	647	20,019	19,786	10	223
24 " "	10,549	9,694	68	787	17,242	16,851	23	368
20-24 years - ans	90,096	87,610	209	2,277	96,408	95,562	46	800
25-29 years - ans	25,988	20,403	350	5,235	45,327	40,831	157	4,339
30-34 " "	8,830	4,717	416	3,697	14,529	9,639	222	4,668
35-39 " "	4,714	1,776	453	2,485	6,779	3,158	257	3,364
40-44 " "	3,296	847	575	1,874	4,788	1,684	417	2,687
45-49 " "	3,017	605	876	1,536	3,706	1,014	593	2,099
50-54 " "	2,499	402	1,118	979	2,945	667	800	1,478
55-59 " "	1,749	245	1,053	451	2,192	409	940	843
60-64 " "	1,418	176	1,041	201	1,846	270	1,052	524
65-69 " "	954	87	782	85	1,347	142	965	240
70-74 " "	498	31	450	17	836	710	65	61
75+ " "	257	16	233	8	706	35	639	32
Not stated - Non déclaré	1,807	1,577	82	148	1,808	1,611	51	146
Total	198,824	172,107	7,653	19,064	198,824	170,678	6,851	21,295
Average age - Âge moyen	24.7	22.4	52.7	35.0	27.4	24.7	58.3	38.4

TABLE 14. Divorces and Rates, Canada and Provinces, 1926-1974

TABLEAU 14. Divorces et taux, Canada et provinces, 1926-1974

Year - Année	Canada	Nfld ¹ T. N. 1	P. E. I. ² Î. P. - Î. 2	N. S. N. - Î.	N. B.	Que. ¹	Ont.	Man.	Sask.	Alta. Alb.	B. C. C. - B.	Yukon	N. W. T. T. N. O.
Number of divorces - Nombre de divorces													
Average - Moyenne 1926-1930	768	..	—	25	18	24	183	94	61	155	209	..	
" " 1931-1935	1,038	..	1	37	22	31	320	119	61	168	280	..	
" " 1936-1940	2,024	..	1	50	44	56	734	194	116	259	570	..	
1941	2,462	..	1	68	87	48	950	242	146	311	609	..	
1942	3,091	..	2	70	69	71	1,187	284	209	375	824	..	
1943	3,398	..	2	73	114	90	1,378	277	174	413	877	..	
1944	3,827	..	3	93	78 ³	108	1,510	316	226	484	1,009	..	
1945	5,101	..	2	158	171 ³	177	1,965	405	282	575	1,366	..	
1946	7,757	..	4	260	382	290	2,713	636	505	962	2,005	..	
1947	8,213	..	18	207	236	348	3,523	665	509	881	1,826	..	
1948	6,978	..	49	78 ⁴	211	292	3,204	477	333	651	1,683	..	
1949	6,052	—	20	181 ⁴	202	350	2,514	411	289	594	1,491	..	
1950	5,386	5	13	199	194	234	2,241	309	280	534	1,377	..	
1951	5,270	4	10	187	156	289	2,109	361	226	589	1,339	..	
1952	5,650	3	9	188	200	309	2,218	338	223	630	1,532	..	
1953	6,160	9	15	185	181	273	2,824	374	218	603	1,478	..	
1954	5,923	8	8	249	117	370	2,469	371	250	610	1,471	..	
1955	6,053	1	7	253	181	396	2,531	337	237	627	1,483	..	
1956	6,002	5	1	230	215	351	2,478	314	221	685	1,502	..	
1957	6,688	6	2	250	206	519	2,873	305	242	726	1,559	..	
1958	6,279	7	1	220	150	311	2,776	292	281	743	1,498
1959	6,543	1	6	215	221	351	2,915	301	276	836	1,420	..	1
1960	6,980	6	10	221	178	481	2,965	361	213	951	1,592	..	2
1961	6,563	6	8	245	194	348	2,739	312	251	1,039	1,397	24	
1962	6,768	⁵	5	229	181	⁵	3,140	339	281	1,084	1,490	14	5
1963	7,686	8	8	271	172	491	3,237	369	331	1,268	1,516	13	2
1964	8,623	7	5	315	210	834	3,508	418	315	1,389	1,596	24	2
1965	8,974	3	16	323	237	226	4,087	443	312	1,348	1,961	12	6
1966	10,239	11	18	406	155	988	4,101	524	321	1,567	2,124	21	3
1967	11,165	11	18	394	292	727	4,350	477	399	1,736	2,734	21	6
1968	11,343	15	20	497	143	606	5,036	465	384	1,916	2,220	30	11
1969†	26,093	103	102	791	347	2,947	11,845	1,334	882	3,446	4,224	42	30
1970†	29,775	140	65	823	386	4,865	12,451	1,234	871	3,771	5,111	41	17
1971†	29,685	150	61	721	483	5,203	12,211	1,384	816	3,656	4,928	47	25
1972†	32,389	177	65	927	466	6,426	13,190	1,415	827	3,772	5,041	47	36
1973	36,704	224	54	1,249	574	8,091	13,781	1,620	887	4,435	5,687	60	42
1974 ⁶	45,019	301	96	1,591	755	12,272	15,277	1,796	1,039	4,947	6,840	46	59

See footnote(s) at end of table. - Voir note(s) à la fin du tableau.

TABLE 14. Divorces and Rates, Canada and Provinces, 1926-1974 — Concluded

TABEAU 14. Divorces et taux, Canada et provinces, 1926-1974 — fin

Year — Année	Canada	Nfld. ¹ T. - N.1	P.E.I. ² Î. P. - É. 2	N.S. N. - É.	N.B.	Qué. ¹	Ont.	Man.	Sask.	Alta. Alb.	B.C. C. - B.	Yukon	N.W.T. T. N. - O.
Rate per 100,000 population — Taux pour 100,000 habitants													
Average — Moyenne 1926-1930 . . .	7.8	..	—	4.9	4.5	0.9	5.6	14.1	7.1	23.5	32.6
“ “ 1931-1935 . . .	9.8	..	0.7	7.0	5.3	1.0	9.1	16.8	6.6	22.4	19.1
“ “ 1936-1940 . . .	18.2	..	0.9	9.1	10.0	1.7	20.0	27.0	12.7	33.1	73.6
1941	21.4	..	1.1	11.8	19.0	1.4	25.1	33.2	16.3	39.1	74.5
1942	26.5	..	2.2	11.8	14.9	2.1	30.6	39.2	24.6	48.3	94.7
1943	28.8	..	2.2	12.0	24.6	2.6	35.2	38.3	20.8	52.6	97.4
1944	32.0	..	3.3	15.2	16.9 ³	3.1	38.1	43.5	27.0	59.9	108.3
1945	42.3	..	2.2	25.5	36.6 ³	5.0	49.1	55.7	33.9	71.2	143.9
1946	63.1	..	4.3	42.8	79.9	8.0	66.3	87.5	60.6	119.8	199.9
1947	65.4	..	19.1	33.7	48.4	9.4	84.4	90.0	60.9	106.8	174.9
1948	54.4	..	52.7	12.5 ⁴	42.4	7.7	74.9	63.9	39.7	76.2	155.5
1949	45.0	—	21.3	28.8 ⁴	39.8	9.0	57.4	54.3	34.7	67.1	134.0
1950	39.3	1.4	13.5	31.2	37.9	5.9	50.1	40.2	33.6	58.5	121.1
1951	37.6	1.1	10.2	29.1	30.2	7.1	45.9	46.5	27.2	62.7	114.9
1952	39.1	0.8	9.0	28.8	38.0	7.4	46.3	42.4	26.5	64.7	127.1
1953	41.5	2.3	14.9	27.9	34.0	6.4	57.2	46.2	25.3	59.6	118.4
1954	38.7	2.0	7.9	37.0	21.7	8.4	48.3	45.1	28.6	57.7	113.6
1955	38.6	0.2	7.0	37.0	33.1	8.8	48.1	40.2	27.0	57.5	110.5
1956	37.3	1.2	1.0	33.1	38.7	7.6	45.8	36.9	25.1	61.0	107.4
1957	40.3	1.4	2.0	35.7	36.7	10.9	51.0	35.4	27.5	62.4	105.2
1958	36.8	1.6	1.0	31.0	26.3	6.3	47.7	33.4	31.5	61.6	97.4
1959	37.4	0.2	5.9	29.9	38.0	7.0	48.8	33.8	30.4	67.0	90.6	..	4.8
1960	39.1	1.3	9.7	30.4	30.2	9.4	48.5	39.8	23.3	73.7	99.4	..	9.1
1961	36.0	1.3	7.6	33.2	32.4	6.6	43.9	33.9	27.1	78.0	85.8	164.1	—
1962	36.4	⁵	4.7	30.7	29.9	⁵	49.4	36.2	30.2	79.2	89.8	93.3	20.0
1963	40.6	1.7	7.4	36.1	28.2	9.0	49.9	38.9	35.5	90.4	89.2	86.7	7.7
1964	44.7	1.4	4.6	41.7	34.4	14.9	52.9	43.6	33.4	97.1	91.5	160.0	7.4
1965	45.7	0.6	14.7	42.7	38.5	4.0	60.2	45.9	32.8	93.0	109.1	85.7	22.2
1966	51.2	2.2	16.6	53.7	25.1	17.1	58.9	54.4	33.6	107.1	113.4	146.0	10.4
1967	54.8	2.2	16.5	51.8	47.1	12.4	61.0	49.5	41.7	116.5	140.6	140.0	20.7
1968	54.8	3.0	18.2	64.8	22.9	10.2	69.3	47.9	40.0	125.7	110.8	200.0	36.7
1969 ⁴	124.2	20.0	91.9	102.1	55.3	49.2	160.4	136.3	92.1	221.0	205.0	262.5	96.8
1970 ⁴	139.8	27.1	59.1	105.2	61.6	80.9	164.9	125.5	92.6	236.4	240.2	241.2	51.5
1971 ⁴	137.6	28.7	54.5	91.4	76.1	86.3	158.5	140.1	88.1	224.6	225.5	261.1	71.4
1972 ⁴	148.4	33.3	57.5	116.6	72.5	106.2	168.6	142.6	90.3	228.1	224.3	247.4	100.0
1973	166.1	41.4	47.0	155.2	88.0	133.1	173.6	162.3	97.7	263.5	245.7	300.0	110.5
1974 ⁶	200.6	55.5	82.3	195.6	114.1	200.1	188.7	177.6	114.6	288.6	285.6	237.1	157.3

¹ Granted by Parliament of Canada. Figures for these provinces do not necessarily refer to divorces granted during each calendar year but to bills of divorce passed by the House of Commons at the session(s) of Parliament opening in the year in question. — Accordées par le Parlement fédéral. Le nombre annuel de divorces ne coïncide pas nécessairement avec les années de calendrier, mais comprend le nombre de bills de divorces approuvés par le Parlement à la (les) session(s) commençant l'année en question.

² A Divorce Court was established in Prince Edward Island in 1945. Prior to that year divorces were granted by Parliament. — Une cour de divorce a été instituée en Île-du-Prince-Édouard en 1945. Antérieurement à cette année les divorces étaient accordés par le Parlement fédéral.

³ No fall term of court held in 1944. Petitions heldover until January 1945. — La cour n'ayant pas siégé à l'automne 1944, les demandes ont été renvoyées à janvier 1945.

⁴ A new rule was adopted in August 1948 by the Divorce Court granting a Decree Nisi to become absolute at the end of three months. As a result a number of divorces were not effective until 1949. En vertu d'un nouveau règlement adopté en août 1948, un décret provisoire devient absolu au bout de trois mois. Il en résulte qu'un certain nombre de divorces ne sont devenus effectifs que l'année suivante.

⁵ No bills of divorce were passed by the House of Commons during the 1962 sessions of Parliament. — Durant les sessions de 1962, le Parlement n'a adopté aucun bill de divorce.

⁶ Provisional. — Provisoire.

TABLE 15. Deaths and Rates, Canada and Provinces, 1926-1974 and by Month, 1974

TABLEAU 15. Décès et taux de mortalité, Canada et provinces, 1926-1974, par mois, 1974

Year - Année	Canada	Nfld. T.-N.	P.E.I. Î. P.-É.	N.S. N.-É.	N.B.	Qué.	Ont.	Man.	Sask.	Alta. Alb.	B.C. C.-B.	N.W.T. Yukon T.N.C.
Deaths - Décès												
Average - Moyenne 1926-1930	112,848	3,684	969	6,362	5,019	36,645	36,650	5,507	6,256	5,530	5,986	54
" " 1931-1935	107,442	3,642	1,001	6,073	4,710	32,796	35,782	5,413	6,037	5,447	6,344	61
" " 1936-1940	113,445	3,681	1,080	6,126	5,040	33,221	37,794	6,136	6,366	6,054	7,697	73
1941	118,797	3,784	1,134	6,914	5,184	34,338	39,226	6,495	6,458	6,385	8,505	80
1942	117,110	3,802	961	6,385	5,154	33,799	39,119	6,410	6,190	6,091	8,869	88
1943	122,640	3,881	912	6,477	4,917	35,069	41,063	7,007	6,654	6,524	10,012	120
1944	120,393	3,892	926	6,229	5,131	34,813	39,781	6,701	6,454	6,320	9,697	117
1945	117,325	3,346	888	5,625	4,865	33,348	39,499	6,550	6,429	6,454	9,756	87
1946	118,785	3,427	874	6,046	4,866	33,690	39,758	6,537	6,422	6,601	10,137	89
1947	121,503	3,325	1,020	6,009	4,832	33,708	41,619	6,771	6,610	6,543	10,613	93
1948	122,974	3,108	887	6,097	4,959	33,603	42,364	6,675	6,496	6,987	11,316	112
1949	124,567	2,868	924	5,980	4,876	34,107	43,379	6,919	6,596	7,083	11,315	86
1950	124,220	3,168	903	6,078	4,895	33,507	43,948	6,610	6,243	6,856	11,581	89
1951	125,823	3,004	904	5,812	4,873	34,900	43,981	6,735	6,440	7,167	11,638	88
1952	126,385	2,773	916	5,756	4,647	34,854	44,402	6,552	6,625	7,345	12,080	84
1953	127,791	2,733	926	5,808	4,637	34,469	45,242	7,015	6,687	7,646	12,218	116
1954	124,855	2,916	966	5,692	4,286	33,169	44,515	6,719	6,323	7,520	12,414	88
1955	128,476	3,206	901	5,940	4,435	33,952	45,434	6,853	6,661	7,956	12,816	122
1956	131,961	3,058	933	5,738	4,658	35,042	47,231	7,058	6,666	7,786	13,415	85
1957	136,579	3,198	916	5,977	4,595	36,234	49,164	7,368	6,743	8,235	13,711	93
1958	135,201	3,122	949	6,120	4,528	35,774	48,677	7,145	6,483	8,237	13,741	92
1959	139,913	3,179	1,007	6,371	4,747	36,390	50,600	7,421	7,003	8,481	14,336	97
1960	139,693	3,015	961	6,102	4,670	35,129	51,484	7,471	6,868	8,888	14,696	97
1961	140,985	3,038	978	6,135	4,695	37,044	50,997	7,369	7,107	8,863	14,403	94
1962	143,699	3,198	1,056	6,342	4,788	37,142	52,156	7,453	7,004	9,264	14,912	78
1963	147,367	3,183	979	6,367	4,815	38,217	53,617	7,928	7,441	9,444	15,029	87
1964	145,850	3,063	981	6,384	4,736	37,552	52,204	7,721	7,373	9,482	16,051	87
1965	148,939	3,230	1,036	6,334	4,710	38,534	54,346	7,716	7,417	9,534	15,784	100
1966	149,863	3,072	1,048	6,478	4,771	38,680	54,171	7,938	7,427	9,677	16,290	82
1967	150,283	3,117	1,038	6,638	4,894	38,665	54,878	7,629	7,441	9,523	16,170	73
1968	153,196	3,123	990	6,610	4,905	39,537	55,552	7,878	7,498	9,963	16,828	84
1969	154,477	3,005	1,007	6,663	4,849	40,103	55,707	8,040	7,492	9,921	17,377	98
1970	155,961	3,294	1,015	6,723	4,945	40,392	56,769	7,856	7,472	10,112	17,020	104
1971	157,272	3,199	1,007	6,682	4,943	40,738	56,623	8,025	7,413	10,525	17,783	104
1972	162,413	3,349	1,052	6,904	4,982	42,311	58,905	8,225	7,590	10,699	18,021	103
1973	164,039	3,405	1,020	6,928	5,084	42,666	59,876	8,196	7,646	10,763	18,095	111
1974	166,794	3,286	1,088	6,899	5,205	42,767	60,556	8,430	7,814	11,252	19,177	114
January - Janvier	14,510	300	82	616	463	3,805	5,226	778	625	934	1,654	84
February - Février	12,695	247	82	502	362	3,316	4,658	688	542	829	1,447	67
March - Mars	14,680	268	87	604	444	3,716	5,368	765	799	965	1,636	13
April - Avril	14,342	299	99	637	435	3,711	5,114	684	648	1,042	1,644	15
May - Mai	14,241	304	111	653	473	3,578	5,069	697	701	993	1,632	18
June - Juin	13,501	265	78	557	457	3,524	4,739	663	656	935	1,593	28
July - Juillet	13,744	278	83	570	446	3,637	4,895	678	671	971	1,595	28
August - Août	13,628	259	102	576	497	3,494	4,857	644	647	1,623	1,587	25
September - Septembre	13,073	274	73	521	385	3,410	4,591	652	635	873	1,536	18
October - Octobre	14,136	246	98	593	479	3,460	5,330	747	613	968	1,581	26
November - Novembre	13,557	258	91	509	431	3,311	5,063	725	665	946	1,535	29
December - Décembre	14,687	288	102	561	433	3,805	5,546	662	614	949	1,701	20
Rate per 1,000 population - Taux pour 1,000 habitants												
Average - Moyenne 1926-1930	11.2	13.7	11.0	12.4	12.5	13.5	11.2	8.3	7.3	8.4	9.0	18.5
" " 1931-1935	9.9	12.7	11.1	11.6	11.3	11.0	10.2	7.7	6.5	7.3	8.0	14.5
" " 1936-1940	9.9	12.4	11.5	11.0	11.4	10.4	10.3	8.5	7.0	7.7	9.0	14.6
1941	10.1	12.5	11.9	12.0	11.3	10.3	10.4	8.9	7.2	8.0	10.4	18.4
1942	9.8	12.3	10.7	10.8	11.1	10.0	10.1	8.9	7.3	7.8	10.2	21.6
1943	10.1	11.4	10.0	10.7	10.6	10.1	10.5	9.7	7.9	8.3	11.1	24.0
1944	9.8	12.3	10.2	10.2	11.1	9.9	10.0	9.2	7.7	7.8	10.4	2.0
1945	9.5	10.4	9.7	9.1	10.4	9.4	9.9	9.0	7.7	8.0	10.1	1.4
1946	9.4	10.4	9.3	9.9	10.2	9.3	9.7	9.0	7.7	8.2	10.1	14.0
1947	9.4	9.9	9.5	9.8	9.9	9.1	10.0	9.2	7.9	7.9	10.2	9.6
1948	9.3	9.0	9.5	9.8	10.0	8.9	9.9	8.9	7.8	8.2	10.8	14.0
1949	9.3	8.3	9.8	9.5	9.6	8.8	9.9	9.1	7.9	8.0	10.2	10.8
1950	9.1	9.0	9.4	9.5	9.6	8.4	9.8	8.6	7.5	7.5	10.2	12.4
1951	9.0	8.3	9.2	9.0	9.4	8.6	9.6	8.7	7.7	7.6	10.2	9.4
1952	8.7	7.4	9.2	8.8	8.8	8.4	9.3	8.2	7.9	7.5	10.1	1.4
1953	8.6	7.1	9.2	8.8	8.7	8.1	9.2	8.7	7.8	7.6	9.8	12.9
1954	8.2	7.4	9.6	8.5	7.9	7.6	8.7	8.2	7.2	7.1	9.6	8.5
1955	8.2	7.9	9.0	8.7	8.1	7.5	8.6	8.2	7.6	7.3	9.6	13.9
1956	8.2	7.4	9.4	8.3	8.4	7.6	8.7	8.3	7.6	6.9	9.8	1.1
1957	8.2	7.5	9.3	8.5	8.2	7.6	8.7	8.5	7.7	7.1	9.8	17.1
1958	7.9	7.2	9.5	8.6	7.9	7.3	8.4	8.2	7.3	6.8	8.9	16.7
1959	8.0	7.2	10.0	8.9	8.2	7.2	8.5	8.3	7.7	6.8	9.1	6.8
1960	7.8	6.7	9.3	8.4	7.9	6.8	8.4	8.2	7.5	6.9	9.2	14.2
1961	7.7	6.6	9.3	8.3	7.9	7.0	8.2	8.0	7.7	6.7	8.8	6.4
1962	7.7	6.8	9.9	8.5	7.9	6.9	8.2	8.0	7.5	6.8	9.0	12.4
1963	7.8	6.7	9.1	8.5	7.9	7.0	8.3	8.4	8.0	6.7	8.8	8.4
1964	7.6	6.3	9.0	8.5	7.8	6.7	7.9	8.1	7.8	6.6	9.2	8.0
1965	7.6	6.6	9.5	8.4	7.7	6.8	8.0	8.0	7.8	6.6	8.8	7.1
1966	7.5	6.2	9.7	8.6	7.7	6.7	7.8	8.2	7.8	6.6	8	7.3
1967	7.4	6.2	9.5	8.7	7.9	6.6	7.7	7.9	7.8	6.4	8.3	4.9
1968	7.4	6.2	9.0	8.6	7.8	6.7	7.6	8.1	7.8	6.5	8.4	7.6
1969	7.4	5.8	9.1	8.6	7.7	6.7	7.5	8.2	7.8	6.4	8.4	7.9
1970	7.3	6.4	9.2	8.6	7.9	6.7	7.5	8.0	7.9	6.3	8.1	6.4
1971	7.3	6.1	9.0	8.5	7.8	6.8	7.4	8.1	8.0	6.5	8.1	6.6
1972	7.4	6.3	9.3	8.7	7.8	7.0	7.5	8.3	8.3	6.5	8	7.6
1973	7.4	6.3	8.9	8.6	7.8	7.0	7.5	8.2	8.4	6.4	7.8	6.6
1974	7.4	6.1	9.3	8.5	7.9	7.0	7.5	8.3	8.6	6.6	8	5.5

TABLE 16. Death Rates (per 1,000 Population) by Sex and Age, Canada, 1921 - 1974 and Provinces, 1974

No.		Total	Age - Âge						
			Under 1 year ¹ Moins de 1 an ¹	1-4 years ans	5-9 years ans	10-14 years ans	15-19 years ans	20-24 years ans	25-29 years ans
			Both sexes			Deux sexes			
	Canada:								
1	1921	10.6	88.1	7.4	2.9	2.0	2.9	3.7	4.1
2	1922	10.6	86.8	6.9	2.6	2.0	2.7	3.7	4.0
3	1923	10.7	88.1	6.8	2.6	1.9	2.8	3.5	3.9
4	1924	10.0	78.5	6.4	2.2	1.9	2.6	3.4	3.4
5	1925	9.9	78.6	5.9	2.0	1.8	2.5	3.4	3.5
6	1926	11.4	101.8	8.6	2.3	1.9	2.9	3.7	3.8
7	1927	10.9	94.0	8.1	2.6	2.1	2.9	3.8	4.0
8	1928	11.1	89.5	7.5	2.4	2.0	2.9	3.9	4.1
9	1929	11.3	92.1	8.6	2.6	1.9	3.0	3.8	4.1
10	1930	10.7	89.3	7.4	2.3	1.7	2.8	3.6	3.9
11	1931	10.1	84.7	6.5	1.0	1.5	2.4	3.2	3.6
12	1932	9.9	73.3	5.6	1.7	1.5	2.2	3.0	3.3
13	1933	9.6	73.1	5.1	1.5	1.3	2.0	2.8	3.1
14	1934	9.5	71.7	5.5	1.5	1.3	1.9	2.6	3.0
15	1935	9.7	71.0	5.6	1.7	1.4	2.0	2.6	3.1
16	1936	9.8	66.1	5.1	1.8	1.3	2.0	2.7	3.0
17	1937	10.8	75.8	6.8	2.0	1.4	2.0	2.7	3.0
18	1938	9.6	63.3	4.9	1.7	1.3	1.8	2.4	2.7
19	1939	9.7	60.7	4.4	1.6	1.2	1.8	2.3	2.6
20	1940	9.8	56.4	4.3	1.4	1.1	1.7	2.2	2.5
21	1941	10.0	59.7	4.3	1.5	1.2	1.7	2.3	2.6
22	1942	9.7	53.8	4.2	1.3	1.1	1.7	2.4	2.4
23	1943	10.1	53.7	3.7	1.4	1.1	1.8	2.4	2.3
24	1944	9.7	54.7	3.7	1.4	1.0	1.6	2.0	2.1
25	1945	9.4	51.3	2.9	1.2	1.0	1.5	1.9	2.0
26	1946	9.4	46.7	3.0	1.2	0.9	1.5	1.9	2.0
27	1947	9.4	45.5	2.6	1.0	0.8	1.4	1.8	1.9
28	1948	9.3	43.7	2.5	1.0	0.8	1.3	1.7	1.7
29	1949	9.2	43.3	2.3	0.9	0.8	1.3	1.6	1.7
30	1950	9.1	41.5	2.0	0.9	0.7	1.1	1.4	1.4
31	1951	9.0	38.5	1.9	0.8	0.7	1.1	1.4	1.5
32	1952	8.7	38.2	2.0	0.8	0.7	1.0	1.4	1.4
33	1953	8.6	35.6	1.8	0.8	0.6	1.0	1.4	1.3
34	1954	8.2	31.9	1.6	0.7	0.5	0.9	1.2	1.3
35	1955	8.2	31.3	1.5	0.6	0.6	0.9	1.2	1.2
36	1956	8.2	31.9	1.5	0.6	0.5	0.9	1.2	1.2
37	1957	8.2	30.9	1.5	0.6	0.5	0.9	1.2	1.3
38	1958	7.9	30.2	1.3	0.6	0.5	0.8	1.0	1.2
39	1959	8.0	28.4	1.2	0.6	0.5	0.9	1.2	1.2
40	1960	7.8	27.3	1.2	0.6	0.5	0.9	1.1	1.1
41	1961	7.7	27.2	1.1	0.5	0.4	0.8	1.1	1.1
42	1962	7.7	27.6	1.1	0.5	0.4	0.8	1.2	1.1
43	1963	7.8	26.3	1.1	0.6	0.4	0.9	1.2	1.1
44	1964	7.6	24.7	1.0	0.5	0.4	0.8	1.2	1.0
45	1965	7.6	23.6	1.0	0.5	0.4	0.9	1.2	1.1
46	1966	7.5	23.1	1.0	0.5	0.4	0.9	1.2	1.1
47	1967 ^r	7.4	22.0	1.0	0.5	0.4	0.9	1.2	1.1
48	1968 ^r	7.4	20.8	0.9	0.5	0.4	0.9	1.2	1.1
49	1969 ^r	7.4	19.3	0.9	0.5	0.4	0.9	1.2	1.1
50	1970 ^r	7.3	18.8	0.8	0.5	0.4	0.9	1.2	1.0
51	1971	7.3	17.5	0.8	0.5	0.4	1.0	1.2	1.0
52	1972	7.4	17.1	0.9	0.4	0.4	1.1	1.3	1.1
53	1973	7.4	15.6	0.8	0.4	0.4	1.2	1.3	1.1
54	1974	7.4	15.0	0.8	0.4	0.4	1.2	1.3	1.1
55	Newfoundland - Terre-Neuve	6.1	17.7	0.7	0.5	0.6	0.7	1.0	1.0
56	Prince Edward Island - Île-du-Prince-Édouard	9.3	17.9	1.1	0.5	0.4	1.2	1.5	1.6
57	Nova Scotia - Nouvelle-Écosse	8.5	14.3	0.7	0.5	0.4	1.2	1.6	1.2
58	New Brunswick - Nouveau-Brunswick	7.9	15.2	1.0	0.6	0.5	1.2	1.5	1.1
59	Québec	7.0	15.1	0.7	0.5	0.4	1.1	1.3	1.1
60	Ontario	7.5	13.4	0.7	0.3	0.3	1.0	1.0	0.9
61	Manitoba	8.3	15.7	1.0	0.3	0.3	1.2	1.4	1.1
62	Saskatchewan	8.6	20.7	1.3	0.5	0.5	1.4	1.1	1.5
63	Alberta	6.6	15.1	0.7	0.4	0.5	1.4	1.7	1.3
64	British Columbia - Colombie-Britannique	8.0	16.1	0.9	0.4	0.4	1.6	1.9	1.5
65	Yukon	5.9	24.0	2.4	1.4	0.4	3.5	4.3	3.0
66	Northwest Territories - Territoires du Nord-Ouest	5.5	44.0	1.3	1.1	1.0	2.6	3.3	2.4

See footnote(s) at end of table.

TABLEAU 16. Taux de mortalité (pour 1,000 habitants) selon le sexe et le groupe d'âges, Canada, 1921-1974 et provinces, 1974

Age - Âge													No
30-34 years — ans	35-39 years — ans	40-44 years — ans	45-49 years — ans	50-54 years — ans	55-59 years — ans	60-64 years — ans	65-69 years — ans	70-74 years — ans	75-79 years — ans	80-84 years — ans	85 + years — ans		
Both sexes — Deux sexes													
4.1	5.1	5.7	7.2	10.0	14.4	20.9	33.3	54.9	85.2	127.9	226.4	1	
4.2	5.0	5.8	7.4	9.7	15.0	21.3	35.0	56.8	89.9	139.6	241.1	2	
4.1	5.0	5.8	7.1	9.7	15.4	22.6	36.5	57.7	93.1	149.1	258.3	3	
3.8	4.6	5.5	6.9	9.5	13.5	21.4	34.5	54.2	85.2	140.0	243.3	4	
3.6	4.3	5.3	6.7	9.1	13.7	21.1	34.8	54.0	87.5	141.0	248.2	5	
4.2	5.2	6.0	7.5	9.8	14.6	22.4	36.6	58.4	97.3	148.4	264.2	6	
4.1	5.0	5.7	7.4	9.8	14.8	22.2	35.6	54.3	90.3	145.3	249.8	7	
4.2	5.1	6.1	7.7	10.3	15.4	23.0	36.5	57.5	95.1	145.3	263.6	8	
4.2	5.1	6.2	7.7	10.6	14.9	23.3	37.8	57.8	94.6	148.2	261.7	9	
3.9	4.7	5.9	7.4	10.1	14.8	21.8	35.2	54.5	88.0	136.9	237.3	10	
3.9	4.5	5.2	6.9	9.9	14.5	21.9	32.9	52.1	85.2	130.5	219.5	11	
3.7	4.5	5.3	6.8	9.9	14.6	21.8	34.3	55.3	90.0	146.2	242.3	12	
3.5	4.1	5.0	6.9	9.7	14.0	22.0	34.2	53.6	86.8	142.9	230.6	13	
3.5	3.9	4.8	6.8	9.5	14.1	22.5	33.0	52.7	83.2	137.2	214.4	14	
3.4	4.3	5.0	6.8	9.5	14.1	22.6	33.3	54.0	84.4	141.9	220.5	15	
3.5	4.2	5.0	6.7	9.7	14.2	23.0	33.7	54.6	86.0	140.9	222.1	16	
3.5	4.3	5.2	7.1	9.9	14.4	23.4	33.6	54.4	86.8	144.0	224.4	17	
3.1	3.8	4.8	6.5	9.4	13.8	21.7	32.8	53.2	83.8	131.4	215.0	18	
2.9	3.7	4.6	6.3	9.6	14.0	21.9	34.1	53.8	87.0	136.1	236.1	19	
2.8	3.7	4.6	6.3	9.6	14.4	21.8	34.4	54.3	87.1	137.1	238.8	20	
2.8	3.6	4.7	6.7	9.4	14.3	21.6	34.1	52.9	87.6	139.0	234.9	21	
2.6	3.3	4.4	6.3	9.5	14.2	21.4	33.3	51.2	84.9	131.3	226.2	22	
2.5	3.4	4.5	6.4	9.2	14.3	21.8	34.2	53.5	88.0	142.3	249.2	23	
2.3	3.0	4.2	6.1	9.1	13.8	21.2	33.6	52.2	83.1	132.6	228.7	24	
2.3	3.1	4.0	6.1	8.9	13.4	21.0	32.3	50.5	82.0	127.4	226.3	25	
2.2	2.8	4.0	5.9	8.7	13.4	20.5	32.5	49.3	79.3	124.6	219.1	26	
2.1	2.8	3.8	6.0	8.7	13.3	20.9	32.3	49.5	77.6	123.4	207.4	27	
2.0	2.8	3.9	5.8	8.8	13.5	21.0	31.4	49.9	78.5	123.4	213.8	28	
1.9	2.6	3.7	5.8	8.6	12.9	21.3	31.6	50.5	77.0	122.9	212.8	29	
1.6	2.4	3.6	5.7	8.4	12.9	20.8	31.7	49.0	77.3	123.4	215.1	30	
1.8	2.3	3.5	5.5	8.5	13.3	20.5	30.3	48.2	80.5	127.7	222.0	31	
1.7	2.3	3.4	5.4	8.6	13.0	20.1	30.0	46.5	74.9	120.6	210.6	32	
1.6	2.2	3.4	5.2	8.5	12.7	19.9	30.0	46.8	75.5	119.5	214.7	33	
1.5	2.0	3.2	4.8	8.1	12.0	19.4	29.2	44.7	72.5	114.2	208.3	34	
1.5	1.8	2.9	4.7	7.8	12.1	19.1	29.5	45.3	75.1	119.1	210.9	35	
1.4	1.9	2.9	4.8	7.7	12.3	19.4	29.2	45.3	74.8	121.0	208.5	36	
1.4	1.9	3.0	5.0	7.8	12.7	19.9	30.3	44.9	74.1	120.9	209.2	37	
1.3	1.9	2.9	4.7	7.7	12.3	19.2	29.2	43.9	71.8	117.8	207.1	38	
1.3	1.8	2.8	4.7	7.6	12.2	18.7	29.0	46.0	73.3	119.6	211.3	39	
1.2	1.9	2.7	4.8	7.4	12.0	18.7	28.1	44.5	71.8	115.6	207.4	40	
1.3	1.8	2.7	4.5	7.5	11.7	18.4	28.4	43.9	70.2	112.4	199.4	41	
1.3	1.8	2.8	4.5	7.3	11.9	18.4	27.7	43.8	69.0	110.7	201.1	42	
1.3	1.8	2.7	4.5	7.4	11.8	18.6	27.8	43.6	70.4	112.5	201.5	43	
1.3	1.7	2.8	4.5	7.4	11.5	18.9	27.4	42.4	68.3	107.2	186.4	44	
1.3	1.8	2.8	4.4	7.5	11.5	18.2	27.3	42.5	68.9	108.6	196.4	45	
1.3	1.8	2.7	4.5	7.4	11.6	18.1	27.5	41.2	65.9	107.5	196.0	46	
1.2	1.7	2.9	4.5	7.3	11.6	17.9	27.1	40.3	64.5	103.6	189.9	47	
1.3	1.8	2.7	4.4	7.1	11.4	17.5	27.4	40.7	64.1	105.2	193.1	48	
1.2	1.8	2.7	4.5	7.1	11.3	17.2	27.1	40.5	62.5	101.6	185.4	49	
1.3	1.8	2.8	4.4	7.1	11.2	17.4	26.9	40.2	61.6	99.2	177.1	50	
1.3	1.8	2.9	4.4	7.0	10.9	16.9	25.6	38.9	61.4	97.7	177.3	51	
1.3	1.8	2.9	4.4	7.1	10.9	17.0	26.3	40.0	61.3	97.8	178.8	52	
1.2	1.8	2.8	4.4	7.0	11.2	17.0	25.3	38.9	61.0	97.3	179.0	53	
1.2	1.8	2.7	4.5	6.9	10.8	16.8	25.6	39.5	59.8	97.2	177.5	54	
0.7	1.8	1.9	4.1	7.3	11.5	16.8	25.3	42.6	58.9	106.6	192.0	55	
1.8	2.8	2.5	5.0	7.2	9.6	13.8	26.4	36.3	49.6	90.0	189.3	56	
1.7	2.0	2.9	4.6	6.6	11.6	17.3	28.0	42.0	60.8	98.6	175.4	57	
1.4	1.7	2.6	5.0	7.5	10.9	16.2	27.3	39.1	59.1	97.7	180.6	58	
1.1	1.8	2.8	4.7	7.4	11.6	18.3	28.4	42.9	66.1	104.7	182.9	59	
1.1	1.6	2.6	4.4	6.8	10.9	17.2	25.8	40.0	60.5	98.0	180.8	60	
1.2	1.7	3.1	4.5	6.6	9.7	15.6	22.4	37.3	55.4	97.0	175.9	61	
1.3	1.6	3.0	3.6	5.6	8.1	12.7	20.2	34.0	54.6	85.8	169.9	62	
1.3	1.9	2.7	3.8	6.5	9.6	15.1	21.9	35.1	55.2	92.5	176.3	63	
1.5	2.0	2.8	4.5	7.1	10.6	15.8	23.7	35.3	52.3	89.6	167.8	64	
4.7	1.7	2.7	11.0	12.5	11.7	16.0	10.0	45.0	10.0	--	--	65	
2.8	3.3	3.9	9.3	11.7	16.3	14.3	30.0	36.7	110.0	70.0	--	66	

Voir note(s) à la fin du tableau.

TABLE 16. Death Rates (per 1,000 Population) by Sex and Age, Canada, 1921 - 1974
and Provinces, 1974 - Continued

No.	Province	Total	Age — Âge						
			Under 1 year ¹ — Moins de 1 an ¹	1 - 4 years — ans	5 - 9 years — ans	10 - 14 years — ans	15 - 19 years — ans	20 - 24 years — ans	25 - 29 years — ans
			Male — Masculin						
	Canada:								
1	1921	10.9	98.2	7.9	3.1	2.1	3.1	3.7	4.0
2	1922	11.0	97.3	7.3	2.8	2.1	2.8	3.7	3.8
3	1923	11.0	98.2	7.1	2.5	2.0	3.0	3.4	3.8
4	1924	10.3	86.1	6.9	2.3	2.0	2.7	3.4	3.2
5	1925	10.3	86.7	6.2	2.3	2.0	2.6	3.4	3.3
6	1926	11.9	112.9	9.0	2.5	2.1	2.9	3.5	3.5
7	1927	11.4	104.0	8.6	2.7	2.2	2.8	3.6	3.9
8	1928	11.6	99.0	7.9	2.6	2.1	3.0	3.7	3.9
9	1929	11.8	102.0	9.1	2.7	2.0	3.1	3.7	3.9
10	1930	11.2	98.4	7.9	2.6	1.7	2.8	3.7	3.7
11	1931	10.5	94.4	6.8	2.2	1.5	2.5	3.2	3.4
12	1932	10.3	81.5	6.0	1.9	1.5	2.3	3.0	3.1
13	1933	10.0	81.7	5.5	1.6	1.3	2.2	2.8	2.8
14	1934	10.0	80.5	5.9	1.7	1.4	1.8	2.4	2.8
15	1935	10.2	80.0	5.9	1.8	1.5	2.1	2.5	2.9
16	1936	10.2	73.1	5.5	1.9	1.4	2.1	2.6	2.9
17	1937	10.9	84.0	7.4	2.2	1.5	2.1	2.7	2.8
18	1938	10.3	70.5	5.3	1.8	1.5	2.0	2.5	2.7
19	1939	10.4	68.4	4.7	1.7	1.3	2.0	2.4	2.6
20	1940	10.5	62.4	4.6	1.6	1.2	2.0	2.3	2.4
21	1941	10.8	67.0	4.7	1.7	1.4	2.0	2.6	2.7
22	1942	10.6	59.7	4.5	1.5	1.2	1.9	2.8	2.5
23	1943	10.9	59.5	4.1	1.7	1.3	2.2	2.8	2.4
24	1944	10.5	60.5	4.1	1.6	1.1	2.0	2.2	2.0
25	1945	10.3	56.6	3.1	1.3	1.1	1.8	2.1	2.1
26	1946	10.3	51.9	3.3	1.3	1.1	1.7	2.1	2.0
27	1947	10.4	51.3	2.8	1.2	1.0	1.6	2.0	2.1
28	1948	10.4	48.6	2.7	1.2	0.9	1.5	2.1	1.9
29	1949	10.3	48.2	2.4	1.1	0.9	1.5	1.9	1.9
30	1950	10.1	46.2	2.2	1.0	0.8	1.4	1.7	1.7
31	1951	10.1	42.7	2.1	1.0	0.8	1.4	1.9	1.8
32	1952	10.0	42.5	2.2	1.0	0.8	1.4	1.9	1.8
33	1953	9.8	39.8	1.9	1.0	0.8	1.4	1.9	1.7
34	1954	9.3	35.8	1.7	0.8	0.7	1.2	1.7	1.6
35	1955	9.4	35.0	1.7	0.8	0.7	1.3	1.7	1.6
36	1956	9.4	35.0	1.6	0.8	0.6	1.2	1.7	1.6
37	1957	9.5	34.5	1.6	0.7	0.6	1.3	1.8	1.7
38	1958	9.1	33.7	1.4	0.7	0.6	1.2	1.5	1.6
39	1959	9.2	31.8	1.3	0.7	0.6	1.2	1.7	1.6
40	1960	9.0	30.8	1.3	0.7	0.6	1.3	1.6	1.5
41	1961	9.0	30.5	1.3	0.6	0.6	1.2	1.7	1.5
42	1962	8.9	30.6	1.2	0.6	0.5	1.1	1.7	1.5
43	1963	9.0	29.6	1.2	0.7	0.5	1.1	1.8	1.6
44	1964	8.8	27.8	1.1	0.6	0.5	1.2	1.8	1.5
45	1965	8.8	26.2	1.0	0.7	0.5	1.2	1.8	1.6
46	1966	8.7	25.8	1.1	0.6	0.6	1.3	1.8	1.6
47	1967r.	8.6	24.2	1.1	0.6	0.6	1.3	1.9	1.5
48	1968r.	8.6	22.9	1.0	0.6	0.5	1.3	1.8	1.5
49	1969r.	8.6	21.7	1.0	0.6	0.5	1.3	1.9	1.6
50	1970r.	8.5	21.2	0.9	0.6	0.5	1.3	1.7	1.4
51	1971	8.5	19.9	0.9	0.6	0.5	1.4	1.8	1.5
52	1972	8.7	19.0	1.0	0.5	0.5	1.6	2.0	1.5
53	1973	8.6	17.4	0.8	0.5	0.5	1.7	2.1	1.5
54	1974	8.6	16.6	0.9	0.5	0.5	1.7	2.0	1.6
55	Newfoundland — Terre-Neuve	7.1	20.0	1.0	0.8	0.6	1.1	1.4	1.5
56	Prince Edward Island — Île-du-Prince-Édouard	10.5	21.0	1.0	0.9	0.3	2.2	2.3	1.9
57	Nova Scotia — Nouvelle-Écosse	9.9	14.6	0.6	0.4	0.5	1.7	2.4	1.5
58	New Brunswick — Nouveau-Brunswick	9.2	16.0	1.0	0.7	0.6	1.9	2.4	1.7
59	Québec	8.2	16.7	0.8	0.6	0.5	1.7	2.1	1.6
60	Ontario	8.4	14.3	0.7	0.4	0.4	1.4	1.5	1.2
61	Manitoba	9.7	16.9	1.0	0.3	0.4	1.7	2.3	1.6
62	Saskatchewan	10.3	23.5	1.4	0.6	0.7	2.0	1.6	2.0
63	Alberta	7.9	17.4	0.7	0.5	0.6	2.1	2.6	1.8
64	British Columbia — Colombie-Britannique	9.5	19.2	1.1	0.5	0.5	2.3	2.9	2.1
65	Yukon	7.5	23.3	4.4	0.9	—	4.4	7.1	4.0
66	Northwest Territories — Territoires du Nord-Ouest	6.5	41.7	1.3	1.4	1.6	4.4	4.7	3.5

See footnote(s) at end of table.

TABLEAU 16. Taux de mortalité (pour 1 000 habitants) selon le sexe et le groupe d'âges, Canada, 1921-1974
et provinces, 1974 — suite

Age - Âge												No
30-34 years — ans	35-39 years — ans	40-44 years — ans	45-49 years — ans	50-54 years — ans	55-59 years — ans	60-64 years — ans	65-69 years — ans	70-74 years — ans	75-79 years — ans	80-84 years — ans	85 + years — ans	
Male - Masculin												
3.8	4.7	5.6	7.3	9.8	15.2	21.9	33.4	56.9	89.4	133.8	228.2	1
3.9	4.6	5.6	7.2	9.8	15.9	22.2	37.0	60.0	91.4	144.4	245.8	2
3.9	4.7	5.8	7.0	9.8	16.2	23.7	38.3	59.9	92.9	154.4	259.9	3
3.5	4.3	5.4	7.0	9.4	14.2	22.5	36.6	57.1	90.0	150.8	238.1	4
3.4	4.1	5.3	6.8	9.4	14.6	22.1	36.8	56.8	92.2	145.9	244.4	5
3.7	4.8	5.9	7.4	10.1	15.7	23.7	38.1	62.6	101.6	152.5	252.6	6
3.8	4.6	5.6	7.4	10.3	16.2	23.6	37.6	59.0	94.8	137.7	246.2	7
3.9	4.8	6.1	8.0	10.7	16.5	24.7	39.7	60.6	101.4	147.4	259.3	8
3.9	4.8	6.1	8.1	11.2	15.9	24.7	40.4	60.0	97.8	153.4	268.6	9
3.7	4.6	5.8	7.7	10.8	15.7	23.2	37.4	58.0	93.2	141.3	242.0	10
3.5	4.2	5.4	7.2	10.7	15.4	22.9	35.2	55.0	87.4	134.1	228.1	11
3.4	4.4	5.2	6.8	10.3	15.4	23.2	36.4	58.6	93.4	151.3	247.9	12
3.1	3.8	5.0	7.0	10.1	14.6	23.3	36.0	56.6	89.9	150.5	234.0	13
3.3	3.8	4.8	7.0	10.1	15.2	24.5	35.5	56.4	87.8	142.8	220.4	14
3.3	4.0	5.1	7.0	10.2	15.0	24.6	35.3	57.8	88.6	146.7	227.5	15
3.2	4.0	5.0	7.1	10.2	15.4	24.9	36.0	58.2	90.6	149.2	227.1	16
3.4	4.2	5.2	7.5	10.5	15.8	26.1	37.0	57.2	92.8	152.0	226.5	17
3.0	3.7	5.0	7.1	10.4	15.1	24.0	35.8	57.7	89.5	140.0	221.5	18
2.8	3.7	4.8	6.7	10.4	15.5	24.0	37.3	58.3	93.6	141.6	242.5	19
2.8	3.6	4.9	6.9	10.6	16.3	24.7	38.2	59.3	91.5	147.5	247.3	20
2.8	3.8	5.0	7.3	10.6	16.0	24.2	37.3	58.5	95.7	147.6	241.9	21
2.7	3.4	4.8	6.9	10.8	15.7	24.1	36.9	56.9	92.7	140.6	232.0	22
2.5	3.4	4.9	7.0	10.3	16.1	24.6	38.1	58.8	94.4	150.7	263.6	23
2.3	3.1	4.3	6.8	10.0	15.7	23.8	37.5	57.5	89.6	139.7	235.1	24
2.2	3.2	4.3	6.8	10.0	15.3	23.8	36.9	55.3	89.6	136.4	236.1	25
2.2	2.9	4.4	6.5	9.9	15.3	23.8	37.1	54.0	86.7	130.4	225.6	26
2.2	3.1	4.3	7.0	10.1	15.6	24.3	37.1	54.7	84.1	129.5	214.2	27
2.1	3.1	4.4	6.8	10.3	15.7	24.7	36.0	55.7	84.8	130.7	215.7	28
2.1	2.8	4.1	6.8	10.1	15.3	25.2	36.5	56.2	82.4	133.4	220.8	29
1.9	2.6	4.0	6.6	10.0	15.6	25.1	36.4	54.9	84.7	132.2	222.9	30
2.1	2.5	3.9	6.4	10.4	16.2	24.5	35.1	54.5	87.6	135.5	235.1	31
2.1	2.6	3.9	6.3	10.6	16.3	24.5	35.6	52.3	83.3	132.5	223.1	32
2.0	2.6	3.9	6.2	10.4	15.7	24.2	35.3	53.6	82.9	129.5	227.3	33
1.8	2.3	3.6	5.7	10.0	15.0	24.1	35.0	51.7	80.6	126.2	218.1	34
1.8	2.2	3.5	5.7	9.8	15.1	23.9	35.9	53.2	84.8	132.4	219.9	35
1.8	2.3	3.4	5.8	9.6	15.5	24.0	35.7	53.4	82.8	132.6	221.9	36
1.8	2.3	3.7	6.1	9.8	16.0	25.3	37.2	53.3	84.0	132.8	224.7	37
1.7	2.3	3.6	5.9	9.9	15.8	24.2	36.2	52.6	81.4	130.7	219.4	38
1.7	2.2	3.5	5.8	9.5	15.6	24.0	36.1	55.4	83.3	131.6	221.4	39
1.6	2.3	3.3	6.0	9.3	15.6	24.0	35.0	54.3	83.2	128.5	217.5	40
1.6	2.3	3.4	5.8	9.6	15.2	24.0	35.7	54.0	81.8	125.1	208.9	41
1.6	2.3	3.4	5.6	9.5	15.4	23.9	35.1	54.1	81.0	123.3	209.6	42
1.6	2.3	3.4	5.7	9.5	15.5	24.1	35.4	53.9	83.2	124.5	214.0	43
1.7	2.2	3.7	5.7	9.5	15.1	25.0	35.3	53.4	81.3	121.0	200.2	44
1.7	2.2	3.5	5.6	9.7	15.2	24.2	35.6	53.7	83.3	123.9	211.4	45
1.7	2.2	3.4	5.7	9.7	15.4	24.0	36.2	53.1	79.9	124.0	213.4	46
1.6	2.2	3.6	5.8	9.6	15.3	24.0	36.1	52.0	80.2	120.1	209.8	47
1.7	2.2	3.5	5.8	9.1	15.1	23.4	36.9	52.6	80.5	125.4	211.0	48
1.6	2.3	3.4	5.7	9.4	15.0	23.0	36.6	53.3	78.2	121.6	205.6	49
1.6	2.2	3.5	5.6	9.3	14.8	23.7	36.3	53.3	78.2	119.7	197.0	50
1.6	2.2	3.6	5.7	9.3	14.6	22.9	34.7	51.9	79.0	118.8	198.0	51
1.7	2.2	3.6	5.6	9.3	14.6	23.0	35.7	53.4	78.9	122.7	213.9	52
1.6	2.3	3.6	5.8	9.2	15.0	23.0	34.7	52.0	79.6	121.9	218.5	53
1.5	2.3	3.5	5.8	9.2	14.6	22.7	34.9	53.1	78.3	121.5	217.0	54
0.9	2.2	2.4	5.2	9.2	15.8	20.5	33.6	53.9	75.9	122.4	247.8	55
2.6	4.1	3.1	7.3	10.4	12.7	18.8	39.5	48.0	61.8	105.7	212.0	56
2.4	2.6	3.8	6.6	9.0	17.1	23.1	37.2	57.7	79.2	124.9	219.2	57
1.9	2.5	3.6	6.2	9.4	14.9	22.5	37.7	51.7	77.7	114.7	211.7	58
1.4	2.4	3.8	6.2	10.3	15.9	25.1	39.0	57.1	83.1	131.3	228.5	59
1.3	2.1	3.2	5.7	9.1	14.7	23.0	35.8	55.2	81.4	127.6	237.2	60
1.6	2.2	4.0	6.0	8.2	13.1	19.8	30.2	50.8	73.0	117.9	200.5	61
1.8	2.2	4.5	4.8	7.0	11.0	16.5	25.7	44.2	71.3	101.3	186.1	62
1.8	2.1	3.3	4.6	8.5	11.9	21.1	29.2	45.8	70.6	111.9	199.2	63
1.9	2.7	3.5	5.7	9.2	14.4	21.7	32.0	47.7	71.0	112.3	198.4	64
5.5	2.9	4.3	10.0	15.0	20.0	16.7	5.0	70.0	--	--	--	65
4.4	2.5	4.0	11.3	13.3	14.0	12.5	45.0	60.0	50.0	--	--	66

Voir note(s) à la fin du tableau.

TABLE 16. Death Rates (per 1,000 Population) by Sex and Age, Canada, 1921-1974
and Provinces, 1974 - Concluded

No.	Province	Total	Age - Âge						
			Under 1 year ¹	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years
			Moins de 1 an ¹	— ans	— ans	— ans	— ans	— ans	— ans
			Female - Féminin						
	Canada:								
1	1921	10.2	77.4	6.9	2.7	1.9	2.7	3.7	4.1
2	1922	10.3	75.9	6.5	2.4	1.9	2.6	3.8	4.2
3	1923	10.4	77.4	6.5	2.4	1.7	2.6	3.5	3.9
4	1924	9.6	70.5	5.9	2.2	1.8	2.5	3.5	3.7
5	1925	9.5	70.0	5.6	1.7	1.6	2.4	3.5	3.6
6	1926	10.9	90.0	8.2	2.1	1.8	2.9	4.0	4.1
7	1927	10.4	83.3	7.6	2.4	2.0	3.0	4.0	4.1
8	1928	10.6	79.6	7.0	2.3	1.9	2.7	4.0	4.2
9	1929	10.8	81.5	8.0	2.5	1.9	2.8	4.0	4.3
10	1930	10.2	79.7	6.9	2.0	1.6	2.8	3.6	4.1
11	1931	9.6	74.4	6.1	1.7	1.5	2.2	3.2	3.8
12	1932	9.5	64.5	5.1	1.5	1.4	2.1	3.0	3.6
13	1933	9.2	64.0	4.6	1.3	1.2	1.9	2.8	3.4
14	1934	8.9	62.5	5.0	1.3	1.1	1.9	2.7	3.1
15	1935	9.2	61.6	5.2	1.5	1.3	1.8	2.7	3.3
16	1936	9.3	58.8	4.8	1.7	1.2	1.9	2.8	3.1
17	1937	9.7	67.1	6.2	1.8	1.3	1.9	2.7	3.1
18	1938	8.9	55.6	4.5	1.6	1.2	1.7	2.4	2.7
19	1939	9.0	52.7	4.0	1.4	1.1	1.6	2.1	2.6
20	1940	9.0	49.9	3.9	1.2	1.0	1.5	2.1	2.6
21	1941	9.1	51.9	4.0	1.3	1.0	1.5	2.0	2.5
22	1942	8.8	47.5	3.9	1.2	0.9	1.5	1.9	2.4
23	1943	9.2	47.5	3.4	1.2	1.0	1.4	2.0	2.3
24	1944	8.9	48.5	3.4	1.2	1.0	1.3	1.9	2.2
25	1945	8.5	45.7	2.7	1.0	0.8	1.2	1.6	1.9
26	1946	8.4	41.1	2.8	1.1	0.8	1.3	1.8	1.9
27	1947	8.3	39.4	2.4	0.8	0.7	1.3	1.6	1.7
28	1948	8.3	38.5	2.3	0.7	0.6	1.0	1.4	1.5
29	1949	8.1	38.1	2.2	0.8	0.6	1.0	1.3	1.4
30	1950	7.9	36.5	1.8	0.7	0.6	0.8	1.0	1.2
31	1951	7.8	34.0	1.8	0.7	0.5	0.9	1.0	1.1
32	1952	7.5	33.6	1.8	0.7	0.5	0.7	0.9	1.0
33	1953	7.4	31.0	1.6	0.5	0.5	0.6	0.8	1.0
34	1954	7.0	27.9	1.4	0.5	0.4	0.6	0.7	0.9
35	1955	6.9	27.5	1.3	0.5	0.4	0.6	0.6	0.8
36	1956	7.0	28.7	1.4	0.5	0.4	0.5	0.6	0.8
37	1957	6.9	27.2	1.3	0.5	0.4	0.6	0.7	0.9
38	1958	6.7	26.4	1.2	0.4	0.3	0.5	0.6	0.7
39	1959	6.8	24.7	1.2	0.5	0.4	0.5	0.6	0.8
40	1960	6.6	23.7	1.1	0.4	0.3	0.5	0.6	0.7
41	1961	6.5	23.7	1.0	0.4	0.3	0.5	0.6	0.7
42	1962	6.5	24.3	1.0	0.4	0.3	0.5	0.6	0.7
43	1963	6.5	22.9	0.9	0.4	0.3	0.6	0.6	0.7
44	1964	6.3	21.4	0.9	0.4	0.3	0.5	0.6	0.6
45	1965	6.3	20.8	0.9	0.4	0.3	0.5	0.6	0.6
46	1966	6.2	20.2	0.9	0.4	0.3	0.5	0.5	0.6
47	1967	6.1	19.6	0.8	0.4	0.3	0.5	0.6	0.6
48	1968	6.2	18.6	0.8	0.4	0.3	0.5	0.6	0.7
49	1969	6.1	16.9	0.8	0.4	0.3	0.5	0.6	0.6
50	1970 ¹	6.1	16.3	0.7	0.4	0.3	0.5	0.6	0.6
51	1971	6.1	15.1	0.8	0.4	0.3	0.6	0.6	0.6
52	1972	6.2	15.0	0.8	0.3	0.3	0.6	0.5	0.7
53	1973	6.2	13.6	0.7	0.3	0.3	0.6	0.6	0.6
54	1974	6.3	13.4	0.7	0.3	0.3	0.6	0.6	0.6
55	Newfoundland - Terre-Neuve	4.9	14.9	0.4	0.3	0.6	0.3	0.5	0.5
56	Prince Edward Island - Île-du-Prince-Édouard	8.1	14.4	1.3	—	0.5	0.2	0.8	1.2
57	Nova Scotia - Nouvelle-Écosse	7.0	13.8	0.7	0.5	0.3	0.7	0.7	0.8
58	New Brunswick - Nouveau-Brunswick	6.6	14.3	1.0	0.5	0.4	0.5	0.5	0.6
59	Québec	5.8	13.4	0.6	0.4	0.3	0.6	0.6	0.5
60	Ontario	6.5	12.5	0.6	0.3	0.2	0.5	0.5	0.5
61	Manitoba	7.0	14.5	1.0	0.2	0.1	0.7	0.5	0.5
62	Saskatchewan	6.9	17.8	1.2	0.5	0.3	0.8	0.6	1.0
63	Alberta	5.2	12.7	0.7	0.3	0.4	0.7	0.8	0.8
64	British Columbia - Colombie-Britannique	6.5	13.0	0.6	0.3	0.3	0.8	0.8	0.9
65	Yukon	4.0	25.0	—	2.0	0.9	2.5	1.4	2.0
66	Northwest Territories - Territoires du Nord-Ouest	4.4	38.0	1.4	0.8	0.4	0.6	2.0	1.2

¹ Per 1,000 live births.

Note: Data for Newfoundland not available prior to 1949 and the Yukon and Northwest Territories prior to 1950.

TABLEAU 16. Taux de mortalité (pour 1,000 habitants) selon le sexe et le groupe d'âges, Canada, 1921 - 1974
et provinces, 1974 - fin

Age - Âge													No
30-34 years — ans	35-39 years — ans	40-44 years — ans	45-49 years — ans	50-54 years — ans	55-59 years — ans	60-64 years — ans	65-69 years — ans	70-74 years — ans	75-79 years — ans	80-84 years — ans	85+ years — ans		
Female - Féminin													
4.5	5.5	5.9	7.1	10.2	13.5	19.7	33.2	52.8	80.9	122.4	224.9	1	
4.6	5.5	6.0	7.6	9.7	13.9	20.2	32.8	53.3	88.3	135.2	237.2	2	
4.4	5.5	5.7	7.4	9.7	14.5	21.4	34.6	55.4	93.4	144.2	258.9	3	
4.2	5.0	5.5	6.8	9.6	12.7	20.1	32.1	51.1	80.2	129.9	241.8	4	
3.8	4.6	5.4	6.5	8.8	12.7	20.1	32.6	51.0	82.6	136.5	251.5	5	
4.6	5.6	6.1	7.5	9.5	13.5	21.0	35.0	54.0	92.8	144.5	274.8	6	
4.3	5.4	5.8	7.3	9.3	13.3	20.6	33.3	49.3	85.7	133.1	253.8	7	
4.6	5.4	6.1	7.4	9.8	14.2	21.2	33.0	54.3	88.8	143.5	267.8	8	
4.6	4.9	6.2	7.3	9.8	13.8	21.8	35.1	55.5	91.2	143.2	257.1	9	
4.1	6.0	7.1	9.3	13.7	20.1	32.8	50.7	82.6	132.8	237.8	251.5	10	
4.2	4.8	5.0	6.6	9.0	13.4	20.7	30.3	49.1	82.9	127.1	212.6	11	
4.0	4.7	5.4	6.8	9.3	13.6	20.2	32.0	51.9	86.6	141.2	237.8	12	
3.9	4.4	5.1	6.8	9.2	13.3	20.5	32.3	50.5	83.5	135.6	227.9	13	
3.7	4.2	4.7	6.5	8.8	12.9	20.2	30.3	48.8	78.4	131.9	220.9	14	
3.6	4.5	4.9	6.5	8.7	12.9	20.3	31.1	49.9	80.1	137.3	218.0	15	
3.8	4.5	4.9	6.3	9.2	12.9	20.7	31.1	50.8	81.4	133.1	218.1	16	
3.7	4.3	5.1	6.5	9.2	12.7	20.4	29.8	51.4	80.8	136.5	222.7	17	
3.2	3.9	4.6	5.8	8.2	12.3	19.0	29.4	48.6	78.1	123.4	209.8	18	
3.1	3.8	4.3	5.8	8.5	12.2	19.5	30.4	49.0	80.4	131.0	236.9	19	
2.8	3.7	4.2	5.7	8.5	12.2	18.4	30.1	49.1	82.7	127.6	231.8	20	
2.8	3.4	4.5	6.0	8.1	12.3	18.5	30.4	47.0	79.7	131.2	229.3	21	
2.6	3.3	4.1	5.7	8.0	12.4	18.2	29.3	45.2	77.3	122.8	212.6	22	
2.5	3.4	4.1	5.7	8.1	12.1	18.6	29.9	47.8	81.8	134.6	237.7	23	
2.4	3.0	4.0	5.4	8.1	11.6	18.1	29.2	46.6	76.6	126.2	222.8	24	
2.4	3.0	3.6	5.3	7.7	11.2	17.6	27.2	45.4	74.5	119.2	218.6	25	
2.1	2.7	3.6	5.3	7.4	11.3	16.7	27.4	44.3	71.9	119.3	218.8	26	
2.0	2.5	3.3	4.9	7.2	10.6	17.2	27.0	44.0	71.1	117.8	203.0	27	
1.8	2.5	3.4	4.8	7.3	10.9	16.9	26.3	43.7	72.2	116.7	211.2	28	
1.7	2.3	3.2	4.7	7.0	10.2	16.9	26.2	44.4	71.5	113.4	206.7	29	
1.4	2.2	3.2	4.7	6.6	10.1	16.1	26.4	42.8	69.9	115.3	209.1	30	
1.5	2.0	3.0	4.5	6.5	10.2	16.1	24.9	41.6	73.3	120.7	212.9	31	
1.4	1.9	2.8	4.4	6.5	9.6	15.4	23.9	40.5	66.6	109.8	201.6	32	
1.2	1.8	2.8	4.1	6.4	9.5	15.4	24.3	39.8	68.2	110.5	207.1	33	
1.2	1.7	2.7	3.9	6.1	8.8	14.5	23.0	37.4	64.5	103.3	207.8	34	
1.1	1.5	2.3	3.7	5.6	9.0	14.2	22.6	37.2	65.4	107.0	207.3	35	
1.0	1.5	2.4	3.7	5.7	8.8	14.8	22.3	37.0	66.8	110.5	197.1	36	
1.0	1.4	2.3	3.9	5.5	9.3	14.4	23.3	36.5	64.3	110.0	197.1	37	
1.0	1.5	2.3	3.4	5.4	8.5	13.7	22.0	35.2	62.4	106.2	197.1	38	
1.0	1.5	2.1	3.4	5.6	8.7	13.4	22.0	36.9	63.6	108.9	207.1	39	
0.9	1.4	2.1	3.5	5.3	8.2	13.4	21.3	35.1	60.8	104.1	199.6	40	
0.9	1.4	2.0	3.2	5.3	8.0	12.8	21.4	34.2	59.2	101.2	197.2	41	
0.9	1.4	2.1	3.4	5.4	8.2	12.8	21.4	34.2	57.8	99.5	194.7	42	
0.9	1.3	2.1	3.3	5.2	7.9	13.1	20.6	34.2	58.7	101.0	197.1	43	
0.9	1.3	2.0	3.2	5.1	7.8	12.8	20.0	32.4	56.7	95.5	177.1	44	
0.9	1.3	2.0	3.3	5.3	7.7	12.3	19.5	32.6	56.3	95.5	187.5	45	
0.9	1.3	2.0	3.3	5.0	7.7	12.2	19.5	30.9	53.9	93.6	187.4	46	
0.9	1.3	2.1	3.2	5.0	7.8	11.9	18.9	30.3	51.3	90.3	175.8	47	
0.8	1.3	2.0	3.1	5.1	7.7	11.7	18.7	30.7	50.8	89.5	180.6	48	
0.9	1.3	2.1	3.4	4.9	7.6	11.5	18.4	29.8	50.1	86.4	171.6	49	
0.9	1.3	2.1	3.2	4.9	7.5	11.2	18.3	29.4	48.7	83.9	167.7	50	
0.9	1.3	2.1	3.0	4.6	7.2	11.0	17.3	28.3	48.1	82.4	163.3	51	
0.9	1.4	2.1	3.1	4.9	7.4	11.3	17.7	29.1	48.3	80.8	158.6	52	
0.8	1.3	2.0	3.1	4.8	7.5	11.2	16.9	28.0	47.8	80.8	157.0	53	
0.8	1.2	1.9	3.2	4.7	7.1	11.3	17.3	28.1	46.7	81.3	156.3	54	
0.5	1.4	1.3	2.9	5.2	6.8	12.7	16.6	32.3	45.7	93.8	160.6	55	
1.0	1.4	1.9	2.7	4.1	6.2	8.8	14.0	25.9	44.0	79.0	159.0	56	
1.0	1.3	2.1	2.8	4.2	6.3	11.7	19.1	28.8	47.0	83.0	148.2	57	
0.9	0.9	1.6	3.9	5.7	7.0	10.0	17.5	27.9	44.9	88.3	157.5	58	
0.7	1.3	1.9	3.3	4.7	7.6	12.1	19.4	32.1	54.3	88.8	160.2	59	
0.8	1.1	1.9	3.2	4.6	7.2	11.6	17.2	28.1	47.0	81.4	158.0	60	
0.8	1.2	2.2	3.0	5.2	6.5	11.5	15.2	25.1	41.9	79.7	160.2	61	
0.8	1.0	1.5	2.3	4.3	5.2	8.9	14.5	23.0	39.9	71.6	152.7	62	
0.7	1.6	2.0	3.0	4.5	7.3	9.2	14.5	24.3	41.5	75.5	152.7	63	
1.0	1.3	2.0	3.3	5.1	7.2	10.2	15.8	23.9	38.8	73.5	146.9	64	
3.8	—	—	12.5	10.0	5.0	15.0	20.0	—	10.0	—	—	65	
0.8	4.0	3.8	6.7	12.0	20.0	16.7	15.0	50.0	60.0	—	—	66	

¹ Pour 1,000 naissances vivantes.

Nota: Sont inconnues, les données d'avant 1949 de Terre-Neuve et celles d'avant 1950 du Yukon et des Territoires du Nord-Ouest.

TABLE 17. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1974

TABLE 17. DEATHS AND CAUSES OF DEATH			CANADA	NFLD. P.E.I.		N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T.		
LIST NO.	A	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)		T.-N.	I.P.E.										N.E.	T.N.O.	
NUMBER - NOMBRE																	
I. INFECTIVE AND PARASITIC DISEASES.																	
A	1	CHOLERA	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	
			T	-	-	-	-	-	-	-	-	-	-	-	-	-	
A	2	TYPHOID FEVER	M	1	-	-	-	-	1	-	-	-	-	-	-	-	
			F	1	-	-	-	-	1	-	-	-	-	-	-	-	
			T	2	-	-	-	-	2	-	-	-	-	-	-	-	
A	3	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS	M	4	-	-	-	3	-	-	-	1	-	-	-	-	
			F	4	-	-	1	2	1	-	-	-	-	-	-	-	
			T	8	-	-	1	5	1	-	-	1	-	-	-	-	
A	4	BACILLARY DYSENTERY AND ... AMOEBIASIS	M	2	-	-	-	-	-	1	-	1	-	-	-	-	
			F	2	-	-	-	-	1	1	-	-	-	-	-	-	
			T	4	-	-	-	-	1	2	-	1	-	-	-	-	
A	5	ENTERITIS AND OTHER	M	120	3	1	6	2	26	21	15	9	19	18	-	-	
		DIARRHOEAL DISEASES	F	149	4	-	9	3	51	22	20	8	14	17	-	-	
			T	269	7	1	15	5	77	43	35	17	33	35	-	1	
TUBERCULOSIS (A6-A10).																	
A	6	RESPIRATORY SYSTEM	M	163	1	-	1	2	90	27	13	3	6	17	-	3	
			F	60	1	-	-	3	37	8	2	2	4	2	-	1	
			T	223	2	-	1	5	127	35	15	5	10	19	-	4	
A	7	MENINGES AND CENTRAL	M	5	-	-	-	-	2	2	-	-	-	1	-	-	
		NERVOUS SYSTEM	F	3	-	-	-	-	2	1	-	-	-	-	-	-	
			T	8	-	-	-	-	4	3	-	-	-	1	-	-	
A	8	INTESTINES, PERITONEUM, ... AND MESENTERIC GLANDS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
			F	4	-	-	1	-	3	-	-	-	-	-	-	-	
			T	4	-	-	1	-	3	-	-	-	-	-	-	-	
A	9	BONES AND JOINTS	M	3	-	-	-	-	1	1	-	-	-	1	-	-	
			F	2	-	-	-	-	2	-	-	-	-	-	-	-	
			T	5	-	-	-	-	3	1	-	-	-	1	-	-	
A	10	OTHER	M	51	2	-	4	-	15	21	3	3	-	3	-	-	
			F	39	2	-	1	1	6	18	2	3	2	2	-	2	
			T	90	4	-	5	1	21	39	5	6	2	5	-	2	
TOTAL (A6-A10).				M	222	3	-	5	2	108	51	16	6	6	22	-	3
				F	108	3	-	2	4	50	27	4	5	6	4	-	3
				T	330	6	-	7	6	158	78	20	11	12	26	-	6
A	11	PLAGUE	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	
			T	-	-	-	-	-	-	-	-	-	-	-	-	-	
A	12	ANTHRAX	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	
			T	-	-	-	-	-	-	-	-	-	-	-	-	-	
A	13	BRUCELLOSIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	
			T	-	-	-	-	-	-	-	-	-	-	-	-	-	
A	14	LEPROSY	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	
			T	-	-	-	-	-	-	-	-	-	-	-	-	-	
A	15	DIPHTHERIA	M	5	-	-	-	-	-	1	-	-	-	4	-	-	
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	
			T	5	-	-	-	-	-	1	-	-	-	4	-	-	
A	16	WHOOPING COUGH	M	1	-	-	-	-	-	-	-	1	-	-	-	-	
			F	1	-	-	-	-	-	-	-	-	-	1	-	-	
			T	2	-	-	-	-	-	-	-	1	-	1	-	-	
A	17	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
			F	2	-	-	-	-	1	-	-	-	-	1	-	-	
			T	2	-	-	-	-	1	-	-	-	-	1	-	-	
A	18	ERYSIPELAS	M	-	-	-	-	-	-	-	-	-	-	-	-	-	
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	
			T	-	-	-	-	-	-	-	-	-	-	-	-	-	
A	19	MENINGOCOCCAL INFECTION ...	M	31	5	1	1	-	12	6	1	3	-	2	-	-	
			F	24	3	-	1	-	6	5	1	3	1	4	-	-	
			T	55	8	1	2	-	18	11	2	6	1	6	-	-	
A	20	TETANUS	M	1	-	-	-	-	-	-	1	-	-	-	-	-	
			F	1	-	-	-	-	1	-	-	-	-	-	-	-	
			T	2	-	-	-	-	1	-	1	-	-	-	-	-	

TABLEAU 17. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1974

CANADA	MFLD. P.E.I.			N.S.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES		NO. DE
	T.-N.	I.P.E.	N.E.									C.B.		T.M.O.	LISTE INTERMEDIAIRE A		LA
															(HUITIEME REVISION)		LISTE A
RATE - TAUX																	
I. MALADIES INFECTIEUSES ET PARASITAIRES.																	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CHOLERA	A 1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-	FIEVRE TYPHOIDE	A 2
0.0	-	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	0.1	-	-	-	-	0.1	-	-	-	-	-	FIEVRE PARATYPHOIDE ET	A 3
0.0	-	-	0.2	-	0.1	0.0	-	-	-	-	-	-	-	-	-	AUTRES INFECTIONS A	
0.0	-	-	0.1	-	0.1	0.0	-	-	-	0.1	-	-	-	-	-	SALMONELLA	
0.0	-	-	-	-	-	-	0.2	-	0.1	-	-	-	-	-	-	DYSENTERIE BACILLAIRE ET ...	A 4
0.0	-	-	-	-	-	0.0	0.2	-	-	-	-	-	-	-	-	AMIBIASE	
0.0	-	-	-	-	-	0.0	0.2	-	0.1	-	-	-	-	-	-		
1.1	1.1	1.7	1.5	0.6	0.9	0.5	3.0	2.0	2.2	1.5	-	-	-	-	-	ENTERITES ET AUTRES MALADIES	A 5
1.3	1.5	-	2.2	0.9	1.6	0.5	3.9	1.8	1.7	1.4	-	-	-	5.6	-	DIARRHEIQUES	
1.2	1.3	0.9	1.8	0.8	1.3	0.5	3.5	1.9	1.9	1.5	-	-	-	2.7	-		
TUBERCULOSE (A6-A10).																	
1.5	0.4	-	0.2	0.6	3.0	0.7	2.6	0.7	0.7	1.4	-	15.2	APPAREIL RESPIRATOIRE		A 6		
0.5	0.4	-	-	0.9	1.2	0.2	0.4	0.4	0.5	0.2	-	5.6					
1.0	0.4	-	0.1	0.8	2.1	0.4	1.5	0.6	0.6	0.8	-	10.7					
0.0	-	-	-	-	0.1	0.0	-	-	-	0.1	-	-	-	-	-	MENINGES ET SYSTEME NERVEUX	A 7
0.0	-	-	-	-	0.1	0.0	-	-	-	-	-	-	-	-	-	CENTRAL	
0.0	-	-	-	-	0.1	0.0	-	-	-	0.0	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	INTESTIN, PERITOINE, ET	A 8
0.0	-	-	0.2	-	0.1	-	-	-	-	-	-	-	-	-	-	GANGLIONS MESENTERIQUES	
0.0	-	-	0.1	-	0.0	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	0.0	0.0	-	-	-	0.1	-	-	-	-	-	OS ET ARTICULATIONS	A 9
0.0	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	0.0	0.0	-	-	-	0.0	-	-	-	-	-		
0.5	0.7	-	1.0	-	0.5	0.5	0.6	0.7	-	0.2	-	-	-	-	-	AUTRE	A 10
0.3	0.8	-	0.2	0.3	0.2	0.4	0.4	0.7	0.2	0.2	-	11.2					
0.4	0.7	-	0.6	0.2	0.3	0.5	0.5	0.7	0.1	0.2	-	5.3					
2.0	1.1	-	1.2	0.6	3.5	1.3	3.2	1.3	0.7	1.8	-	15.2	TOTAL (A6-A10).				
1.0	1.1	-	0.5	1.2	1.6	0.7	0.8	1.1	0.7	0.3	-	16.9					
1.5	1.1	-	0.9	0.9	2.6	1.0	2.0	1.2	0.7	1.1	-	16.0					
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PESTE	A 11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CHARBON	A 12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BRUCELLOSE	A 13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LEPRE	A 14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	0.0	-	-	-	0.3	-	-	-	-	-	DIPHTHERIE	A 15
0.0	-	-	-	-	-	-	0.0	-	-	0.2	-	-	-	-	-		
0.0	-	-	-	-	-	-	-	-	0.2	-	-	-	-	-	-	COQUELUCHE	A 16
0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	-	-	0.1	-	0.0	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ANGINE A STREPTOCOQUES ET	A 17
0.0	-	-	-	-	0.0	-	-	-	-	0.1	-	-	-	-	-	SCARLATINE	
0.0	-	-	-	-	0.0	-	-	-	-	0.0	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ERYSIPELE	A 18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0.3	1.8	1.7	0.2	-	0.4	0.1	0.2	0.7	-	0.2	-	-	-	-	-	INFECTIONS A MENINGOCOQUES	A 19
0.2	1.1	-	0.2	-	0.2	0.1	0.2	0.7	0.1	0.3	-	-	-	-	-		
0.2	1.5	0.9	0.2	-	0.3	0.1	0.2	0.7	0.1	0.3	-	-	-	-	-		
0.0	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	-	TETANOS	A 20
0.0	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	0.0	-	0.1	-	-	-	-	-	-	-	-		

TABLE 17. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1974

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)		CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.
							NUMBER - NOMBRE							
A 21	OTHER BACTERIAL DISEASES	M	103	6	1	6	-	19	39	11	2	9	6	2
		F	70	4	1	2	1	8	34	3	3	8	5	1
		T	173	10	2	8	1	27	73	14	5	17	11	3
A 22	ACUTE POLIOMYELITIS	M	1	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	1	-	-	-	-	1	-	-	-	-	-	-
A 23	LATE EFFECTS OF ACUTE POLIOMYELITIS	M	4	-	-	-	-	2	-	1	-	1	-	-
		F	6	-	-	-	-	1	1	2	-	-	2	-
		T	10	-	-	-	-	3	1	3	-	1	2	-
A 24	SMALLPOX	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 25	MEASLES	M	12	-	-	-	-	1	-	-	8	2	1	-
		F	8	-	-	-	-	1	2	-	3	1	1	-
		T	20	-	-	-	-	2	2	-	11	3	2	-
A 26	YELLOW FEVER	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 27	VIRAL ENCEPHALITIS	M	14	-	-	-	-	6	3	1	1	1	2	-
		F	11	-	-	-	-	5	3	-	-	3	-	-
		T	25	-	-	-	-	11	6	1	1	4	2	-
A 28	INFECTIOUS HEPATITIS	M	24	-	-	-	-	3	10	2	1	2	6	-
		F	29	1	-	-	-	6	12	-	-	1	7	-
		T	53	1	-	-	-	9	22	2	1	3	13	2
A 29	OTHER VIRAL DISEASES	M	47	1	-	2	2	11	15	6	2	5	3	-
		F	39	2	-	2	2	6	11	4	2	1	9	-
		T	86	3	-	4	4	17	26	10	4	6	12	-
A 30	TYPHUS AND OTHER RICKETTSIOSES	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 31	MALARIA	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 32	TRYPANOSOMIASIS	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
A 33	RELAPSING FEVER	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS (A34-A37).														
A 34	CONGENITAL	M	1	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	-
		T	2	-	-	-	-	1	-	-	-	1	-	-

TABLEAU 17. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1974

CANADA	M.F.L.D. P.E.I.			N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
	T.-N.	I.P.E.	N.E.	C.B.							T.N.O.				
RATE - TAUX															
0.9	2.2	1.7	1.5	-	0.6	1.0	2.2	0.8	1.0	0.5	19.2	10.1	AUTRES MALADIES BACTERIENNES	A 21	
0.6	1.5	1.7	0.5	0.3	0.3	0.8	0.6	0.7	0.9	0.4	-	5.6			
0.8	1.8	1.7	1.0	0.2	0.4	0.9	1.4	0.6	1.0	0.5	10.3	8.0			
0.0	-	-	-	-	0.0	-	-	-	-	-	-	-	POLIOMYELITIS AIGUE	A 22	
0.0	-	-	-	-	0.0	-	-	-	-	-	-	-			
0.0	-	-	-	-	0.1	-	0.2	-	0.1	-	-	-	SEQUELLES DE LA POLIOMYELITIS	A 23	
0.1	-	-	-	-	0.0	0.0	0.4	-	-	0.2	-	-	AIGUE		
0.0	-	-	-	-	0.0	0.0	0.3	-	0.1	0.1	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	VARIOLE	A 24	
-	-	-	-	-	-	-	-	-	-	-	-	-			
0.1	-	-	-	-	0.0	-	-	1.7	0.2	0.1	-	-	ROUGEOLE	A 25	
0.1	-	-	-	-	0.0	0.0	-	0.7	0.1	0.1	-	-			
0.1	-	-	-	-	0.0	0.0	-	1.2	0.2	0.1	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	FIEVRE JAUNE	A 26	
-	-	-	-	-	-	-	-	-	-	-	-	-			
0.1	-	-	-	-	0.2	0.1	0.2	0.2	0.1	0.2	-	-	ENCEPHALITES A VIRUS	A 27	
0.1	-	-	-	-	0.2	0.1	-	-	0.4	-	-	-			
0.1	-	-	-	-	0.2	0.1	0.1	0.1	0.2	0.1	-	-			
0.2	-	-	-	-	0.1	0.2	0.4	0.2	0.2	0.5	-	-	HEPATITE INFECTIEUSE	A 28	
0.3	0.4	-	-	-	0.2	0.3	-	-	0.1	0.6	-	11.2			
0.2	0.2	-	-	-	0.1	0.3	0.2	0.1	0.2	0.5	-	5.3			
0.4	0.4	-	0.5	0.6	0.4	0.4	1.2	0.4	0.6	0.2	-	-	AUTRES MALADIES A VIRUS	A 29	
0.3	0.8	-	0.5	0.6	0.2	0.3	0.8	0.4	0.1	0.8	-	-			
0.4	0.6	-	0.5	0.6	0.3	0.3	1.0	0.4	0.4	0.5	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	TYPHUS ET AUTRES	A 30	
-	-	-	-	-	-	-	-	-	-	-	-	-	RICKETTSIOSIS		
-	-	-	-	-	-	-	-	-	-	-	-	-	PALUDISME	A 31	
-	-	-	-	-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	TRYPANOSOMIASIS	A 32	
-	-	-	-	-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	FIEVRE RECURRENTE	A 33	
-	-	-	-	-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	SYPHILIS (A34-A37).		
0.0	-	-	-	-	-	-	-	-	0.1	-	-	-	CONGENITALE	A 34	
0.0	-	-	-	-	0.0	-	-	-	-	-	-	-			
0.0	-	-	-	-	0.0	-	-	-	0.1	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	RECENTE, SYMPTOMATIQUE	A 35	
-	-	-	-	-	-	-	-	-	-	-	-	-			
0.1	0.4	-	0.5	0.3	0.1	0.0	-	-	0.1	0.2	-	-	NERVEUSE	A 36	
0.0	-	-	-	-	0.0	-	-	-	-	-	-	-			
0.1	0.2	-	0.2	0.2	0.1	0.0	-	-	0.1	0.1	-	-			
0.0	-	-	0.2	-	-	0.0	0.2	-	-	0.1	-	-	AUTRE	A 37	
0.0	-	-	0.2	-	-	0.0	0.1	-	-	0.0	-	-			
0.2	0.4	-	0.7	0.3	0.1	0.0	0.2	-	0.2	0.2	-	-	TOTAL (A34-A37).		
0.0	-	-	0.2	-	0.1	-	-	-	-	-	-	-			
0.1	0.2	-	0.5	0.2	0.1	0.0	0.1	-	0.1	0.1	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	INFECTIONS GONOCOCCIQUES ...	A 38	
-	-	-	-	-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	SCHISTOSOMIASIS	A 39	
-	-	-	-	-	-	-	-	-	-	-	-	-			
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	ECHINOCOCCOSE	A 40	
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	PILARIOSE	A 41	
-	-	-	-	-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-			

TABLE 17. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1974

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)		CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.
NUMBER - NOMBRE															
A 42	ANCYLOSTOMIASIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 43	OTHER HELMINTHIASES	M	2	-	-	-	-	-	1	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		T	2	-	-	-	-	-	1	-	-	-	-	-	1
A 44	ALL OTHER	M	24	-	-	2	2	5	10	1	-	2	2	-	-
		F	25	-	1	-	2	10	4	-	1	1	6	-	-
		T	49	-	1	2	4	15	14	1	1	3	8	-	-
TOTAL (A1-A44)			636	19	3	25	9	201	161	57	33	51	69	2	6
		F	483	17	2	18	12	150	124	35	25	36	57	-	7
		T	1,119	36	5	43	21	351	285	92	58	87	126	2	13
II. NEOPLASMS.															
MALIGNANT NEOPLASMS (A45-A60).															
A 45	BUCCAL CAVITY AND PHARYNX	M	459	16	2	19	10	163	172	16	13	21	26	-	1
		F	183	1	-	3	4	45	83	12	5	13	17	-	-
		T	642	17	2	22	14	208	255	28	18	34	43	-	1
A 46	ESOPHAGUS	M	431	5	3	16	9	112	163	27	17	28	51	-	-
		F	179	2	2	5	1	44	67	6	4	12	36	-	-
		T	610	7	5	21	10	156	230	33	21	40	87	-	-
A 47	STOMACH	M	1,528	58	10	90	57	422	470	74	77	104	164	1	1
		F	878	36	6	45	20	268	295	48	34	34	91	1	-
		T	2,406	94	16	135	77	690	765	122	111	138	255	2	1
A 48	INTESTINE, EXCEPT RECTUM	M	1,735	45	16	69	67	448	627	90	48	123	202	-	1
		F	2,179	47	15	110	64	620	819	98	83	112	208	2	1
		T	3,914	92	31	179	131	1,068	1,446	188	131	235	410	2	1
A 49	RECTUM AND RECTOSIGMOID JUNCTION	M	704	17	1	21	25	177	277	35	27	41	83	-	-
		F	534	3	1	25	21	155	190	28	20	30	61	-	-
		T	1,238	20	2	46	46	332	467	63	47	71	144	-	-
A 50	LARYNX	M	261	5	-	13	6	112	75	7	10	8	25	-	-
		F	36	-	1	-	3	15	14	-	-	1	2	-	-
		T	297	5	1	13	9	127	89	7	10	9	27	-	-
A 51	TRACHEA, BRONCHUS, AND LUNG	M	5,425	86	33	218	146	1,568	2,002	250	204	314	591	3	10
		F	1,177	15	8	51	30	296	455	52	42	66	161	-	1
		T	6,602	101	41	269	176	1,864	2,457	302	246	380	752	3	11
A 52	BONE	M	112	1	1	6	1	44	33	7	5	5	9	-	-
		F	58	1	1	1	2	18	19	3	4	3	6	-	-
		T	170	2	2	7	3	62	52	10	9	8	15	-	-
A 53	SKIN	M	214	4	-	10	5	45	97	9	8	13	22	1	-
		F	182	2	1	10	1	37	72	11	12	14	22	-	-
		T	396	6	1	20	6	82	169	20	20	27	44	1	-
A 54	BREAST	M	22	1	-	1	-	4	7	4	1	2	2	-	-
		F	3,109	44	21	113	67	879	1,167	139	123	195	358	1	2
		T	3,131	45	21	114	67	883	1,174	143	124	197	360	1	2
A 55	CERVIX UTERI	F	552	11	6	28	25	122	237	29	16	32	43	2	1
A 56	UTERUS, OTHER	F	469	7	2	8	11	174	164	25	24	20	34	-	-
A 57	PROSTATE	M	1,806	25	11	87	58	417	604	111	126	140	226	1	-
A 58	OTHER AND UNSPECIFIED SITES.														
A	DIGESTIVE ORGANS AND PERITONEUM (155-159)	M	1,439	25	6	59	35	408	486	80	73	103	162	2	-
		F	1,305	21	7	40	27	353	481	80	68	79	146	2	1
		T	2,744	46	13	99	62	761	967	160	141	182	308	4	1
B	RESPIRATORY ORGANS (160,163)	M	71	-	1	2	3	22	25	6	1	2	9	-	-
		F	49	-	1	1	2	19	16	-	2	3	5	-	-
		T	120	-	2	3	5	41	41	6	3	5	14	-	-
C	CONNECTIVE AND OTHER SOFT TISSUE (171)	M	73	2	-	3	4	14	30	7	3	3	6	-	1
		F	53	2	-	3	3	11	20	4	1	3	6	-	-
		T	126	4	-	6	7	25	50	11	4	6	12	-	1
D	OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT (183)	F	922	15	5	31	27	227	358	47	43	59	110	-	-
E	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)	F	93	-	1	1	2	32	35	5	7	2	8	-	-

TABLEAU 17. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1974

CANADA	N.F.L.D. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
RATE - TAUX														
-	-	-	-	-	-	-	-	-	-	-	-	-	ANKYLOSTOMIASIS	A 42
0.0	-	-	-	-	-	0.0	-	-	-	-	-	5.1	AUTRES HELMINTHIASES	A 43
0.0	-	-	-	-	-	0.0	-	-	-	-	-	2.7		
0.2	-	-	0.5	0.6	0.2	0.2	0.2	-	0.2	0.2	-	-	TOUTES AUTRES MALADIES	A 44
0.2	-	1.7	-	0.6	0.3	0.1	-	0.2	0.1	0.5	-	-	INFECTIEUSES ET	
0.2	-	0.9	0.2	0.6	0.2	0.2	0.1	0.1	0.2	0.3	-	-	PARASITAIRES	
5.7	6.9	5.1	6.1	2.7	6.6	4.0	11.3	7.2	5.9	5.7	19.2	30.3	TOTAL (A1-A44)	
4.3	6.4	3.4	4.4	3.6	4.9	3.1	6.9	5.6	4.3	4.8	-	39.3		
5.0	6.6	4.3	5.3	3.2	5.7	3.5	9.1	6.4	5.1	5.3	10.3	34.7		
II. TUMEURS.														
TUMEURS MALIGNES (A45-A60).														
4.1	5.8	3.4	4.7	3.0	5.4	4.3	3.2	2.8	2.4	2.2	-	5.1	CAVITE BUCCALE ET PHARYNX	A 45
1.6	0.4	-	0.7	1.2	1.5	2.0	2.4	1.1	1.5	1.4	-	-		
2.9	3.1	1.7	2.7	2.1	3.4	3.2	2.8	2.0	2.0	1.8	-	2.7		
3.8	1.8	5.1	3.9	2.7	3.7	4.0	5.4	3.7	3.2	4.2	-	-	OEESOPHAGE	A 46
1.6	0.8	3.4	1.2	0.3	1.4	1.6	1.2	0.9	1.4	3.0	-	-		
2.7	1.3	4.3	2.6	1.5	2.5	2.8	3.3	2.3	2.3	3.6	-	-		
13.6	21.0	17.1	22.1	17.2	13.9	11.7	14.7	16.8	12.0	13.6	9.6	5.1	ESTOMAC	A 47
7.8	13.5	10.3	11.1	6.1	8.7	7.3	9.5	7.6	4.0	7.6	11.1	-		
10.7	17.3	13.7	16.6	11.6	11.2	9.5	12.1	12.2	8.1	10.6	10.3	2.7		
15.5	16.3	27.4	16.9	20.2	14.7	15.5	17.8	10.5	14.1	16.8	-	-	INTESTIN, RECTUM NON COMPRIS	A 48
19.4	17.6	25.7	27.1	19.4	20.1	20.2	19.4	18.5	13.3	17.5	22.2	5.6		
17.4	17.0	26.6	22.0	19.8	17.4	17.9	18.6	14.4	13.7	17.1	10.3	2.7		
6.3	6.2	1.7	5.2	7.5	5.8	6.9	6.9	5.9	4.7	6.9	-	-	RECTUM ET JONCTION RECTO-	A 49
4.8	1.1	1.7	6.2	6.4	5.0	4.7	5.5	4.5	3.6	5.1	-	-	SIGMOIDIENNE	
5.5	3.7	1.7	5.7	7.0	5.4	5.8	6.2	5.2	4.1	6.0	-	-		
2.3	1.8	-	3.2	1.8	3.7	1.9	1.4	2.2	0.9	2.1	-	-	LARYNX	A 50
0.3	-	1.7	-	0.9	0.5	0.3	-	-	0.1	0.2	-	-		
1.3	0.9	0.9	1.6	1.4	2.1	1.1	0.7	1.1	0.5	1.1	-	-		
48.4	31.1	56.5	53.5	44.0	51.5	49.6	49.5	44.4	36.1	49.1	28.8	50.5	TRACHEE, BRONCHES, ET POUKON	A 51
10.5	5.6	13.7	12.6	9.1	9.6	11.2	10.3	9.4	7.8	13.5	-	5.6		
29.4	18.6	35.1	33.1	26.6	30.4	30.4	29.9	27.1	22.2	31.4	15.5	29.3		
1.0	0.4	1.7	1.5	0.3	1.4	0.8	1.4	1.1	0.6	0.7	-	-	OS	A 52
0.5	0.4	1.7	0.2	0.6	0.6	0.5	0.6	0.9	0.4	0.5	-	-		
0.8	0.4	1.7	0.9	0.5	1.0	0.6	1.0	1.0	0.5	0.6	-	-		
1.9	1.4	-	2.5	1.5	1.5	2.4	1.8	1.7	1.5	1.8	9.6	-	PEAU	A 53
1.6	0.8	1.7	2.5	0.3	1.2	1.8	2.2	2.7	1.7	1.8	-	-		
1.8	1.1	0.9	2.5	0.9	1.3	2.1	2.0	2.2	1.6	1.8	5.2	-		
0.2	0.4	-	0.2	-	0.1	0.2	0.8	0.2	0.2	0.2	-	-	SEIN	A 54
27.7	16.5	36.0	27.8	20.3	28.4	28.7	27.4	27.5	23.1	30.1	11.1	11.2		
13.9	8.3	18.0	14.0	10.1	14.4	14.5	14.1	13.7	11.5	15.0	5.2	5.3		
4.9	4.1	10.3	6.9	7.6	3.9	5.8	5.7	3.6	3.8	3.6	22.2	5.6	COL DE L'UTERUS	A 55
4.2	2.6	3.4	2.0	3.3	5.6	4.0	4.9	5.4	2.4	2.9	-	-	UTERUS, AUTRE	A 56
16.1	9.1	18.8	21.4	17.5	13.7	15.0	22.0	27.4	16.1	18.8	9.6	-	PROSTATE	A 57
													SIEGES AUTRES OU SANS	A 58
													PRECISION.	
12.8	9.1	10.3	14.5	10.5	13.4	12.1	15.9	15.9	11.8	13.5	19.2	-	ORGANES DIGESTIFS ET	A
11.6	7.9	12.0	9.8	8.2	11.4	11.8	15.8	15.2	9.4	12.3	22.2	5.6	PERITOINE (155-159)	
12.2	8.5	11.1	12.2	9.4	12.4	11.9	15.8	15.5	10.6	12.9	20.6	2.7		
0.6	-	1.7	0.5	0.9	0.7	0.6	1.2	0.2	0.2	0.7	-	-	ORGANES RESPIRATOIRES	B
0.4	-	1.7	0.2	0.6	0.6	0.4	-	0.4	0.4	0.4	-	-	(160,163)	
0.5	-	1.7	0.4	0.8	0.7	0.5	0.6	0.3	0.3	0.6	-	-		
0.7	0.7	-	0.7	1.2	0.5	0.7	1.4	0.7	0.3	0.5	-	5.1	TISSU CONJONCTIF ET AUTRES	C
0.5	0.8	-	0.7	0.9	0.4	0.5	0.8	0.2	0.4	0.5	-	-	PARTIES MOLLES (171)	
0.6	0.7	-	0.7	1.1	0.4	0.6	1.1	0.4	0.4	0.5	-	2.7		
8.2	5.6	8.6	7.6	8.2	7.3	8.8	9.3	9.6	7.0	9.2	-	-	OVAIRE, TROMPE, ET LIGAMENT	D
													LARGE (183)	
													ORGANES GENITAUX AUTRES ...	E
													OU NON PRECISES DE LA	
0.8	-	1.7	0.2	0.6	1.0	0.9	1.0	1.6	0.2	0.7	-	-	FEMME (184)	

TABLE 17. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1974

LIST NO.	A	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.
NUMBER - NOMBRE														
F	OTHER MALE GENITAL ORGANS (186,187)	M	123	3	1	3	3	35	46	5	6	9	12	-
G	BLADDER (188)	M	631	13	3	26	17	185	232	28	27	37	62	-
		F	264	6	1	9	7	67	105	16	12	18	23	-
		T	895	19	4	35	24	252	337	44	39	55	85	-
H	OTHER AND UNSPECIFIED URINARY ORGANS (189)	M	448	4	3	18	13	111	156	32	24	32	54	-
		F	248	2	2	9	8	71	79	8	18	17	33	1
		T	696	6	5	27	21	182	235	40	42	49	87	1
I	BRAIN AND NERVOUS SYSTEM (191,192)	M	560	13	5	16	13	179	177	27	26	42	60	2
		F	389	2	-	11	12	123	154	12	17	24	34	-
		T	949	15	5	27	25	302	331	39	43	66	94	2
J	OTHER	M	813	31	9	44	22	213	249	32	33	71	107	-
		F	811	30	5	46	37	218	261	39	27	51	96	-
		T	1,624	61	14	90	59	431	510	71	60	122	203	-
	TOTAL (A58)	M	4,158	91	28	171	110	1,167	1,401	217	193	299	472	4
		F	4,134	78	22	151	125	1,121	1,509	211	195	256	461	3
		T	8,292	169	50	322	235	2,288	2,910	428	388	555	933	7
A	59 LEUKAEMIA	M	809	11	5	28	25	222	275	49	53	53	87	-
		F	555	8	4	18	13	149	214	24	21	38	65	-
		T	1,364	19	9	46	38	371	489	73	74	91	152	-
A	60 OTHER LYMPHATIC AND HAEMOTOPOIETIC TISSUE.													
A	HODGKIN'S DISEASE (201)	M	155	4	-	4	4	43	56	8	9	9	18	-
		F	105	2	-	6	2	37	39	5	2	6	6	-
		T	260	6	-	10	6	80	95	13	11	15	24	-
B	OTHER	M	836	1	4	26	21	223	309	60	36	59	97	-
		F	766	11	5	32	22	201	306	43	33	43	70	-
		T	1,602	12	9	58	43	424	615	103	69	102	167	-
	TOTAL (A60)	M	991	5	4	30	25	266	365	68	45	68	115	-
		F	871	13	5	38	24	238	345	48	35	49	76	-
		T	1,862	18	9	68	49	504	710	116	80	117	191	-
	TOTAL (A45-A60)	M	18,655	370	114	779	544	5,167	6,568	964	827	1,219	2,075	10
		F	15,096	268	95	606	411	4,181	5,650	734	618	875	1,641	9
		T	33,751	638	209	1,385	955	9,348	12,218	1,698	1,445	2,094	3,716	19
A	61 BENIGN AND UNSPECIFIED	M	148	8	-	10	1	20	49	12	11	23	14	-
		F	166	2	-	15	3	39	50	13	8	20	16	-
		T	314	10	-	25	4	59	99	25	19	43	30	-
	TOTAL (A45-A61)	M	18,803	378	114	789	545	5,187	6,617	976	838	1,242	2,089	10
		F	15,262	270	95	621	414	4,220	5,700	747	626	895	1,657	9
		T	34,065	648	209	1,410	959	9,407	12,317	1,723	1,464	2,137	3,746	19
III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.														
A	62 NON-TOXIC GOITRE	M	3	-	-	-	-	2	-	-	-	1	-	-
		F	4	-	-	-	-	3	1	-	-	-	-	-
		T	7	-	-	-	-	5	1	-	-	1	-	-
A	63 THYROTOXICOSIS	M	1	-	-	-	-	-	-	-	-	-	1	-
		F	9	-	-	1	-	4	3	-	1	-	-	-
		T	10	-	-	1	-	4	3	-	1	-	1	-
A	64 DIABETES MELLITUS	M	1,335	18	2	56	32	441	443	47	58	109	129	-
		F	1,829	39	7	79	58	671	574	95	87	112	107	-
		T	3,164	57	9	135	90	1,112	1,017	142	145	221	236	-
A	65 NUTRITIONAL DEFICIENCY STATES	M	81	3	1	1	2	19	34	2	4	7	7	1
		F	88	5	1	2	-	19	37	4	2	9	9	-
		T	169	8	2	3	2	38	71	6	6	16	16	1
A	66 OTHER	M	276	6	-	12	7	101	98	3	13	19	17	-
		F	263	3	2	9	8	93	88	15	7	23	13	1
		T	539	9	2	21	15	194	186	18	20	42	30	1
	TOTAL (A62-A66)	M	1,696	27	3	69	41	563	575	52	75	136	154	1
		F	2,193	47	10	91	66	790	703	114	97	144	129	1
		T	3,889	74	13	160	107	1,353	1,278	166	172	280	283	2
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.														
A	67 ANAEMIAS	M	146	1	-	5	6	44	49	5	6	18	12	-
		F	176	5	2	7	7	57	62	8	6	10	12	-
		T	322	6	2	12	13	101	111	13	12	28	24	-

TABLEAU 17. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1974

CANADA	N.F.D. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
RATE - TAUX														
1.1	1.1	1.7	0.7	0.9	1.2	1.1	1.0	1.3	1.0	1.0	-	-	AUTRES ORGANES GENITAUX DE L'HOMME (186,187)	F
5.6	4.7	5.1	6.4	5.1	6.1	5.8	5.5	5.9	4.3	5.1	-	5.1	VESSIE (188)	G
2.4	2.3	1.7	2.2	2.1	2.2	2.6	3.2	2.7	2.1	1.9	-	-		
4.0	3.5	3.4	4.3	3.6	4.1	4.2	4.4	4.3	3.2	3.5	-	2.7		
4.0	1.4	5.1	4.4	3.9	3.6	3.9	6.3	5.2	3.7	4.5	-	5.1	ORGANES URINAIRES AUTRES OU NON PRECISES (189)	H
2.2	0.8	3.4	2.2	2.4	2.3	1.9	1.6	4.0	2.0	2.8	11.1	-		
3.1	1.1	4.3	3.3	3.2	3.0	2.9	4.0	4.6	2.9	3.6	5.2	2.7		
5.0	4.7	8.6	3.9	3.9	5.9	4.4	5.4	5.7	4.8	5.0	19.2	-	CERVEAU ET AUTRES PARTIES DU SYSTEME NERVEUX (191,192)	I
3.5	0.8	-	2.7	3.6	4.0	3.8	2.4	3.8	2.8	2.9	-	-		
4.2	2.8	4.3	3.3	3.8	4.9	4.1	3.9	4.7	3.9	3.9	10.3	-		
7.2	11.2	15.4	10.8	6.6	7.0	6.2	6.3	7.2	8.2	8.9	-	10.1	AUTRE	J
7.2	11.3	8.6	11.3	11.2	7.1	6.4	7.7	6.0	6.0	8.1	-	5.6		
7.2	11.2	12.0	11.1	8.9	7.0	6.3	7.0	6.6	7.1	8.5	-	8.0		
37.1	32.9	47.9	42.0	33.1	38.3	34.7	43.0	42.0	34.4	39.2	38.5	25.3	TOTAL (A58)	
36.8	29.3	37.7	37.2	37.9	36.3	37.2	41.7	43.5	30.3	38.7	33.3	11.2		
36.9	31.2	42.8	39.6	35.5	37.3	36.0	42.3	42.8	32.4	39.0	36.1	18.7		
7.2	4.0	8.6	6.9	7.5	7.3	6.8	9.7	11.5	6.1	7.2	-	5.1	LEUCENIES	A 59
4.9	3.0	6.8	4.4	3.9	4.8	5.3	4.7	4.7	4.5	5.5	-	5.6		
6.1	3.5	7.7	5.7	5.7	6.0	6.0	7.2	8.2	5.3	6.3	-	5.3		
													AUTRES TISSUS LYMPHATIQUES ET HEMATOPOIETIQUES.	A 60
1.4	1.4	-	1.0	1.2	1.4	1.4	1.6	2.0	1.0	1.5	-	-	MALADIE DE HODGKIN (201)	A
0.9	0.8	-	1.5	0.6	1.2	1.0	1.0	0.4	0.7	0.5	-	-		
1.2	1.1	-	1.2	0.9	1.3	1.2	1.3	1.2	0.9	1.0	-	-		
7.5	0.4	6.8	6.4	6.3	7.3	7.7	11.9	7.8	6.8	8.1	-	-	AUTRE	B
6.8	4.1	8.6	7.9	6.7	6.5	7.5	8.5	7.4	5.1	5.9	-	-		
7.1	2.2	7.7	7.1	6.5	6.9	7.6	10.2	7.6	6.0	7.0	-	-		
8.8	1.8	6.8	7.4	7.5	8.7	9.1	13.5	9.8	7.8	9.5	-	-	TOTAL (A60)	
7.8	4.9	8.6	9.4	7.3	7.7	8.5	9.5	7.8	5.8	6.4	-	-		
8.3	3.3	7.7	8.4	7.4	8.2	8.8	11.5	8.8	6.8	8.0	-	-		
166.3	134.0	195.2	191.4	163.9	169.8	162.9	191.0	180.1	140.2	172.3	96.2	90.9	TOTAL (A45-A60)	
134.4	100.6	162.7	149.2	124.6	135.3	139.1	144.9	138.0	103.6	137.8	100.0	44.9		
150.4	117.6	179.1	170.3	144.3	152.4	151.0	168.0	159.3	122.2	155.1	97.9	69.1		
1.3	2.9	-	2.5	0.3	0.7	1.2	2.4	2.4	2.6	1.2	-	-	BENIGNES ET DE NATURE NON PRECISEE	A 61
1.5	0.8	-	3.7	0.9	1.3	1.2	2.6	1.8	2.4	1.3	-	-		
1.4	1.8	-	3.1	0.6	1.0	1.2	2.5	2.1	2.5	1.3	-	-		
167.6	136.9	195.2	193.8	164.2	170.5	164.1	193.4	182.5	142.8	173.5	96.2	90.9	TOTAL (A45-A61)	
135.9	101.4	162.7	152.9	125.5	136.5	140.3	147.5	139.8	106.0	139.1	100.0	44.9		
151.8	119.4	179.1	173.4	144.9	153.4	152.2	170.4	161.4	124.7	156.4	97.9	69.3		
													III. MALADIES ENDOCRINIENNES, DE LA NUTRITION ET DU METABOLISME.	
0.0	-	-	-	-	0.1	-	-	-	0.1	-	-	-	GOITRE NON TOXIQUE	A 62
0.0	-	-	-	-	0.1	0.0	-	-	-	-	-	-		
0.0	-	-	-	-	0.1	0.0	-	-	0.1	-	-	-		
0.0	-	-	-	-	-	-	-	-	-	0.1	-	-	THYREOTOXICOSE	A 63
0.1	-	-	0.2	-	0.1	0.1	-	0.2	-	-	-	-		
0.0	-	-	0.1	-	0.1	0.0	-	0.1	-	0.0	-	-		
11.9	6.5	3.4	13.8	9.6	14.5	11.0	9.3	12.6	12.5	10.7	-	-	DIABETE SUCRE	A 64
16.3	14.6	12.0	19.5	17.6	21.7	14.1	18.8	19.4	13.3	9.0	-	-		
14.1	10.5	7.7	16.6	13.6	18.1	12.6	14.0	16.0	12.9	9.9	-	-		
0.7	1.1	1.7	0.2	0.6	0.6	0.8	0.4	0.9	0.8	0.6	9.6	-	ETATS DE CARENCE	A 65
0.8	1.9	1.7	0.5	-	0.6	0.9	0.8	0.4	1.1	0.8	-	-		
0.8	1.5	1.7	0.4	0.3	0.6	0.9	0.6	0.7	0.9	0.7	5.2	-		
2.5	2.2	-	2.9	2.1	3.3	2.4	0.6	2.8	2.2	1.4	-	-	AUTRE	A 66
2.3	1.1	3.4	2.2	2.4	3.0	2.2	3.0	1.6	2.7	1.1	11.1	5.6		
2.4	1.7	1.7	2.6	2.3	3.2	2.3	1.8	2.2	2.5	1.3	5.2	2.7		
15.1	9.8	5.1	16.9	12.4	18.5	14.3	10.3	16.3	15.6	12.8	9.6	-	TOTAL (A62-A66)	
19.5	17.6	17.1	22.4	20.0	25.6	17.3	22.5	21.7	17.1	10.8	11.1	5.6		
17.3	13.6	11.1	19.7	16.2	22.1	15.8	16.4	19.0	16.3	11.8	10.3	2.7		
													IV. MALADIES DU SANG ET DES ORGANES HEMATOPIETIQUES.	
1.3	0.4	-	1.2	1.8	1.4	1.2	1.0	1.3	2.1	1.0	-	-	ANEMIES	A 67
1.6	1.9	3.4	1.7	2.1	1.8	1.5	1.6	1.3	1.2	1.0	-	-		
1.4	1.1	1.7	1.5	2.0	1.6	1.4	1.3	1.3	1.6	1.0	-	-		

TABLE 17. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1974

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	NFLD. P.E.I.		N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.
			T.-N.	I.P.E.										
NUMBER - NOMBRE														
A 68 OTHER	M	95	3	1	3	1	27	31	5	5	9	9	-	1
	F	65	1	-	2	-	15	29	3	-	7	8	-	-
	T	160	4	1	5	1	42	60	8	5	16	17	-	1
TOTAL (A67,A68)		M	241	4	1	8	71	80	10	11	27	21	-	1
	F	241	6	2	9	7	72	91	11	6	17	20	-	-
	T	482	10	3	17	14	143	171	21	17	44	41	-	1
V. MENTAL DISORDERS.														
A 69 PSYCHOSES	M	114	4	-	1	4	24	57	2	3	9	10	-	-
	F	102	2	1	5	3	15	53	5	2	6	10	-	-
	T	216	6	1	6	7	39	110	7	5	15	20	-	-
A 70 NEUROSES AND OTHER NON- PSYCHOTIC MENTAL DISORDERS	M	437	10	1	14	8	53	191	18	10	51	78	2	1
	F	164	1	-	4	3	24	60	6	1	32	31	2	-
	T	601	11	1	18	11	77	251	24	11	83	109	4	1
A 71 MENTAL RETARDATION	M	11	-	-	-	1	1	6	-	-	3	-	-	-
	F	9	-	-	-	-	-	6	-	2	-	1	-	-
	T	20	-	-	-	1	1	12	-	2	3	1	-	-
TOTAL (A69-A71)		M	562	14	1	15	78	254	20	13	63	88	2	1
	F	275	3	1	9	6	39	119	11	5	38	42	2	-
	T	837	17	2	24	19	117	373	31	18	101	130	4	1
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.														
A 72 MENINGITIS	M	63	2	-	3	3	18	20	2	2	5	8	-	-
	F	36	1	-	1	1	11	8	2	2	4	6	-	-
	T	99	3	-	4	4	29	28	4	4	9	14	-	-
A 73 MULTIPLE SCLEROSIS	M	93	1	-	3	3	31	33	2	7	5	8	-	-
	F	110	-	-	2	2	34	40	8	4	5	15	-	-
	T	203	1	-	5	5	65	73	10	11	10	23	-	-
A 74 EPILEPSY	M	148	2	1	6	4	28	55	6	9	12	25	-	-
	F	102	1	-	1	-	28	44	1	5	12	10	-	-
	T	250	3	1	7	4	56	99	7	14	24	35	-	-
A 75 INFLAMMATORY DISEASES OF EYE	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 76 CATARACT	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	2	-	-
	T	2	-	-	-	-	-	-	-	-	-	2	-	-
A 77 GLAUCOMA	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 78 OTITIS MEDIA AND MASTOIDITIS	M	12	-	-	1	-	6	3	-	-	-	2	-	-
	F	5	-	1	1	-	-	2	-	-	1	-	-	-
	T	17	-	1	2	-	6	5	-	-	1	2	-	-
A 79 OTHER	M	707	10	5	21	15	174	244	45	50	54	88	1	-
	F	531	10	3	25	18	145	175	33	28	32	61	-	1
	T	1,238	20	8	46	33	319	419	78	78	86	149	1	1
TOTAL (A72-A79)		M	1,023	15	6	34	25	257	355	55	68	76	131	1
	F	786	12	4	30	21	218	269	44	39	54	94	-	1
	T	1,809	27	10	64	46	475	624	99	107	130	225	1	1
VII. DISEASES OF THE CIRCULATORY SYSTEM.														
A 80 ACTIVE RHEUMATIC FEVER.														
A WITH HEART INVOLVEMENT ... (391,392.0)	M	10	-	1	-	-	2	4	1	-	2	-	-	-
	F	6	-	-	1	-	2	-	-	1	2	-	-	-
	T	16	-	1	1	-	4	4	1	1	4	-	-	-
B OTHER	M	2	-	-	-	1	1	-	-	-	-	-	-	-
	F	3	-	-	1	1	1	-	-	-	-	-	-	-
	T	5	-	-	1	2	2	-	-	-	-	-	-	-
TOTAL (A80)		M	12	-	1	-	3	4	1	-	2	-	-	-
	F	9	-	-	2	1	3	-	-	1	2	-	-	-
	T	21	-	1	2	2	6	4	1	1	4	-	-	-
A 81 CHRONIC RHEUMATIC HEART ... DISEASE	M	542	6	1	16	14	133	222	20	23	42	64	-	1
	F	624	14	2	18	12	150	236	30	15	53	91	2	1
	T	1,166	20	3	34	26	283	458	50	38	95	155	2	2

TABLEAU 17. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1974

CANADA	N.F.L.D. P.E.I.			N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)		NO. DE LA LISTE A
	T.-N.	I.P.E.	N.E.								C.B.		T.N.O.			
RATE - TAUX																
0.8	1.1	1.7	0.7	0.3	0.9	0.8	1.0	1.1	1.0	0.7	-	5.1	-	AUTRE	A	68
0.6	0.4	-	0.5	-	0.5	0.7	0.6	-	0.8	0.7	-	-	-			
0.7	0.7	0.9	0.6	0.2	0.7	0.7	0.8	0.6	0.9	0.7	-	2.7	-			
2.1	1.4	1.7	2.0	2.1	2.3	2.0	2.0	2.4	3.1	1.7	-	5.1	-	TOTAL (A67,A68)		
2.1	2.3	3.4	2.2	2.1	2.3	2.2	2.2	1.3	2.0	1.7	-	-	-			
2.1	1.8	2.6	2.1	2.1	2.3	2.1	2.1	1.9	2.6	1.7	-	2.7	-			
V. TROUBLES MENTAUX.																
1.0	1.4	-	0.2	1.2	0.8	1.4	0.4	0.7	1.0	0.8	-	-	-	PSYCHOSES	A	69
0.9	0.8	1.7	1.2	0.9	0.5	1.3	1.0	0.4	0.7	0.8	-	-	-			
1.0	1.1	0.9	0.7	1.1	0.6	1.4	0.7	0.6	0.9	0.8	-	-	-			
3.9	3.6	1.7	3.4	2.4	1.7	4.7	3.6	2.2	5.9	6.5	19.2	5.1	-	NEVROSES ET AUTRES TROUBLES MENTAUX NON PSYCHOTIQUES	A	70
1.5	0.4	-	1.0	0.9	0.8	1.5	1.2	0.2	3.8	2.6	22.2	-	-			
2.7	2.0	0.9	2.2	1.7	1.3	3.1	2.4	1.2	4.8	4.6	20.6	2.7	-			
0.1	-	-	-	0.3	0.0	0.1	-	-	0.3	-	-	-	-	ARRIERATION MENTALE	A	71
0.1	-	-	-	-	-	0.1	-	0.4	-	0.1	-	-	-			
0.1	-	-	-	0.2	0.0	0.1	-	0.2	0.2	0.0	-	-	-			
5.0	5.1	1.7	3.7	3.9	2.6	6.3	4.0	2.8	7.2	7.3	19.2	5.1	-	TOTAL (A69-A71)		
2.4	1.1	1.7	2.2	1.8	1.3	2.9	2.2	1.1	4.5	3.5	22.2	-	-			
3.7	3.1	1.7	3.0	2.9	1.9	4.6	3.1	2.0	5.9	5.4	20.6	2.7	-			
VI. MALADIES DU SYSTEME NERVEUX ET DES ORGANES DES SENS.																
0.6	0.7	-	0.7	0.9	0.6	0.5	0.4	0.4	0.6	0.7	-	-	-	MENINGITE	A	72
0.3	0.4	-	0.2	0.3	0.4	0.2	0.4	0.4	0.5	0.5	-	-	-			
0.4	0.6	-	0.5	0.6	0.5	0.3	0.4	0.4	0.5	0.6	-	-	-			
0.8	0.4	-	0.7	0.9	1.0	0.8	0.4	1.5	0.6	0.7	-	-	-	SCLÉROSE EN PLAQUES	A	73
1.0	-	-	0.5	0.6	1.1	1.0	1.6	0.9	0.6	1.3	-	-	-			
0.9	0.2	-	0.6	0.8	1.1	0.9	1.0	1.2	0.6	1.0	-	-	-			
1.3	0.7	1.7	1.5	1.2	0.9	1.4	1.2	2.0	1.4	2.1	-	-	-	EPILEPSIE	A	74
0.9	0.4	-	0.2	-	0.9	1.1	0.2	1.1	1.4	0.8	-	-	-			
1.1	0.6	0.9	0.9	0.6	0.9	1.2	0.7	1.5	1.4	1.5	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	MALADIES INFLAMMATOIRES DE L'OEIL	A	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0.0	-	-	-	-	-	-	-	-	-	0.2	-	-	-	CATARACTE	A	76
0.0	-	-	-	-	-	-	-	-	-	0.1	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLAUCOME	A	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0.1	-	-	0.2	-	0.2	0.1	-	-	-	0.2	-	-	-	OTITE MOYENNE ET MASTOIDITE	A	78
0.0	-	1.7	0.2	-	-	0.0	-	-	0.1	-	-	-	-			
0.1	-	0.9	0.2	-	0.1	0.1	-	-	0.1	0.1	-	-	-			
6.3	3.6	8.6	5.2	4.5	5.7	6.1	8.9	10.9	6.2	7.3	9.6	-	-	AUTRE	A	79
4.7	3.8	5.1	6.2	5.5	4.7	4.3	6.5	6.3	3.8	5.1	-	5.6	-			
5.5	3.7	6.9	5.7	5.0	5.2	5.2	7.7	8.6	5.0	6.2	5.2	2.7	-			
9.1	5.4	10.3	8.4	7.5	8.4	8.8	10.9	14.8	8.7	10.9	9.6	-	-	TOTAL (A72-A79)		
7.0	4.5	6.8	7.4	6.4	7.1	6.6	8.7	8.7	6.4	7.9	-	5.6	-			
8.1	5.0	8.6	7.9	7.0	7.7	7.7	9.8	11.8	7.6	9.4	5.2	2.7	-			
VII. MALADIES DE L'APPAREIL CIRCULATOIRE.																
0.1	-	1.7	-	-	0.1	0.1	0.2	-	0.2	-	-	-	-	RHUMATISME ARTICULAIRE AIGU	A	80
0.1	-	-	0.2	-	0.1	-	-	0.2	0.2	-	-	-	-	AVEC COMPLICATION CARDIAQUE (391,392.0)	A	
0.1	-	0.9	0.1	-	0.1	0.0	0.1	0.1	0.2	-	-	-	-			
0.0	-	-	-	0.3	0.0	-	-	-	-	-	-	-	-	AUTRE	B	
0.0	-	-	0.2	0.3	0.0	-	-	-	-	-	-	-	-			
0.0	-	-	0.1	0.3	0.0	-	-	-	-	-	-	-	-			
0.1	-	1.7	-	0.3	0.1	0.1	0.2	-	0.2	-	-	-	-	TOTAL (A80)		
0.1	-	-	0.5	0.3	0.1	-	-	0.2	0.2	-	-	-	-			
0.1	-	0.9	0.2	0.3	0.1	0.0	0.1	0.1	0.2	-	-	-	-			
4.8	2.2	1.7	3.9	4.2	4.4	5.5	4.0	5.0	4.8	5.3	-	5.1	-	CARDIOPATHIES RHUMATISMALES CHRONIQUES	A	81
5.6	5.3	3.4	4.4	3.6	4.9	5.8	5.9	3.3	6.3	7.6	22.2	5.6	-			
5.2	3.7	2.6	4.2	3.9	4.6	5.7	4.9	4.2	5.5	6.5	10.3	5.3	-			

TABLE 17. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1974

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.
							NUMBER	NOMBRE						
A 82	HYPERTENSIVE DISEASE.													
A	WITH HEART INVOLVEMENT ... M	439	13	2	23	10	193	100	22	24	23	29	-	-
	598 F	598	6	5	28	15	271	158	34	21	25	35	-	-
	(400.1,400.9,402,404) T	1,037	19	7	51	25	464	258	56	45	48	64	-	-
B	OTHER	213	1	1	12	9	59	65	15	9	18	24	-	-
	257 F	257	3	3	12	12	86	78	9	15	17	22	-	-
	470 T	470	4	4	24	21	145	143	24	24	35	46	-	-
	TOTAL (A82). M	652	14	3	35	19	252	165	37	33	41	53	-	-
	855 F	855	9	8	40	27	357	236	43	36	42	57	-	-
	1,507 T	1,507	23	11	75	46	609	401	80	69	83	110	-	-
A 83	ISCHAEMIC HEART DISEASE ... M	31,354	564	213	1,331	1,035	7,647	12,119	1,505	1,407	1,999	3,515	11	8
	20,463 F	20,463	323	134	820	701	4,875	8,591	969	721	1,065	2,259	1	4
	51,817 T	51,817	887	347	2,151	1,736	12,522	20,710	2,474	2,128	3,064	5,774	12	12
A 84	OTHER FORMS OF HEART M	2,245	68	15	91	122	712	527	152	176	176	194	3	9
	1,910 F	1,910	59	18	88	75	719	460	112	135	110	130	-	4
	4,155 T	4,155	127	33	179	197	1,431	987	264	311	286	324	3	13
A 85	CEREBROVASCULAR DISEASE ... M	7,764	226	53	335	244	1,842	2,856	390	406	511	897	3	1
	8,717 F	8,717	192	71	340	276	1,955	3,404	445	393	554	1,083	-	-
	16,481 T	16,481	418	124	675	520	3,797	6,260	835	799	1,065	1,980	5	3
A 86	DISEASES OF ARTERIES, M	3,088	73	24	149	106	779	1,058	164	187	243	345	-	-
	2,713 F	2,713	37	31	115	68	717	1,038	131	134	187	255	-	-
	5,801 T	5,801	110	55	264	174	1,496	2,096	295	288	430	600	-	-
A 87	VENOUS THROMBOSIS AND M	552	17	5	25	16	83	208	52	55	56	35	-	-
	545 F	545	16	6	18	13	101	215	50	42	52	31	-	1
	1,097 T	1,097	33	11	43	29	184	423	102	97	108	66	-	1
A 88	OTHER	61	-	-	6	2	16	21	4	3	4	5	-	-
	56 F	56	2	-	4	1	20	17	4	3	3	2	-	-
	117 T	117	2	-	10	3	36	38	8	6	7	7	-	-
	TOTAL (A80-A88). M	46,270	968	315	1,988	1,559	11,467	17,180	2,325	2,250	3,074	5,108	17	19
	35,892 F	35,892	652	270	1,445	1,174	8,897	14,197	1,784	1,480	2,068	3,908	5	12
	82,162 T	82,162	1,620	585	3,433	2,733	20,364	31,377	4,109	3,730	5,142	9,016	22	31
VIII. DISEASES OF THE RESPIRATORY SYSTEM.														
A 89	ACUTE RESPIRATORY M	89	1	-	4	1	23	19	9	5	8	18	-	1
	61 F	61	1	-	5	2	19	15	4	3	1	10	-	1
	150 T	150	2	-	9	3	42	34	13	8	9	28	-	2
A 90	INFLUENZA M	231	10	4	18	14	31	88	8	40	29	29	-	-
	210 F	210	4	5	12	9	34	52	10	36	16	30	-	2
	441 T	441	14	9	30	23	65	100	18	76	45	59	-	2
	PNEUMONIA (A91, A92).													
A 91	VIRAL M	52	6	1	1	1	4	14	4	2	8	11	-	-
	40 F	40	3	-	2	2	3	12	2	2	5	8	-	1
	92 T	92	9	1	3	3	7	26	6	4	13	19	-	1
A 92	OTHER M	2,852	68	12	145	88	418	1,066	231	252	214	347	5	6
	2,263 F	2,263	50	20	127	57	342	938	159	202	137	220	2	9
	5,115 T	5,115	118	32	272	145	760	2,004	390	454	351	567	7	15
	TOTAL (A91, A92). M	2,904	74	13	146	89	422	1,080	235	254	222	358	5	6
	2,303 F	2,303	53	20	129	59	345	950	161	204	142	228	2	10
	5,207 T	5,207	127	33	275	148	767	2,030	396	458	364	586	7	16
A 93	BRONCHITIS, EMPHYSEMA, M	2,402	19	12	76	76	730	752	104	138	164	330	-	1
	672 F	672	11	1	25	16	205	226	24	24	50	89	1	-
	3,074 T	3,074	30	13	101	92	935	978	128	162	214	419	1	1
A 94	HYPERTROPHY OF TONSILS M	-	-	-	-	-	-	-	-	-	-	-	-	-
	- F	-	-	-	-	-	-	-	-	-	-	-	-	-
	- T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 95	EMPHYEMA AND LUNG ABSCESS M	71	3	-	2	1	26	23	8	1	6	1	-	-
	22 F	22	-	-	1	1	8	7	2	-	2	1	-	-
	93 T	93	3	-	3	2	34	30	10	1	8	2	-	-
A 96	OTHER M	1,382	40	8	65	42	315	484	102	68	116	134	4	4
	564 F	564	24	6	33	18	137	178	39	23	46	52	-	8
	1,946 T	1,946	64	14	98	60	452	662	141	91	162	186	4	12
	TOTAL (A89-A96). M	7,079	147	37	311	223	1,547	2,406	466	506	545	870	9	12
	3,832 F	3,832	93	32	205	105	748	1,428	240	290	257	410	3	21
	10,911 T	10,911	240	69	516	328	2,295	3,834	706	796	802	1,280	12	33

TABLEAU 17. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1974

CANADA	NFLD. P.E.I.			N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.M.T.	CAUSES DE DECES		MO. DE
	T.-N.	I.P.E.	N.E.								C.B.		T.N.O.	LISTE INTERMEDIAIRE A		LA
														(HUITIEME REVISION)		LISTE A
RATE - TAUX																
															MALADIES HYPERTENSIVES.	A 82
3.9	4.7	3.4	5.6	3.0	6.3	2.5	4.4	5.2	2.6	2.4	-	-			AVEC COMPLICATION CARDIAQUE	A
5.3	2.3	8.6	6.9	4.5	8.8	3.9	6.7	4.7	3.0	2.9	-	-			(400.1,400.9,402,404)	
4.6	3.5	6.0	6.3	3.8	7.6	3.2	5.5	5.0	2.8	2.7	-	-				
1.9	0.4	1.7	2.9	2.7	1.9	1.6	3.0	2.0	2.1	2.0	-	-			AUTRE	B
2.3	1.1	5.1	3.0	3.6	2.8	1.9	1.8	3.3	2.0	1.8	-	-				
2.1	0.7	3.4	3.0	3.2	2.4	1.8	2.4	2.6	2.0	1.9	-	-				
5.8	5.1	5.1	8.6	5.7	8.3	4.1	7.3	7.2	4.7	4.4	-	-			TOTAL (A82).	
7.6	3.4	13.7	9.8	8.2	11.5	5.8	8.5	8.0	5.0	4.8	-	-				
6.7	4.2	9.4	9.2	7.0	9.9	5.0	7.9	7.6	4.8	4.6	-	-				
279.5	204.2	364.7	326.9	311.8	251.3	300.5	298.3	306.4	229.9	291.9	105.8	40.4			MALADIES ISCHEMIQUES DU	A 83
182.2	121.3	229.5	201.9	212.5	157.7	211.5	191.4	161.0	126.1	189.7	11.1	22.5			COEUR	
230.8	163.5	297.3	264.5	262.3	204.1	255.9	244.7	234.6	178.8	241.1	61.9	32.0				
20.0	24.6	25.7	22.4	36.8	23.4	13.1	30.1	38.3	20.2	16.1	28.8	45.5			AUTRES FORMES DES	A 84
17.0	22.2	30.8	21.7	22.7	23.3	11.3	22.1	30.1	13.0	10.9	-	22.5			CARDIOPATHIES	
18.5	23.4	28.3	22.0	29.8	23.3	12.2	26.1	34.3	16.7	13.5	15.5	34.7				
69.2	81.8	90.8	82.3	73.5	60.5	70.8	77.3	88.4	58.8	74.5	28.8	5.1			MALADIES CEREBRO-VASCULAIRES	A 85
77.6	72.1	121.6	83.7	81.7	63.2	83.8	87.9	87.8	65.6	90.9	22.2	11.2				
73.4	77.1	106.3	83.0	78.6	61.9	77.3	82.6	88.1	62.1	82.7	25.8	8.0				
27.5	26.4	41.1	36.6	31.9	25.6	26.2	32.5	32.0	27.9	28.6	-	-			MALADIES DES ARTERES,	A 86
24.2	13.9	53.1	28.3	20.6	23.2	25.6	25.9	29.9	22.1	21.4	-	-			ARTERIOLES, ET	
25.8	20.3	47.1	32.5	26.3	24.4	25.9	29.2	31.0	25.1	25.1	-	-			CAPILLAIRES	
4.9	6.2	8.6	6.1	4.8	2.7	5.2	10.3	12.0	6.4	2.9	-	-			EMBOLIES ET THROMBOSES	A 87
4.9	6.0	10.3	4.4	3.9	3.3	5.3	9.9	9.4	6.2	2.6	-	5.6			VEINEUSES	
4.9	6.1	9.4	5.3	4.4	3.0	5.2	10.1	10.7	6.3	2.8	-	2.7				
0.5	-	-	1.5	0.6	0.5	0.5	0.8	0.7	0.5	0.4	-	-			AUTRE	A 88
0.5	0.8	-	1.0	0.3	0.6	0.4	0.8	0.7	0.4	0.2	-	-				
0.5	0.4	-	1.2	0.5	0.6	0.5	0.8	0.7	0.4	0.3	-	-				
412.5	350.5	539.4	488.3	469.7	376.8	426.0	460.8	490.0	353.5	424.1	163.5	96.0			TOTAL (A80-A88).	
319.6	244.8	462.3	355.8	355.9	287.8	349.6	352.3	330.5	244.9	328.2	55.6	67.4				
366.0	298.6	501.3	422.2	413.0	332.0	387.7	406.4	411.2	300.0	376.4	113.4	82.7				
VIII. MALADIES DE L'APPAREIL RESPIRATOIRE.																
0.8	0.4	-	1.0	0.3	0.8	0.5	1.8	1.1	0.9	1.5	-	5.1			AFFECTIONS AIGUES DES VOIES	A 89
0.5	0.4	-	1.2	0.6	0.6	0.4	0.8	0.7	0.1	0.8	-	5.6			RESPIRATOIRES	
0.7	0.4	-	1.1	0.5	0.7	0.4	1.3	0.9	0.5	1.2	-	5.3				
2.1	3.6	6.8	4.4	4.2	1.0	1.2	1.6	8.7	3.3	2.4	-	-			GRIPPE	A 90
1.9	1.5	8.6	3.0	2.7	1.1	1.3	2.0	8.0	1.9	2.5	-	11.2				
2.0	2.6	7.7	3.7	3.5	1.1	1.2	1.8	8.4	2.6	2.5	-	5.3				
PNEUMONIE (A91, A92).																
0.5	2.2	1.7	0.2	0.3	0.1	0.3	0.8	0.4	0.9	0.9	-	-			VIRALE	A 91
0.4	1.1	-	0.5	0.6	0.1	0.3	0.4	0.4	0.6	0.7	-	5.6				
0.4	1.7	0.9	0.4	0.5	0.1	0.3	0.6	0.4	0.8	0.8	-	2.7				
25.4	24.6	20.5	35.6	26.5	13.7	26.4	45.8	54.9	24.6	28.8	48.1	30.3			AUTRE	A 92
20.2	18.8	34.2	31.3	17.3	11.1	23.1	31.4	45.1	16.2	18.5	22.2	50.6				
22.8	21.8	27.4	33.4	21.9	12.4	24.8	38.6	50.1	20.5	23.7	36.1	40.0				
25.9	26.8	22.3	35.9	26.8	13.9	26.8	46.6	55.3	25.5	29.7	48.1	30.3			TOTAL (A91, A92).	
20.5	19.9	34.2	31.8	17.9	11.2	23.4	31.8	45.6	16.8	19.1	22.2	56.2				
23.2	23.4	28.3	33.8	22.4	12.5	25.1	39.2	50.5	21.2	24.5	36.1	42.7				
21.4	6.9	20.5	18.7	22.9	24.0	18.6	20.6	30.1	18.9	27.4	-	5.1			BRONCHITE, EMPHYSEME, ET ...	A 93
6.0	4.1	1.7	6.2	4.8	6.6	5.6	4.7	5.4	5.9	7.5	11.1	-			ASTHME	
13.7	5.5	11.1	12.4	13.9	15.2	12.1	12.7	17.9	12.5	17.5	5.2	2.7				
-	-	-	-	-	-	-	-	-	-	-	-	-			HYPERTROPHIE DES AMYGDALES	A 94
-	-	-	-	-	-	-	-	-	-	-	-	-			ET DES VEGETATIONS	
-	-	-	-	-	-	-	-	-	-	-	-	-			ADENOIDES	
0.6	1.1	-	0.5	0.3	0.9	0.6	1.6	0.2	0.7	0.1	-	-			PLEURESIE PURULENTE ET ABCES	A 95
0.2	-	-	0.2	0.3	0.3	0.2	0.4	-	0.2	0.1	-	-			DU POUMON	
0.4	0.6	-	0.4	0.3	0.6	0.4	1.0	0.1	0.5	0.1	-	-				
12.3	14.5	13.7	16.0	12.7	10.4	12.0	20.2	14.8	13.3	11.1	38.5	20.2			AUTRE	A 96
5.0	9.0	10.3	8.1	5.5	4.4	4.4	7.7	5.1	5.4	4.4	-	44.9				
8.7	11.8	12.0	12.1	9.1	7.4	8.2	13.9	10.0	9.5	7.8	20.6	32.0				
63.1	53.2	63.4	76.4	67.2	50.8	59.7	92.4	110.2	62.7	72.2	86.5	60.6			TOTAL (A89-A96).	
34.1	34.9	54.8	50.5	31.8	24.2	35.2	47.4	64.8	30.4	34.4	33.3	118.0				
48.6	44.2	59.1	63.5	49.6	37.4	47.4	69.8	87.8	46.8	53.4	61.9	88.0				

TABLE 17. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1974

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.
NUMBER - NOMBRE														
IX. DISEASES OF THE DIGESTIVE SYSTEM.														
A 97	DISEASES OF TEETH AND SUPPORTING STRUCTURES	M F T	4 2 6	- - -	- - -	- - -	1 1 2	2 1 3	- - -	- - -	- - -	1 - 1	- - -	- - -
A 98	PEPTIC ULCER	M F T	514 276 790	3 1 4	2 3 5	30 8 38	148 69 217	158 109 267	31 13 44	20 17 37	27 15 42	79 32 111	- 1 1	- - -
A 99	GASTRITIS AND DUODENITIS	M F T	24 17 41	- - -	- 2 3	- - -	7 6 13	6 5 11	2 - 4	- 1 1	3 1 4	5 - 5	- - -	- - -
A 100	APPENDICITIS	M F T	54 29 83	1 - 1	1 - 1	3 1 4	- 1 1	11 5 16	22 10 32	3 2 5	2 3 5	6 5 11	- - -	- - -
A 101	INTESTINAL OBSTRUCTION AND HERNIA	M F T	310 343 653	8 4 12	4 1 5	22 16 38	11 10 21	83 88 171	79 121 200	6 20 26	19 20 39	21 19 40	54 44 98	2 - 1
A 102	CIRRHOSIS OF LIVER	M F T	1,802 816 2,618	9 8 17	7 2 9	43 14 57	29 20 49	519 204 723	705 317 1,022	68 40 108	54 19 73	95 50 145	271 139 410	2 1 4
A 103	CHOLELITHIASIS AND CHOLECYSTITIS	M F T	215 253 468	4 1 5	- - -	8 7 15	6 6 12	81 79 160	52 99 151	12 13 25	7 5 12	20 21 41	25 21 46	- - 1
A 104	OTHER	M F T	790 727 1,517	18 17 35	5 5 10	37 36 73	17 21 38	198 183 381	277 270 547	37 36 73	46 30 76	71 34 105	83 95 178	- - 1
	TOTAL (A97-A104).	M F T	3,713 2,463 6,176	43 31 74	19 11 30	144 84 228	79 66 145	1,048 635 1,683	1,301 932 2,233	159 126 285	148 95 243	242 142 384	524 336 860	4 3 7
X. DISEASES OF THE GENITO-URINARY SYSTEM.														
A 105	ACUTE NEPHRITIS	M F T	26 19 45	2 1 3	- - -	3 2 5	- - -	5 3 8	11 8 19	2 1 3	1 - 1	1 - 4	- - 1	- - 1
A 106	OTHER NEPHRITIS AND NEPHROSIS	M F T	287 229 516	5 5 10	2 2 4	18 18 36	7 6 13	61 67 128	118 81 199	8 3 11	11 6 17	26 15 41	31 25 56	- 1 1
A 107	INFECTIONS OF KIDNEY	M F T	208 183 391	1 2 3	2 1 3	6 11 17	12 13 25	46 37 83	57 62 119	16 8 24	11 8 19	10 31 20	46 - 77	1 - 1
A 108	CALCULUS	M F T	24 25 49	1 - 1	- - -	2 3 5	- 2 2	3 7 10	12 7 19	2 - 2	2 3 4	- 1 3	2 - 3	- - -
A 109	HYPERPLASIA OF PROSTATE ...	M	167	2	1	11	4	38	56	10	12	8	25	-
A 110	BREAST	M F T	- 2 2	- 1 1	- - -	- - -	- - -	- - -	- - -	- 1 1	- - -	- - -	- - -	- - -
A 111	OTHER	M F T	449 343 792	11 6 17	3 3 6	31 23 54	15 13 28	159 120 279	131 109 240	22 18 40	15 16 31	31 13 44	31 21 52	- 1 1
	TOTAL (A105-A111).	M F T	1,161 801 1,962	22 15 37	8 6 14	71 57 128	38 34 72	312 234 546	385 267 652	60 30 90	52 33 85	76 41 117	136 81 217	1 - 1
XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.														
A 112	TOXAEMIAS	F	4	1	-	-	-	2	1	-	-	-	-	-
A 113	HAEMORRHAGE	F	8	-	-	1	-	5	1	-	-	-	-	1
A 114	ABORTION INDUCED FOR LEGAL INDICATIONS	F	1	-	-	-	-	-	-	-	-	1	-	-
A 115	OTHER AND UNSPECIFIED ABORTION	F	2	-	-	-	-	2	-	-	-	-	-	-
A 116	SEPSIS	F	9	-	-	-	1	2	6	-	-	-	-	-
A 117	OTHER COMPLICATIONS	F	11	-	-	-	-	3	2	-	3	1	2	-

TABLEAU 17. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1970

CANADA	N.F.L.D. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
RATE - TAUX														
IX. MALADIES DE L'APPAREIL DIGESTIF.														
0.0	-	-	-	-	0.0	0.0	-	-	-	0.1	-	-	MALADIES DES DENTS ET DU ...	A 97
0.0	-	-	-	-	0.0	0.0	-	-	-	-	-	-	PARODONTE	-
0.0	-	-	-	-	0.0	0.0	-	-	-	0.0	-	-	-	-
4.6	1.1	3.4	7.4	4.8	4.9	3.9	6.1	4.4	3.1	6.6	-	-	ULCERE DE L'ESTOMAC ET DU	A 98
2.5	0.4	5.1	2.0	2.4	2.2	2.7	2.6	3.8	1.8	2.7	11.1	-	DUODENUM	-
3.5	0.7	4.3	4.7	3.6	3.5	3.3	4.4	4.1	2.5	4.6	5.2	-	-	-
0.2	-	-	0.2	-	0.2	0.1	0.4	-	0.3	0.4	-	-	GASTRITE ET DUODENITE	A 99
0.2	-	-	0.5	-	0.2	0.1	0.4	0.2	0.1	-	-	-	-	-
0.2	-	-	0.4	-	0.2	0.1	0.4	0.1	0.2	0.2	-	-	-	-
0.5	0.4	1.7	0.7	-	0.4	0.5	0.6	0.4	0.6	0.5	-	-	APPENDICITE	A 100
0.3	-	-	0.2	0.3	0.2	0.2	0.4	0.7	0.2	0.4	-	-	-	-
0.4	0.2	0.9	0.5	0.2	0.3	0.4	0.5	0.6	0.4	0.5	-	-	-	-
2.8	2.9	6.8	5.4	3.3	2.7	2.0	1.2	4.1	2.4	4.5	19.2	5.1	OCCLUSION INTESTINALE ET ...	A 101
3.1	1.5	1.7	3.9	3.0	2.8	3.0	3.9	4.5	2.3	3.7	-	-	HERNIE	-
2.9	2.2	4.3	4.7	3.2	2.8	2.5	2.6	4.3	2.3	4.1	10.3	2.7	-	-
16.1	3.3	12.0	10.6	8.7	17.1	17.5	13.5	11.8	10.9	22.5	19.2	-	CIRRHOSE DU FOIE	A 102
7.3	3.0	3.4	3.4	6.1	6.6	7.8	7.9	4.2	5.9	11.7	22.2	5.6	-	-
11.7	3.1	7.7	7.0	7.4	11.8	12.6	10.7	8.0	8.5	17.1	20.6	2.7	-	-
1.9	1.4	-	2.0	1.8	2.7	1.3	2.4	1.5	2.3	2.1	-	-	LITHIASIS BILIAIRE ET	A 103
2.3	0.4	-	1.7	1.8	2.6	2.4	2.6	1.1	2.5	1.8	-	5.6	CHOLECYSTITE	-
2.1	0.9	-	1.8	1.8	2.6	1.9	2.5	1.3	2.4	1.9	-	2.7	-	-
7.0	6.5	8.6	9.1	5.1	6.5	6.9	7.3	10.0	8.2	6.9	-	5.1	AUTRE	A 104
6.5	6.4	8.6	8.9	6.4	5.9	6.6	7.1	6.7	4.0	8.0	-	-	-	-
6.8	6.5	8.6	9.0	5.7	6.2	6.8	7.2	8.4	6.1	7.4	-	2.7	-	-
33.1	15.6	32.5	35.4	23.8	34.4	32.3	31.5	32.2	27.8	43.5	38.5	10.1	TOTAL (A97-A104).	-
21.9	11.6	18.8	20.7	20.0	20.5	22.9	24.9	21.2	16.8	28.2	33.3	11.2	-	-
27.5	13.6	25.7	28.0	21.9	27.4	27.6	28.2	26.8	22.4	35.9	36.1	10.7	-	-
X. MALADIES DES ORGANES GENITO-URINAIRES.														
0.2	0.7	-	0.7	-	0.2	0.3	0.4	0.2	0.1	0.1	-	-	NEPHRITE AIGUE	A 105
0.2	0.4	-	0.5	-	0.1	0.2	0.2	-	-	0.3	-	5.6	-	-
0.2	0.6	-	0.6	-	0.1	0.2	0.3	0.1	0.1	0.2	-	2.7	-	-
2.6	1.8	3.4	4.4	2.1	2.0	2.9	1.6	2.4	3.0	2.6	-	-	AUTRES FORMES DE NEPHRITE	A 106
2.0	1.9	3.4	4.4	1.8	2.2	2.0	0.6	1.3	1.8	2.1	-	5.6	ET NEPHROSE	-
2.3	1.8	3.4	4.4	2.0	2.1	2.5	1.1	1.9	2.4	2.3	-	2.7	-	-
1.9	0.4	3.4	1.5	3.6	1.5	1.4	3.2	2.4	1.2	3.8	9.6	-	INFECTIONS RENALES	A 107
1.6	0.8	1.7	2.7	3.9	1.2	1.5	1.6	1.8	1.2	2.6	-	-	-	-
1.7	0.6	2.6	2.1	3.8	1.4	1.5	2.4	2.1	1.2	3.2	5.2	-	-	-
0.2	0.4	-	0.5	-	0.1	0.3	0.4	0.4	-	0.2	-	-	CALCULS	A 108
0.2	-	-	0.7	0.6	0.2	0.2	-	0.4	0.4	0.1	-	-	-	-
0.2	0.2	-	0.6	0.3	0.2	0.2	0.2	0.4	0.2	0.1	-	-	-	-
1.5	0.7	1.7	2.7	1.2	1.2	1.4	2.0	2.6	0.9	2.1	-	-	HYPERTROPHIE DE LA PROSTATE	A 109
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0.0	0.4	-	-	-	-	-	-	0.2	-	-	-	-	SEIN	A 110
0.0	0.2	-	-	-	-	-	-	0.1	-	-	-	-	-	-
4.0	4.0	5.1	7.6	4.5	5.2	3.2	4.4	3.3	3.6	2.6	-	-	AUTRE	A 111
3.1	2.3	5.1	5.7	3.9	3.9	2.7	3.6	3.6	1.5	1.8	-	5.6	-	-
3.5	3.1	5.1	6.6	4.2	4.5	3.0	4.0	3.4	2.6	2.2	-	2.7	-	-
10.4	8.0	13.7	17.4	11.4	10.3	9.5	11.9	11.3	8.7	11.3	9.6	-	TOTAL (A105-A111).	-
7.1	5.6	10.3	14.0	10.3	7.6	6.6	5.9	7.4	4.9	6.8	-	16.9	-	-
8.7	6.8	12.0	15.7	10.9	8.9	8.1	8.9	9.4	6.8	9.1	5.2	8.0	-	-
XI. COMPLICATIONS DE LA GROSSESSE, DE L'ACCOUCHEMENT ET DES SUITES DE COUCHES.														
1.2	9.8	-	-	-	2.3	0.8	-	-	-	-	-	-	TOXEMIES	A 112
2.3	-	-	7.7	-	5.8	0.8	-	-	-	-	-	96.0	HEMORRAGIE	A 113
0.3	-	-	-	-	-	-	-	-	-	2.8	-	-	AVORTEMENTS PROVOQUES	A 114
-	-	-	-	-	-	-	-	-	-	-	-	-	POUR RAISONS LEGALES	-
0.6	-	-	-	-	-	1.6	-	-	-	-	-	-	AVORTEMENTS AUTRES OU	A 115
-	-	-	-	-	-	-	-	-	-	-	-	-	SANS PRECISION	-
2.6	-	-	-	8.7	2.3	4.8	-	-	-	-	-	-	INFECTIONS	A 116
3.2	-	-	-	-	3.5	1.6	-	19.8	3.4	5.6	-	-	AUTRES COMPLICATIONS	A 117

TABLE 17. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1974

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.
NUMBER - NOMBRE														
A 118	DELIVERY WITHOUT MENTION OF COMPLICATION F	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL (A112-A118). F	35	1	-	1	1	12	12	-	3	1	3	-	1
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.														
A 119	INFECTIONS M	21	1	-	-	-	2	6	2	1	5	4	-	-
	F	22	-	-	1	-	3	7	2	2	2	5	-	-
	T	43	1	-	1	-	5	13	4	3	7	9	-	-
A 120	OTHER M	26	1	-	1	1	8	9	-	2	2	2	-	-
	F	41	-	1	1	5	13	10	4	1	4	2	-	-
	T	67	1	1	2	6	21	19	4	3	6	4	-	-
	TOTAL (A119,A120). M	47	2	-	1	1	10	15	2	3	7	6	-	-
	F	63	-	1	2	5	16	17	6	3	6	7	-	-
	T	110	2	1	3	6	26	32	8	6	13	13	-	-
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.														
A 121	ARTHRITIS AND SPONDYLITIS M	106	-	-	4	2	31	28	4	5	18	14	-	-
	F	205	-	1	5	3	59	63	15	7	15	37	-	-
	T	311	-	1	9	5	90	91	19	12	33	51	-	-
A 122	RHEUMATISM M	8	-	-	-	-	2	3	-	2	-	1	-	-
	F	8	1	-	-	-	-	3	-	-	3	1	-	-
	T	16	1	-	-	-	2	6	-	2	3	2	-	-
A 123	OSTEOMYELITIS AND M	10	1	-	-	1	1	3	1	-	2	1	-	-
	F	12	-	-	2	-	2	7	-	-	1	-	-	-
	T	22	1	-	2	1	3	10	1	-	3	1	-	-
A 124	ANKYLOSIS AND ACQUIRED M	9	-	-	-	-	3	3	2	-	1	-	-	-
	F	18	1	-	1	-	12	3	1	-	-	-	-	-
	T	27	1	-	1	-	15	6	3	-	1	-	-	-
A 125	OTHER M	84	3	-	3	2	19	25	4	7	9	11	1	-
	F	155	2	-	3	9	29	50	10	14	14	24	-	-
	T	239	5	-	6	11	48	75	14	21	23	35	1	-
	TOTAL (A121-A125). M	217	4	-	7	5	56	62	11	14	30	27	1	-
	F	398	4	1	11	12	102	126	26	21	33	62	-	-
	T	615	8	1	18	17	158	188	37	35	63	89	1	-
XIV. CONGENITAL ANOMALIES.														
A 126	SPINA BIFIDA M	67	2	1	3	-	27	21	3	-	6	4	-	-
	F	81	6	2	7	3	31	25	1	2	-	4	-	-
	T	148	8	3	10	3	58	46	4	2	6	8	-	-
A 127	OF HEART M	321	7	1	11	15	91	113	13	11	24	31	1	3
	F	253	7	2	6	9	59	90	12	15	20	33	-	-
	T	574	14	3	17	24	150	203	25	26	44	64	1	3
A 128	OTHER ANOMALIES OF M	67	1	-	2	2	19	21	3	3	3	13	-	-
	F	56	1	-	2	2	8	20	4	4	10	5	-	-
	T	123	2	-	4	4	27	41	7	7	13	18	-	-
A 129	CLEFT PALATE AND CLEFT LIP M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	1	-	-
	T	2	-	-	-	-	1	-	-	-	-	1	-	-
A 130	OTHER M	471	17	3	23	19	152	131	15	20	36	51	1	3
	F	400	7	1	19	20	137	131	16	12	34	22	-	1
	T	871	24	4	42	39	289	262	31	32	70	73	1	4
	TOTAL (A126-A130). M	926	27	5	39	36	289	286	34	34	69	99	2	6
	F	792	21	5	34	34	236	266	33	33	64	65	-	1
	T	1,718	48	10	73	70	525	552	67	67	133	164	2	7
XV. CERTAIN CAUSES OF PERINATAL MORTALITY.														
A 131	BIRTH INJURY AND DIFFICULT LABOUR M	120	4	-	3	4	29	44	7	7	13	9	-	-
	F	86	4	-	1	3	19	36	2	4	13	4	-	-
	T	206	8	-	4	7	48	80	9	11	26	13	-	-
A 132	CONDITIONS OF PLACENTA M	116	-	-	2	3	41	35	4	3	6	21	-	1
	F	103	3	-	3	1	43	32	3	8	4	6	-	-
	T	219	3	-	5	4	84	67	7	11	10	27	-	1
A 133	HAEMOLYTIC DISEASE OF M	16	-	-	1	1	11	1	1	1	-	-	-	-
	F	19	-	-	-	-	7	5	1	2	3	1	-	-
	T	35	-	-	1	1	18	6	2	3	3	1	-	-

TABLEAU 17. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1974

CANADA	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
	T.-N.	I.P.E.	N.E.							C.B.		T.N.O.		
RATE - TAUX														
-	-	-	-	-	-	-	-	-	-	-	-	-	ACCOUCHEMENT, SANS MENTION DE COMPLICATION	A 118
10.1	9.8	-	7.7	8.7	14.0	9.7	-	19.8	3.4	8.5	-	96.0	TOTAL (A112-A118), . . .	
XII. MALADIES DE LA PEAU ET DU TISSU SOUS-CUTANE.														
0.2	0.4	-	-	-	0.1	0.1	0.4	0.2	0.6	0.3	-	-	INFECTION	A 119
0.2	-	-	0.2	-	0.1	0.2	0.4	0.4	0.2	0.4	-	-		
0.2	0.2	-	0.1	-	0.1	0.2	0.4	0.3	0.4	0.4	-	-		
0.2	0.4	-	0.2	0.3	0.3	0.2	-	0.4	0.2	0.2	-	-	AUTRE	A 120
0.4	-	1.7	0.2	1.5	0.4	0.2	0.8	0.2	0.5	0.2	-	-		
0.3	0.2	0.9	0.2	0.9	0.3	0.2	0.4	0.3	0.4	0.2	-	-		
0.4	0.7	-	0.2	0.3	0.3	0.4	0.4	0.7	0.8	0.5	-	-	TOTAL (A119,A120), . . .	
0.6	-	1.7	0.5	1.5	0.5	0.4	1.2	0.7	0.7	0.6	-	-		
0.5	0.4	0.9	0.4	0.9	0.4	0.4	0.8	0.7	0.8	0.5	-	-		
XIII. MALADIES DU SYSTEME OSTEO-MUSCULAIRE ET DES TISSUS CONJONCTIFS.														
0.9	-	-	1.0	0.6	1.0	0.7	0.8	1.1	2.1	1.2	-	-	ARTHRITE ET SPONDYLITE . . .	A 121
1.8	-	1.7	1.2	0.9	1.9	1.6	3.0	1.6	1.8	3.1	-	-		
1.4	-	0.9	1.1	0.8	1.5	1.1	1.9	1.3	1.9	2.1	-	-		
0.1	-	-	-	-	0.1	0.1	-	0.4	-	0.1	-	-	RHUMATISME	A 122
0.1	0.4	-	-	-	0.1	-	-	-	1.8	3.1	-	-		
0.1	0.2	-	-	-	0.0	0.1	-	0.2	0.2	0.1	-	-		
0.1	0.4	-	-	0.3	0.0	0.1	0.2	-	0.2	0.1	-	-	OSTEOMYELITIS ET PERIOSTITE	A 123
0.1	-	-	0.5	-	0.1	0.2	-	-	0.1	-	-	-		
0.1	0.2	-	0.2	0.2	0.0	0.1	0.1	-	0.2	0.0	-	-		
0.1	-	-	-	-	0.1	0.1	0.4	-	0.1	-	-	-	ANKYLOSE ET DEFORMATIONS . .	A 124
0.2	0.4	-	0.2	0.4	0.1	0.2	-	-	-	-	-	-	OSTEO-MUSCULAIRES ACQUISES	
0.1	0.2	-	0.1	-	0.2	0.1	0.3	-	0.1	-	-	-		
0.7	1.1	-	0.7	0.6	0.6	0.6	0.8	1.5	1.0	0.9	9.6	-	AUTRE	A 125
1.4	0.8	-	0.7	2.7	0.9	1.2	2.0	3.1	1.7	2.0	-	-		
1.1	0.9	-	0.7	1.7	0.8	0.9	1.4	2.3	1.3	1.5	5.2	-		
1.9	1.4	-	1.7	1.5	1.8	1.5	2.2	3.0	3.5	2.2	9.6	-	TOTAL (A121-A125), . . .	
3.5	1.5	1.7	2.7	3.6	3.3	3.1	5.1	4.7	3.9	5.2	-	-		
2.7	1.5	0.9	2.2	2.6	2.6	2.3	3.7	3.9	3.7	3.7	5.2	-		
XIV. ANOMALIES CONGENITALES.														
0.6	0.7	1.7	0.7	-	0.9	0.5	0.6	-	0.7	0.3	-	-	SPINA BIFIDA	A 126
0.7	2.3	3.4	1.7	0.9	1.0	0.6	0.2	0.4	-	0.3	-	-		
0.7	1.5	2.6	1.2	0.5	0.9	0.6	0.4	0.2	0.4	0.3	-	-		
2.9	2.5	1.7	2.7	4.5	3.0	2.8	2.6	2.4	2.8	2.6	9.6	15.2	COEUR	A 127
2.3	2.6	3.4	1.5	2.7	1.9	2.2	2.4	3.3	2.4	2.8	-	-		
2.6	2.6	2.6	2.1	3.6	2.4	2.5	2.5	2.9	2.6	2.7	5.2	8.0		
0.6	0.4	-	0.5	0.6	0.6	0.5	0.6	0.7	0.3	1.1	-	-	AUTRES ANOMALIES DE . . .	A 128
0.5	0.4	-	0.5	0.6	0.3	0.5	0.8	0.9	1.2	0.4	-	-	L'APPAREIL CIRCULATOIRE	
0.5	0.4	-	0.5	0.6	0.4	0.5	0.7	0.8	0.8	0.8	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	FISSURE DU PALAIS ET	A 129
0.0	-	-	-	-	0.0	-	-	-	0.1	-	-	-	BEC-DE-LIEVRE	
0.0	-	-	-	-	0.0	-	-	-	0.0	-	-	-		
4.2	6.2	5.1	5.6	5.7	5.0	3.2	3.0	4.4	4.1	4.2	9.6	15.2	AUTRE	A 130
3.6	2.6	1.7	4.7	6.1	4.4	3.2	3.2	2.7	4.0	1.8	-	5.6		
3.9	4.4	3.4	5.2	5.9	4.7	3.2	3.1	3.5	4.1	3.0	5.2	10.7		
8.3	9.8	8.6	9.6	10.8	9.5	7.1	6.7	7.4	7.9	8.2	19.2	30.3	TOTAL (A126-A130), . . .	
7.1	7.9	8.6	8.4	10.3	7.6	6.5	6.5	7.4	7.6	5.5	-	5.6		
7.7	8.8	8.6	9.0	10.6	8.6	6.8	6.6	7.4	7.8	6.8	10.3	18.7		
XV. CAUSES DE MORTALITE PERINATALES.														
1.1	1.4	-	0.7	1.2	1.0	1.1	1.4	1.5	1.5	0.7	-	-	LESIONS OBSTETRIQUES DU . .	A 131
0.8	1.5	-	0.2	0.9	0.6	0.9	0.4	0.9	1.5	0.3	-	-	NOUVEAU-NE ET ACCOUCHEMENT DYSTOCIQUE	
0.9	1.5	-	0.5	1.1	0.8	1.0	0.9	1.2	1.5	0.5	-	-		
1.0	-	-	0.5	0.9	1.3	0.9	0.8	0.7	0.7	1.7	-	5.1	ANOMALIES DU PLACENTA ET . .	A 132
0.9	1.1	-	0.7	0.3	1.4	0.8	0.6	1.8	0.5	0.5	-	-	DU CORDON	
1.0	0.6	-	0.6	0.6	1.4	0.8	0.7	1.2	0.6	1.1	-	2.7		
0.1	-	-	0.2	0.3	0.1	0.0	0.2	0.2	-	-	-	-	MALADIE HEMOLYTIQUE DU . . .	A 133
0.2	-	-	-	-	0.2	0.1	0.2	0.4	0.4	0.1	-	-	NOUVEAU-NE	
0.2	-	-	0.1	0.2	0.3	0.1	0.2	0.3	0.2	0.0	-	-		

TABLE 17. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1974

LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	CANADA	NFLD. T.-N.	P.E.I. I.P.E.	N.S. N.E.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.
NUMBER - NOMBRE														
A 134	ANOXIC AND HYPOXIC CONDITIONS NOT ELSEWHERE CLASSIFIED	M 617 F 421 T 1,038	34 17 51	9 4 13	20 22 42	23 15 38	127 79 206	186 145 331	32 28 60	42 21 63	71 37 108	65 47 112	1 2 3	7 4 11
A 135	OTHER	M 516 F 437 T 953	11 7 18	4 4 8	11 11 22	11 14 25	158 107 265	163 161 324	24 20 44	31 29 60	26 34 60	73 49 122	1 - 1	3 1 4
	TOTAL (A131-A135)	M 1,385 F 1,066 T 2,451	49 31 80	13 8 21	37 37 74	42 33 75	366 255 621	429 379 808	68 54 122	84 64 148	116 91 207	168 107 275	2 2 4	11 5 16
XVI. SYMPTOMS AND ILL- DEFINED CONDITIONS.														
A 136	SENILITY WITHOUT MENTION OF PSYCHOSIS	M 94 F 211 T 305	5 17 22	1 4 5	2 5 7	5 11 16	30 58 88	15 56 71	8 16 24	6 16 22	12 16 28	7 12 19	2 - 2	1 - 1
A 137	SYMPTOMS AND OTHER ILL- DEFINED CONDITIONS	M 753 F 534 T 1,287	32 30 62	5 3 8	30 20 50	19 17 36	134 87 221	295 237 532	30 34 64	61 30 91	72 31 103	69 39 108	1 2 3	5 4 9
	TOTAL (A136,A137)	M 847 F 745 T 1,592	37 47 84	6 7 13	32 25 57	24 33 52	164 195 309	310 293 603	38 54 88	67 86 113	84 47 131	76 51 127	3 2 5	6 4 10
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE. EXVII. EXTERNAL CAUSE.														
ACCIDENTS (AE138-AE146).														
AE 138 MOTOR VEHICLE ACCIDENTS.														
A	TRAFFIC (E810-E819)	M 4,536 F 1,689 T 6,225	99 31 130	33 6 39	183 83 266	169 73 242	1,446 479 1,925	1,210 493 1,703	156 65 221	206 81 287	417 136 553	609 237 846	3 3 6	5 2 7
B	NON-TRAFFIC (E820-E823)	M 71 F 29 T 100	1 - 1	- - -	2 1 3	2 - 2	8 1 9	3 12 43	3 - 3	6 4 9	1 7 5	17 - 24	- - 1	- 1 1
	TOTAL (AE138)	M 4,607 F 1,718 T 6,325	100 31 131	33 6 39	185 84 269	171 73 244	1,454 480 1,934	1,241 505 1,746	159 65 224	212 84 296	418 140 558	626 244 870	3 3 6	5 3 8
AE 139 OTHER TRANSPORT ACCIDENTS.														
A	DROWNINGS INVOLVING SMALL BOATS (E830.0, E832.0)	M 291 F 16 T 307	6 - 6	1 1 2	20 - 20	15 - 15	60 1 61	106 6 112	16 1 17	14 2 16	9 - 9	42 5 47	1 - 1	1 - 1
B	DROWNINGS INVOLVING OTHER WATERCRAFT (E830.1- E830.9,E832.1-E832.9)	M 16 F - T 16	- - 1	- - 1	- - -	3 - 3	- - -	1 - 1	2 - 2	- - -	- - 9	9 - -	- - -	- - -
C	OTHER TRANSPORT	M 271 F 38 T 309	3 - 3	2 - 2	5 1 6	6 - 6	50 8 58	59 13 72	8 1 9	13 2 15	51 - 51	69 13 82	1 - 1	4 - 4
	TOTAL (AE139)	M 578 F 54 T 632	9 1 9	4 1 5	25 1 26	24 - 24	110 9 119	166 19 185	26 2 28	27 31 60	60 - 60	120 18 138	2 - 2	5 - 5
AE 140	ACCIDENTAL POISONING	M 452 F 243 T 695	8 2 10	2 - 2	17 4 21	20 4 24	42 25 67	138 84 222	14 14 28	14 8 22	51 23 74	141 78 219	1 - 1	4 1 5
AE 141	ACCIDENTAL FALLS	M 957 F 874 T 1,831	8 5 13	5 4 9	43 40 83	21 24 45	236 213 449	317 321 638	42 33 75	32 25 57	75 65 140	173 142 315	3 1 4	2 1 3
AE 142	ACCIDENTS CAUSED BY FIRES	M 492 F 313 T 805	20 8 28	8 2 10	25 12 37	22 16 38	100 70 170	144 26 248	39 20 65	25 20 45	28 31 102	71 20 8	3 2 5	7 2 9
AE 143	ACCIDENTAL DROWNING	M 600 F 112 T 712	20 5 25	4 1 5	24 5 18	17 1 20	173 35 195	160 35 34	27 7 30	25 5 45	40 5 125	105 20 3	3 2 3	2 2 2
AE 144	ACCIDENT CAUSED BY FIREARM MISSILES	M 114 F 8 T 122	1 2 3	- - -	7 - 7	3 - 3	23 - 23	28 2 30	10 - 11	11 - 11	21 2 23	7 1 8	- - 1	3 - 3
AE 145	ACCIDENTS MAINLY OF INDUSTRIAL TYPE	M 816 F 66 T 882	12 1 13	8 - 8	41 - 41	31 - 31	246 25 271	242 17 259	25 7 32	44 1 45	83 8 91	82 7 89	1 - 1	1 - 1

TABLEAU 17. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1974

CANADA													CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)		MO. DE LA LISTE A	
N.F.L.D. T.-N.			P.E.I. I.P.E.		N.S. N.E.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.	
RATE - TAUX																
5.5	12.3	15.4	4.9	6.9	4.2	4.6	6.3	9.1	8.2	5.4	9.6	35.4	AFFECTIONS ANOXEMIQUES ET HYPOXEMIQUES, NON CLASSEES AILLEURS	A 134		
3.7	6.4	6.8	5.4	4.5	2.6	3.6	5.5	4.7	4.4	3.9	22.2	22.5				
4.6	9.4	11.1	5.2	5.7	3.4	4.1	5.9	6.9	6.3	4.7	15.5	29.3				
4.6	4.0	6.8	2.7	3.3	5.2	4.0	4.8	6.8	3.0	6.1	9.6	15.2	AUTRE	A 135		
3.9	2.6	6.8	2.7	4.2	3.5	4.0	3.9	6.5	4.0	4.1		5.6				
4.2	3.3	6.9	2.7	3.8	4.3	4.0	4.4	6.6	3.5	5.1	5.2	10.7				
12.3	17.7	22.3	9.1	12.7	12.0	10.6	13.5	18.3	13.3	14.0	19.2	55.6	TOTAL (A131-A135)			
9.5	11.6	13.7	9.1	10.0	8.2	9.3	10.7	14.3	10.8	9.0	22.2	28.1				
10.9	14.7	18.0	9.1	11.3	10.1	10.0	12.1	16.3	12.1	11.5	20.6	42.7				
XVI. SYMPTOMES ET ETATS MORBIDES MAL DEFINIS.																
0.8	1.8	1.7	0.5	1.5	1.0	0.4	1.6	1.3	1.4	0.6	19.2	5.1	SENILITE, SANS MENTION DE PSYCHOSE	A 136		
1.9	6.4	6.8	1.2	3.3	1.9	1.4	3.2	3.6	1.9	1.0						
1.4	4.1	4.3	0.9	2.4	1.4	0.9	2.4	2.4	1.6	0.8	10.3	2.7				
6.7	11.6	8.6	7.4	5.7	4.4	7.3	5.9	13.3	8.3	5.7	9.6	25.3	SYMPTOMES ET AUTRES ETATS MORBIDES MAL DEFINIS	A 137		
4.8	11.3	5.1	4.9	5.2	2.8	5.8	6.7	6.7	3.7	3.3	22.2	22.5				
5.7	11.4	6.9	6.1	5.4	3.6	6.6	6.3	10.0	6.0	4.5	15.5	24.0				
7.6	13.4	10.3	7.9	7.2	5.4	7.7	7.5	14.6	9.7	6.3	28.8	30.3	TOTAL (A136,A137)			
6.6	17.6	12.0	6.2	8.5	4.7	7.2	9.9	10.3	5.6	4.3	22.2	22.5				
7.1	15.5	11.1	7.0	7.9	5.0	7.5	8.7	12.5	7.6	5.3	25.8	26.7				
XVII. ACCIDENTS, EMPOISONNEMENTS ET TRAUMATISMES. EXVII. CAUSE EXTERIEURE.																
ACCIDENTS (AE138-AE146).																
ACCIDENTS DE VEHICULE A MOTEUR.																AE 138
40.4	35.8	56.5	45.0	50.9	47.5	30.0	30.9	44.9	48.0	50.6	28.8	25.3	DE LA CIRCULATION (E810- E819)	A		
15.0	11.6	10.3	20.4	22.1	15.5	12.1	12.8	18.1	16.1	19.9	13.3	11.2				
27.7	24.0	33.4	32.7	36.6	31.4	21.0	21.9	31.6	32.3	35.3	10.9	18.7				
0.6	0.4	-	0.5	0.6	0.3	0.8	0.6	1.3	0.1	1.4	-	-	HORS DE LA VOIE PUBLIQUE (E820-E823)	B		
0.3	-	-	0.2	-	0.0	0.3	-	0.7	0.5	0.6	-	5.6				
0.4	0.2	-	0.4	0.3	0.1	0.5	0.3	1.0	0.3	1.0	-	2.7				
41.1	36.2	56.5	45.4	51.5	47.8	30.8	31.5	46.2	48.1	52.0	28.8	25.3	TOTAL (AE138)			
15.3	11.6	10.3	20.7	22.1	15.5	12.4	12.8	18.8	16.6	20.5	13.3	16.9				
28.2	24.1	33.4	33.1	36.9	31.5	21.6	22.2	32.6	32.6	36.3	10.9	21.3				
AUTRES ACCIDENTS DE TRANSPORT AE 139																
2.6	2.2	1.7	4.9	4.5	2.0	2.6	3.2	3.0	1.0	3.5	9.6	5.1	SUBMERSION D'UN OCCUPANT D'UNE PETITE EMBARCATION (E830.0,E832.0)	A		
0.1	-	1.7	-	-	0.0	0.1	0.2	0.4	-	0.4	-	-				
1.4	1.1	1.7	2.5	2.3	1.0	1.4	1.7	1.8	0.5	2.0	5.2	2.7				
0.1	-	1.7	-	0.9	-	0.0	0.4	-	-	0.7	-	-	SUBMERSION DE TOUTE AUTRE EMBARCATION (E830.1- E830.9,E832.1-E832.9)	B		
-	-	-	-	-	-	-	-	-	-	-	-	-				
0.1	-	0.9	-	0.5	-	0.0	0.2	-	-	0.4	-	-				
2.4	1.1	3.4	1.2	1.8	1.6	1.5	1.6	2.8	5.9	5.7	9.6	20.2	AUTRE			
0.3	-	-	0.2	-	0.3	0.3	0.2	0.4	-	1.1	-	-				
1.4	0.6	1.7	0.7	0.9	0.9	0.9	0.9	1.7	3.0	3.4	5.2	10.7				
5.2	3.3	6.8	6.1	7.2	3.6	4.1	5.2	5.9	6.9	10.0	19.2	25.1	TOTAL (AE139)			
0.5	-	1.7	0.2	-	0.3	0.5	0.4	0.9	-	1.5	-	-				
2.8	1.7	4.3	3.2	3.6	1.9	2.3	2.8	3.4	3.5	5.8	10.3	13.3				
4.0	2.9	3.4	4.2	6.0	1.4	3.4	2.8	3.0	5.9	11.7	9.6	20.2	EMPOISONNEMENTS ACCIDENTELS	AE 140		
2.2	0.8	-	1.0	1.2	0.8	2.1	2.8	1.8	2.7	6.5	-	5.6				
3.1	1.8	1.7	2.6	3.6	1.1	2.7	2.8	2.4	4.3	9.1	5.2	13.3				
8.5	2.9	8.6	10.6	6.3	7.8	7.9	8.3	7.0	8.6	14.4	28.8	10.1	CHUTES ACCIDENTELLES	AE 141		
7.8	1.9	6.8	9.8	7.3	6.9	7.9	6.5	5.6	7.7	11.9	11.1	5.6				
8.2	2.4	7.7	10.2	6.8	7.3	7.9	7.4	6.3	8.2	13.2	20.6	8.0				
4.4	7.2	13.7	6.1	6.6	3.3	3.6	7.7	5.4	3.2	5.9	28.8	15.4	ACCIDENTS CAUSES PAR L'INCENDIE OU LE FEU	AE 142		
2.8	3.0	3.4	3.0	4.8	2.3	2.6	5.1	4.5	2.4	2.6	22.2	11.2				
3.6	5.2	8.6	4.5	5.7	2.8	3.1	6.4	5.0	2.8	4.3	25.8	24.0				
5.3	7.2	6.8	5.9	5.1	5.7	4.0	5.4	5.4	4.6	8.7	28.8	10.1	NOYADE ACCIDENTELLE	AE 143		
1.0	1.9	1.7	1.2	0.3	0.9	0.9	1.4	1.1	0.6	1.7	-	-				
3.2	4.6	4.3	3.6	2.7	3.3	2.4	3.4	3.3	2.6	5.2	15.5	5.3				
1.0	0.4	-	1.7	0.9	0.8	0.7	2.0	2.4	2.4	0.6	-	15.2	ACCIDENTS CAUSES PAR PROJECTILES D'ARMES A FEU	AE 144		
0.1	0.8	-	-	-	-	0.0	0.2	-	0.2	0.1	-	-				
0.5	0.6	-	0.9	0.5	0.4	0.4	1.1	1.2	1.3	0.3	-	8.0				
7.3	4.3	13.7	10.1	9.3	8.1	6.0	5.0	9.6	9.5	6.8	9.6	5.1	ACCIDENTS SURVENANT PRINCIPALEMENT DANS L'INDUSTRIE	AE 145		
0.6	0.4	-	-	-	0.8	0.4	1.4	0.2	0.9	0.6	-	-				
3.9	2.4	6.9	5.0	4.7	4.4	3.2	3.2	5.0	5.3	3.7	5.2	2.7				

TABLE 17. DEATHS AND RATES (PER 100,000 POPULATION) BY CAUSE AND SEX, CANADA AND PROVINCES, 1974

TABLE 17. DEATHS AND RAIDS (CONTINUED)																			
LIST A NO.	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)		CANADA	NFLD.		P.E.I.		N.S.		N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.N.O.	
				T.-N.	I.P.S.	N.E.	NUMBER - NOMBRE												
AE 146	ALL OTHER ACCIDENTS	M	625	17	6	28	15	111	204	61	36	45	95	2	5				
		F	316	6	1	12	10	70	109	16	25	30	34	-	3				
		T	941	23	7	40	25	181	313	77	61	75	129	2	8				
	TOTAL (AE138-AE146)	M	9,241	195	70	395	324	2,495	2,640	403	426	821	1,420	18	34				
		F	3,704	60	15	158	128	920	1,196	171	172	293	575	6	10				
		T	12,945	255	85	553	452	3,415	3,836	574	598	1,114	1,995	24	44				
AE 147	SUICIDE	M	2,103	10	12	73	54	489	786	105	86	192	288	3	5				
		F	799	2	2	14	5	153	349	38	28	87	119	1	1				
		T	2,902	12	14	87	59	642	1,135	143	114	279	407	4	6				
AE 148	HOMICIDE; LEGAL INTERVENTION	M	350	2	1	4	7	109	89	29	13	26	64	2	4				
		F	201	3	2	3	7	44	65	12	11	18	36	-	-				
		T	551	5	3	7	14	153	154	41	24	44	100	2	4				
AE 149	INJURY UNDETERMINED IF ACCIDENTALLY OR PUR- POSELY INFLICTED	M	274	7	-	1	9	94	53	15	12	26	54	-	3				
		F	188	1	-	2	6	78	38	13	4	17	26	2	1				
		T	462	8	-	3	15	172	91	28	16	43	80	2	4				
AE 150	WAR INJURIES	M	-	-	-	-	-	-	1	-	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	-	-				
		T	1	-	-	-	-	-	1	-	-	-	-	-	-				
	TOTAL (AE138-AE150)	M	11,969	214	83	473	394	3,187	3,569	552	537	1,065	1,826	23	46				
		F	4,892	66	19	177	146	1,195	1,648	234	215	415	756	9	12				
		T	16,861	280	102	650	540	4,382	5,217	786	752	1,480	2,582	32	58				
NXVII. NATURE OF INJURY.																			
AN 138	FRACTURE OF SKULL	M	2,772	69	21	120	93	779	770	110	145	295	364	3	3				
		F	1,019	18	4	55	47	239	316	41	55	91	148	3	2				
		T	3,791	87	25	175	140	1,018	1,086	151	200	386	512	6	5				
AN 139	FRACTURE OF SPINE AND TRUNK	M	859	13	6	42	29	177	262	42	33	83	164	3	5				
		F	678	4	5	25	15	171	245	24	24	40	123	1	1				
		T	1,537	17	11	67	44	348	507	66	57	123	287	4	6				
AN 140	FRACTURE OF LIMBS	M	3,168	44	18	100	115	1,036	846	95	107	261	535	5	6				
		F	1,134	17	2	39	35	329	335	45	40	96	194	-	2				
		T	4,302	61	20	139	150	1,365	1,181	140	147	357	729	5	8				
AN 141	DISLOCATION WITHOUT FRACTURE	M	309	2	3	17	9	71	99	11	14	24	57	-	2				
		F	160	1	-	10	7	26	57	7	4	17	31	-	-				
		T	469	3	3	27	16	97	156	18	18	41	88	-	2				
AN 142	SPRAINS AND STRAINS	M	492	20	8	25	22	100	144	39	25	28	71	3	7				
		F	313	8	2	12	16	70	104	26	20	20	31	2	2				
		T	805	28	10	37	38	170	248	65	45	48	102	5	9				
AN 143	INTRACRANIAL INJURY EXCLUDING SKULL FRACTURE	M	599	20	4	24	17	172	160	27	25	40	105	3	2				
		F	112	5	1	5	1	28	35	7	5	5	20	-	-				
		T	711	25	5	29	18	200	195	34	30	45	125	3	2				
AN 144	INTERNAL INJURY	M	98	1	-	7	3	15	26	9	11	17	6	-	3				
		F	5	1	-	-	-	-	2	1	-	-	1	-	-				
		T	103	2	-	7	3	15	28	10	11	17	7	-	3				
AN 145	OPEN WOUNDS	M	598	9	6	32	24	161	188	21	36	58	62	-	1				
		F	44	-	-	-	-	15	12	5	1	5	6	-	-				
		T	642	9	6	32	24	176	200	26	37	63	68	-	1				
AN 146	SUPERFICIAL INJURY, CON- TUSION, AND CRUSHING WITH INTACT SKIN SURFACE	M	600	17	6	28	15	106	193	59	35	43	91	2	5				
		F	299	6	1	12	10	64	103	16	25	27	32	-	-				
		T	899	23	7	40	25	170	296	75	60	70	123	2	8				
AN 147	FOREIGN BODY ENTERING THROUGH ORIFICE	M	1,916	10	10	73	51	400	749	102	83	168	262	3	5				
		F	777	2	2	14	5	139	346	38	28	85	116	1	1				
		T	2,693	12	12	87	56	539	1,095	140	111	253	378	4	6				
AN 148	BURN	M	291	2	1	4	7	80	80	23	11	22	56	1	4				
		F	171	3	2	3	6	38	58	11	9	12	29	-	-				
		T	462	5	3	7	13	118	138	34	20	34	85	1	4				
AN 149	EFFECTS OF CHEMICAL SUBSTANCES	M	266	7	-	1	9	90	51	14	12	26	53	-	3				
		F	180	1	-	2	4	76	35	13	4	17	25	2	1				
		T	446	8	-	3	13	166	86	27	16	43	78	2	4				
AN 150	OTHER	M	1	-	-	-	-	-	1	-	-	-	-	-	-				
		F	-	-	-	-	-	-	-	-	-	-	-	-	-				
		T	1	-	-	-	-	-	1	-	-	-	-	-	-				
	TOTAL (AN138-AN150)	M	11,969	214	83	473	394	3,187	3,569	552	537	1,065	1,826	23	46				
		F	4,892	66	19	177	146	1,195	1,648	234	215	415	756	9	12				
		T	16,861	280	102	650	540	4,382	5,217	786	752	1,480	2,582	32	58				
	ALL CAUSES.	M	96,575	1,970	614	4,043	3,041	24,803	33,985	4,885	4,733	6,903	11,392	78	128				
		F	70,219	1,316	474	2,856	2,164	17,964	26,571	3,545	3,081	4,349	7,785	36	78				
		T	166,794	3,286	1,088	6,899	5,205	42,767	60,556	8,430	7,814	11,252	19,177	114	206				

TABLEAU 17. DECES ET TAUX (POUR 100,000 HABITANTS) SUIVANT LA CAUSE ET LE SEXE, CANADA ET PROVINCES, 1974

CANADA	N.F.D. T.-N.	P.E.I. I.P.E.	N.S. N.E.	M.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C. C.B.	YUKON	N.W.T. T.M.O.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
RATE - TAUX														
5.6	6.2	10.3	6.9	4.5	3.6	5.1	12.1	7.8	5.2	7.9	19.2	25.3	TOUTES AUTRES CAUSES	AE 146
2.8	2.3	1.7	3.0	3.0	2.3	2.7	3.2	5.6	3.6	2.9	-	16.9	ACCIDENTELLES	
4.2	4.2	6.0	4.9	3.8	3.0	3.9	7.6	6.7	4.4	5.4	10.3	21.3		
82.4	70.6	119.9	97.0	97.6	82.0	65.5	79.9	92.8	94.4	117.9	173.1	171.7	TOTAL (AE138-AE146)	
33.0	22.5	25.7	38.9	38.8	29.8	29.4	33.8	38.4	34.7	48.3	66.7	56.2		
57.7	47.0	72.8	68.0	68.3	55.7	47.4	56.8	65.9	65.0	83.3	123.7	117.3		
18.7	3.6	20.5	17.9	16.3	16.1	19.5	20.8	18.7	22.1	23.9	28.8	25.3	SUICIDE	AE 147
7.1	0.8	3.4	3.4	1.5	4.9	8.6	7.5	6.3	10.3	10.0	11.1	5.6		
12.9	2.2	12.0	10.7	8.9	10.5	14.0	14.1	12.6	16.3	17.0	20.6	16.0		
3.1	0.7	1.7	1.0	2.1	3.6	2.2	5.7	2.8	3.0	5.3	19.2	20.2	HOMICIDE; INTERVENTION DE LA FORCE PUBLIQUE	AE 148
1.8	1.1	3.4	0.7	2.1	1.4	1.6	2.4	2.5	2.1	3.0	-	-		
2.5	0.9	2.6	0.9	2.1	2.5	1.9	4.1	2.6	2.6	4.2	10.3	10.7		
2.4	2.5	-	0.2	2.7	3.1	1.3	3.0	2.6	3.0	4.5	-	15.2	LESIONS CAUSEES D'UNE MANIERE INDETERMINEE QUANT A L'INTENTION	AE 149
1.7	0.4	-	0.5	1.8	2.5	0.9	2.6	0.9	2.0	2.2	22.2	5.6		
2.1	1.5	-	0.4	2.3	2.8	1.1	2.8	1.8	2.5	3.3	10.3	10.7		
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	BLESSURES DE GUERRE	AE 150
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-		
106.7	77.5	142.1	116.2	118.7	104.7	88.5	109.4	116.9	122.5	151.6	221.2	232.3	TOTAL (AE138-AE150)	
43.6	24.8	32.5	43.6	44.3	38.7	40.6	46.2	48.0	49.1	63.5	100.0	67.4		
75.1	51.6	87.4	79.9	81.6	71.4	64.5	77.7	82.9	86.4	107.8	164.9	154.7		
NXVII. NATURE.														
24.7	25.0	36.0	29.5	28.0	25.6	19.1	21.8	31.6	33.9	30.2	28.8	15.2	FRACTURES DU CRANE	AN 138
9.1	6.8	6.8	13.5	14.2	7.7	7.8	8.1	12.3	10.8	12.4	33.3	11.2		
16.9	16.0	21.4	21.5	21.2	16.6	13.4	14.9	22.1	22.5	21.4	30.9	13.3		
7.7	4.7	10.3	10.3	8.7	5.8	6.5	8.3	7.2	9.5	13.6	28.8	25.3	FRACTURES DE LA COLONNE VERTEBRALE ET DU TRONC	AN 139
6.0	1.5	8.6	6.2	4.5	5.5	6.0	4.7	5.4	4.7	10.3	11.1	5.6		
6.8	3.1	9.4	8.2	6.6	5.7	6.3	6.5	6.3	7.2	12.0	20.6	16.0		
28.2	15.9	30.8	24.6	34.6	34.0	21.0	18.8	23.3	30.0	44.4	48.1	30.3	FRACTURES DES MEMBRES	AN 140
10.1	6.4	3.4	9.6	10.6	10.6	8.2	8.9	8.9	11.4	16.3	-	11.2		
19.2	11.2	17.1	17.1	22.7	22.3	14.6	13.8	16.2	20.8	30.4	25.8	21.3		
2.8	0.7	5.1	4.2	2.7	2.3	2.5	2.2	3.0	2.8	4.7	-	10.1	LUXATIONS SANS FRACTURE	AN 141
1.4	0.4	-	2.5	2.1	0.8	1.4	1.4	0.9	2.0	2.6	-	-		
2.1	0.6	2.6	3.3	2.4	1.6	1.9	1.8	2.0	2.4	3.7	-	5.3		
4.4	7.2	13.7	6.1	6.6	3.3	3.6	7.7	5.4	3.2	5.9	28.8	35.4	ENTORSES ET FOULURES	AN 142
2.8	3.0	3.4	3.0	4.8	2.3	2.6	5.1	4.5	2.4	2.6	22.2	11.2		
3.6	5.2	8.6	4.5	5.7	2.8	3.1	6.4	5.0	2.8	4.3	25.8	24.0		
5.3	7.2	6.8	5.9	5.1	5.7	4.0	5.4	5.4	4.6	8.7	28.8	10.1	TRAUMATISMES INTERCRANIENS SAUF FRACTURES DU CRANE	AN 143
1.0	1.9	1.7	1.2	0.3	0.9	0.9	1.4	1.1	0.6	1.7	-	-		
3.2	4.6	4.3	3.6	2.7	3.3	2.4	3.4	3.3	2.6	5.2	15.5	5.3		
0.9	0.4	-	1.7	0.9	0.5	0.6	1.8	2.4	2.0	0.5	-	15.2	TRAUMATISMES INTERNES	AN 144
0.0	0.4	-	-	-	-	0.0	0.2	-	-	0.1	-	-		
0.5	0.4	-	0.9	0.5	0.2	0.3	1.0	1.2	1.0	0.3	-	8.0		
5.3	3.3	10.3	7.9	7.2	5.3	4.7	4.2	7.8	6.7	5.1	-	5.1	DECHIRURES ET PLAIES	AN 145
0.4	-	-	-	-	0.5	0.3	1.0	0.2	0.6	0.5	-	-		
2.9	1.7	5.1	3.9	3.6	2.9	2.5	2.6	4.1	3.7	2.8	-	2.7		
5.3	6.2	10.3	6.9	4.5	3.5	4.8	11.7	7.6	4.9	7.6	19.2	25.3	TRAUMATISMES SUPERFICIELS, CONTUSIONS, ET ECRASEMENTS SANS PLAIES	AN 146
2.7	2.3	1.7	3.0	3.0	2.1	2.5	3.2	5.6	3.2	2.7	-	16.9		
4.0	4.2	6.0	4.9	3.8	2.8	3.7	7.4	6.6	4.1	5.1	10.3	21.3		
17.1	3.6	17.1	17.9	15.4	13.1	18.6	20.2	18.1	19.3	21.8	28.8	25.3	CORPS ETRANGER PENETRANT ...	AN 147
6.9	0.8	3.4	3.4	1.5	4.5	8.5	7.5	6.3	10.1	9.7	11.1	5.6	PAR UN ORIFICE NATUREL	
12.0	2.2	10.3	10.7	8.5	8.8	13.5	13.8	12.2	14.8	15.8	20.6	16.0		
2.6	0.7	1.7	1.0	2.1	2.6	2.0	4.6	2.4	2.5	4.7	9.6	20.2	BRULURES	AN 148
1.5	1.1	3.4	0.7	1.8	1.2	1.4	2.2	2.0	1.4	2.4	-	-		
2.1	0.9	2.6	0.9	2.0	1.9	1.7	3.4	2.2	2.0	3.5	5.2	10.7		
2.4	2.5	-	0.2	2.7	3.0	1.3	2.8	2.6	3.0	4.4	-	15.2	EFFETS DES SUBSTANCES CHIMIQUES	AN 149
1.6	0.4	-	0.5	1.2	2.5	0.9	2.6	0.9	2.0	2.1	22.2	5.6		
2.0	1.5	-	0.4	2.0	2.7	1.1	2.7	1.8	2.5	3.3	10.3	10.7		
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	AUTRE	AN 150
-	-	-	-	-	-	-	-	-	-	-	-	-		
0.0	-	-	-	-	-	0.0	-	-	-	-	-	-		
106.7	77.5	142.1	116.2	118.7	104.7	88.5	109.4	116.9	122.5	151.6	221.2	232.3	TOTAL (AN138-AN150).	
43.6	24.8	32.5	43.6	44.3	38.7	40.6	46.2	48.0	49.1	63.5	100.0	67.4		
75.1	51.6	87.4	79.9	81.6	71.4	64.5	77.7	82.9	86.4	107.8	164.9	154.7		
861.0	713.3	1051.4	993.1	916.2	815.1	842.8	968.1	1030.7	793.9	945.9	750.0	646.5	TOUTES LES CAUSES.	
625.3	494.2	811.6	703.3	656.0	581.1	654.2	700.0	688.0	515.0	653.7	400.0	438.2		
743.1	605.7	932.3	848.4	786.5	697.2	748.2	833.8	861.5	656.5	800.6	587.6	549.3		

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1974

[illegible]

TABLEAU 18. DECES SUIVANT LA CAUSE, LE SEXE ET L'AGE, CANADA, 1974

AGE - AGE														N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+					
														I. MALADIES INFECTIEUSES ET PARASITAIRES.			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CHOLERA	A 1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	FIEVRE TYPHOIDE	A 2
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	FIEVRE PARATYPHOIDE ET	A 3
-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	AUTRES INFECTIONS A SALMONELLA	
-	-	-	-	-	-	1	-	2	-	2	2	-	-	-	-	DYSENTERIE BACILLAIRE ET ..	A 4
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	AMIBIASE	
1	2	1	1	1	1	2	3	2	7	8	10	22	-	-	-	ENTERITES ET AUTRES MALADIES DIARRHEIQUES	A 5
2	1	-	1	4	5	5	3	9	8	12	16	32	-	-	-		
3	3	1	2	5	6	7	6	11	15	20	26	54	-	-	-		
														TUBERCULOSE (A6-A10).			
2	1	5	9	9	16	10	22	22	19	13	16	17	-	-	-	APPAREIL RESPIRATOIRE	A 6
1	1	3	3	8	6	4	2	4	5	6	8	6	-	-	-		
3	2	8	12	17	22	14	24	26	24	19	24	23	-	-	-		
1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	MENINGES ET SYSTEME NERVEUX CENTRAL	A 7
1	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	INTESTIN, PERITOINE, ET	A 8
-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	GANGLIONS MESENTERIQUES	
-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-		
-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	OS ET ARTICULATIONS	A 9
-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-</									

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1974

[illegible]

[illegible]

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1974

LIST A		CAUSE OF DEATH			AGE - AGE												
NO	INTERMEDIATE LIST A		TOTAL	-7	7-27	28+	TOTAL	1	2	3	4	5-9	10-14	15-19	20-24		
	(EIGHTH REVISION)			DAYS	DAYS	DAYS	-1										
				JOURS	JOURS	JOURS	YEAR-AN										
A 42	ANCYLOSTOMIASIS	M	-	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-		
		T	-	-	-	-	-	-	-	-	-	-	-	-	-		
A 43	OTHER HELMINTHIASES	M	2	-	-	-	-	-	-	-	-	-	1	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-	-		
		T	2	-	-	-	-	-	-	-	-	-	1	-	-		
A 44	ALL OTHER	M	24	-	2	3	5	-	-	-	-	-	-	-	-		
		F	25	-	1	1	2	-	-	-	-	-	-	-	-		
		T	49	-	3	4	7	-	-	-	-	-	-	-	-		
TOTAL (A1-A44)			M	636	26	8	70	104	16	7	3	5	7	12	8	7	
			F	483	15	11	45	71	17	4	3	2	13	13	12	14	
			T	1,119	41	19	115	175	33	11	6	7	20	25	20	21	

II. NEOPLASMS.

MALIGNANT NEOPLASMS (A45-A60).

[illegible]

TABLEAU 18. DECES SUIVANT LA CAUSE, LE SEXE ET L'AGE, CANADA, 1974

AGE - AGE														N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ANKYLOSTOMIASIS	A 42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AUTRES HELMINTHIASES	A 43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	TOUTES AUTRES MALADIES	A 44
-	2	1	3	4	2	3	3	1	2	-	1	1	1	2	INFECTIEUSES ET PARASITAIRES	
11	9	11	22	27	27	23	49	62	54	53	54	65	-	-	TOTAL (A1-A44)	
9	9	9	10	30	24	24	21	42	32	30	34	60	-	-		
20	18	20	32	57	51	47	70	104	86	83	88	125	-	-		
II. TUMEURS.																
TUMEURS MALIGNES (A45-A60).																
1	4	5	9	21	46	49	73	60	55	51	41	40	-	-	CAVITE BUCCALE ET PHARYNX	A 45
1	4	7	11	32	56	69	100	80	66	70	70	72	-	-		
-	1	1	10	16	31	61	62	61	71	47	36	33	-	-	OESOPHAGE	A 46
-	1	1	6	4	8	13	16	18	34	28	29	21	-	-		
-	1	2	10	20	39	74	78	81	105	75	65	54	-	-		
4	2	20	26	41	97	120	196	248	250	228	154	140	-	-	ESTOMAC	A 47
1	6	5	12	29	51	64	82	107	116	140	140	105	-	-		
5	8	25	38	70	148	184	278	355	386	368	294	245	-	-		
7	13	16	27	63	95	138	217	285	282	226	192	169	-	-	INTESTIN, RECTUM NON COMPRIS	A 48
3	10	21	38	66	137	168	249	288	281	314	287	292	1	-		
10	23	37	65	129	232	306	466	573	563	560	479	461	1	-		
-	2	10	12	21	28	60	96	91	129	93	85	73	-	-	RECTUM ET JONCTION RECTO- SIGMOIDIENNE	A 49
2	2	7	4	16	26	46	58	76	83	85	58	71	-	-		
2	4	17	16	37	54	106	154	167	212	178	143	144	-	-		
-	1	3	5	15	28	25	37	47	38	29	17	16	-	-	LARYNX	A 50
-	-	-	1	4	2	4	5	7	4	2	3	4	-	-		
1	3	6	19	30	29	42	54	42	31	20	20	20	-	-		
3	6	34	108	209	455	642	949	995	944	593	324	162	-	-	TRACHEE, BRONCHES, ET POUMON	A 51
6	7	15	37	74	127	181	192	144	135	113	87	57	-	-		
9	13	49	145	283	582	823	1,141	1,139	1,079	706	411	219	-	-		
2	4	3	2	5	8	13	5	7	9	9	5	8	-	-	OS	A 52
2	1	1	1	5	2	4	6	5	5	6	2	4	-	-		
4	5	3	3	10	10	17	11	13	14	15	7	12	-	-		
5	6	8	19	13	23	15	31	19	15	10	16	26	-	-	PEAU	A 53
7	5	9	11	10	13	18	20	17	11	11	16	26	-	-		
12	11	17	30	23	36	33	51	36	26	23	32	52	-	-		
-	-	-	1	1	2	3	1	3	4	2	3	1	-	-	SEIN	A 54
12	46	74	164	261	392	384	415	348	102	266	210	214	-	-		
12	46	74	165	262	394	387	416	351	306	268	213	235	-	-		
7	19	29	37	54	60	58	66	68	48	52	27	24	-	-	COL DE L'UTERUS	A 55
1	-	3	10	19	18	49	75	78	69	57	45	43	-	-	UTERUS, AUTRE	A 56
-	-	-	2	8	21	41	130	214	114	386	351	337	-	-	PROSTATE	A 57
SIEGES AUTRES OU SANS PRECISION.																
2	6	15	30	53	99	144	211	216	238	175	127	116	-	-	ORGANES DIGESTIFS ET	A
1	4	6	17	34	71	98	154	179	229	204	162	141	-	-	PERITONE (155-159)	
3	10	21	47	87	170	242	365	395	467	379	289	257	-	-		
1	1	-	2	4	8	10	10	10	8	9	4	2	-	-	ORGANES RESPIRATOIRES	H
-	-	2	1	2	3	3	3	9	2	8	5	6	-	-	(160,163)	
1	1	2	3	6	11	13	19	12	16	14	9	8	-	-		
6	2	1	5	1	10	3	5	10	11	1	6	2	-	-	TISSU CONJONCTIF ET AUTRES	C
1	1	2	3	3	4	4	4	5	4	4	8	3	-	-	PARTIES MOLLES (171)	
7	3	3	8	4	14	7	9	15	15	5	14	5	-	-		
3	8	23	33	71	104	128	135	122	106	78	61	38	-	-	OVAIRE, TROMPE, ET LIGAMENT LARGE (183)	D
ORGANES GENITAUX AUTRES OU NON PRECISES DE LA FEMME (184)																
-	-	-	-	-	3	8	11	7	16	19	11	18	-	-		E

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1974

LIST NO	A	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	AGE - AGE													
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24		
F		OTHER MALE GENITAL ORGANS (186,187)	M	123	-	-	-	-	-	-	-	-	-	-	1	7	10
G		BLADDER (188)	M	631	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	264	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	895	-	-	-	-	-	-	-	-	-	-	-	-	-
H		OTHER AND UNSPECIFIED URINARY ORGANS (189)	M	448	-	-	1	1	-	1	1	1	2	-	-	-	-
			F	248	-	-	-	-	2	1	1	1	1	-	-	-	-
			T	696	-	-	1	1	2	2	2	2	3	-	-	-	-
I		BRAIN AND NERVOUS SYSTEM (191,192)	M	560	-	-	2	2	1	3	5	6	18	19	14	10	10
			F	389	-	-	5	5	3	4	4	1	21	12	10	7	7
			T	949	-	-	7	7	4	7	9	7	39	31	24	17	17
J		OTHER	M	813	-	-	1	1	1	-	-	-	2	1	4	10	10
			F	811	-	-	-	-	-	-	1	-	-	-	4	2	3
			T	1,624	-	-	1	1	1	-	1	-	2	5	6	13	13
		TOTAL (A58)	M	4,158	-	-	5	5	3	5	7	7	22	24	29	38	38
			F	4,134	-	-	5	5	6	7	8	3	23	22	20	16	16
			T	8,292	-	-	10	10	9	12	15	10	45	46	49	54	54
A	59	LEUKAEMIA	M	809	-	1	1	2	4	7	8	4	41	30	26	20	20
			F	555	-	1	1	2	4	3	9	3	15	17	20	19	19
			T	1,364	-	2	2	4	8	10	17	7	56	47	46	39	39
A	60	OTHER LYMPHATIC AND HAEMOTOPOIETIC TISSUE.															
A		HODGKIN'S DISEASE (201)	M	155	-	-	-	-	-	-	-	-	1	2	5	16	16
			F	105	-	-	-	-	-	-	-	-	-	-	1	6	6
			T	260	-	-	-	-	-	-	-	-	1	2	6	22	22
B		OTHER	M	836	-	-	1	1	1	-	-	1	7	8	14	6	6
			F	766	-	-	-	-	-	1	1	1	7	6	5	5	5
			T	1,602	-	-	1	1	1	1	1	2	14	14	19	11	11
		TOTAL (A60)	M	991	-	-	1	1	1	-	-	1	8	10	19	22	22
			F	871	-	-	-	-	-	1	1	1	7	6	6	11	11
			T	1,862	-	-	1	1	1	1	1	2	15	16	25	33	33
		TOTAL (A45-A60)	M	18,655	-	1	8	9	8	12	15	12	75	71	95	106	106
			F	15,096	-	1	6	7	10	11	18	7	45	53	56	60	60
			T	33,751	-	2	14	16	18	23	33	19	120	124	151	166	166
A	61	BENIGN AND UNSPECIFIED	M	148	2	1	2	5	1	2	2	-	3	-	4	4	4
			F	166	-	1	1	2	-	1	-	1	4	3	2	2	2
			T	314	2	2	3	7	1	3	2	1	7	3	6	6	6
		TOTAL (A45-A61)	M	18,803	2	2	10	14	9	14	17	12	78	71	99	110	110
			F	15,262	-	2	7	9	10	12	18	8	49	56	58	62	62
			T	34,065	2	4	17	23	19	26	35	20	127	127	157	172	172
III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.																	
A	62	NON-TOXIC GOITRE	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	4	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	7	-	-	-	-	-	-	-	-	-	-	-	-	-
A	63	THYROTOXICOSIS	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	9	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	10	-	-	-	-	-	-	-	-	-	-	-	-	-
A	64	DIABETES MELLITUS	M	1,335	-	-	1	1	-	-	-	-	1	-	2	4	4
			F	1,829	-	-	1	1	1	-	2	-	1	-	3	4	4
			T	3,164	-	-	2	2	1	-	2	-	2	-	5	8	8
A	65	NUTRITIONAL DEFICIENCY STATES	M	81	-	-	6	6	1	1	-	-	-	-	-	-	-
			F	88	-	-	-	-	1	-	-	-	1	-	2	-	-
			T	169	-	-	6	6	2	1	-	-	1	-	2	-	-
A	66	OTHER	M	276	1	5	10	16	5	3	2	3	7	17	7	5	5
			F	263	2	-	11	13	1	-	3	1	6	14	12	1	1
			T	539	3	5	21	29	6	3	5	4	13	31	19	6	6
		TOTAL (A62-A66)	M	1,696	1	5	17	23	6	4	2	3	8	17	9	9	9
			F	2,193	2	-	12	14	3	-	5	1	8	14	17	5	5
			T	3,889	3	5	29	37	9	4	7	4	16	31	26	14	14
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.																	
A	67	ANAEMIAS	M	146	-	-	1	1	4	-	1	-	2	2	1	2	2
			F	176	-	-	-	-	1	-	-	-	1	1	3	-	-
			T	322	-	-	1	1	5	-	1	-	3	3	4	2	2

TABLEAU 18. DECES SUIVANT LA CAUSE, LE SEXE ET L'AGE, CANADA, 1974

AGE - AGE													N.S.	CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	NO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
15	14	8	12	9	8	2	3	6	4	13	1	10	-	AUTRES ORGANES GENITAUX DE L'HOMME (186,187)	F
-	-	-	1	14	26	43	65	84	107	112	97	82	-	VESSIE (188)	G
-	1	1	1	3	7	9	28	23	40	48	46	57	-		
-	1	1	2	17	33	52	93	107	147	160	143	139	-		
-	1	2	13	19	45	44	56	63	87	51	38	23	-	ORGANES URINAIRES AUTRES OU NON PRECISES (189)	H
-	1	2	3	4	18	24	32	50	35	29	28	16	-		
-	2	4	16	23	63	68	88	113	122	80	66	39	-		
10	15	12	23	52	74	77	77	61	50	25	6	-	-	CERVEAU ET AUTRES PARTIES DU SYSTEME NERVEUX (191,192)	I
9	5	19	16	31	41	39	44	56	32	21	5	4	-		
19	20	31	39	83	115	116	121	117	82	46	11	4	-		
6	5	9	11	33	62	67	111	113	141	100	68	68	-	AUTRE	J
2	7	8	11	44	56	63	78	102	96	116	112	106	-		
8	12	17	22	77	118	130	189	215	237	216	180	174	-		
40	44	47	97	185	332	390	538	563	646	486	347	303	-	TOTAL (A58)	
16	27	63	85	192	307	376	495	546	566	524	438	389	-		
56	71	110	182	377	639	766	1,033	1,109	1,212	1,010	785	692	-		
23	17	18	29	33	46	57	60	83	101	76	61	63	-	LEUCEMIES	A 59
8	15	19	20	26	31	43	47	55	60	57	56	56	-		
31	32	37	49	59	72	88	103	130	156	136	118	119	-		
													-	AUTRES TISSUS LYMPHATIQUES ET HEMATOPOIETIQUES.	A 60
10	12	13	12	13	11	11	9	15	9	9	5	2	-	MALADIE DE HODGKIN (201)	A
7	6	3	8	13	7	9	12	11	12	5	4	1	-		
17	18	16	20	26	18	20	21	26	21	14	9	3	-		
8	15	15	33	28	66	79	105	129	107	104	66	43	-	AUTRE	B
6	6	8	11	34	41	79	99	94	120	110	68	64	-		
14	21	23	44	62	107	158	204	223	227	214	134	107	-		
18	27	28	45	41	77	90	114	144	116	113	71	45	-	TOTAL A60)	
13	12	11	19	47	48	93	111	105	132	115	72	65	-		
31	39	39	64	88	125	178	225	249	248	228	143	110	-		
103	126	193	392	672	1,289	1,704	2,509	2,822	2,974	2,349	1,703	1,416	-	TOTAL (A45-A60)	
78	151	259	447	818	1,227	1,504	1,860	1,875	1,872	1,814	1,500	1,423	1		
181	277	452	839	1,490	2,516	3,208	4,369	4,697	4,846	4,163	3,203	2,839	1		
3	2	6	7	8	12	18	14	11	11	15	12	8	-	BENIGNES ET DE NATURE NON PRECISEE	A 61
5	3	5	6	9	10	13	13	20	17	16	21	13	-		
8	5	11	13	17	22	31	27	31	28	31	33	21	-		
106	128	199	399	680	1,301	1,722	2,523	2,833	2,985	2,364	1,715	1,424	-	TOTAL (A45-A61)	
83	154	264	453	827	1,237	1,517	1,873	1,895	1,889	1,830	1,521	1,436	1		
189	282	463	852	1,507	2,538	3,239	4,396	4,728	4,874	4,194	3,236	2,860	1		
III. MALADIES ENDOCRINIENNES, DE LA NUTRITION ET DU METABOLISME.															
-	-	-	-	-	-	-	-	-	1	1	-	1	-	GOITRE NON TOXIQUE	A 62
-	-	-	-	-	-	-	-	-	-	3	1	-	-		
-	-	-	-	-	-	-	-	-	1	4	1	1	-		
-	-	-	-	-	-	-	-	-	-	1	-	-	-	THYREOTOXICOSE	A 63
-	-	-	-	-	1	-	3	-	-	1	2	2	-		
-	-	-	-	-	1	-	3	-	-	2	2	2	-		
13	13	15	22	37	58	97	145	198	186	204	173	166	-	DIABETE SUCRE	A 64
9	9	9	12	33	49	75	138	250	292	343	308	290	-		
22	22	24	34	70	107	172	283	448	478	547	481	456	-		
1	-	-	1	1	3	4	5	6	6	7	14	25	-	ETATS DE CARENCE	A 65
-	-	1	-	-	2	1	7	1	6	16	14	36	-		
1	-	1	1	1	5	5	12	7	12	23	28	61	-		
3	6	9	11	20	25	19	28	21	21	23	13	12	-	AUTRE	A 66
2	1	3	10	13	15	17	30	24	38	22	22	15	-		
5	7	12	21	33	40	36	58	45	59	45	35	27	-		
17	19	24	34	58	86	120	178	225	214	236	200	204	-	TOTAL (A62-A66)	
11	10	13	22	46	67	93	178	275	336	385	347	343	-		
28	29	37	56	104	153	213	356	500	550	621	547	547	-		
IV. MALADIES DU SANG ET DES ORGANES HEMATOPOIETIQUES.															
-	2	-	1	1	3	7	9	11	25	12	24	38	-	ANEMIES	A 67
4	1	1	1	2	4	7	7	18	15	24	35	51	-		
4	3	1	2	3	7	14	16	29	40	36	59	89	-		

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1974

TABLE 10. DEATHS BY CAUSE.														
LIST NO	A	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	AGE - AGE										
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19
A 68 OTHER	M	95	4	1	9	14	-	-	-	-	2	1	2	1
	F	65	1	1	3	5	-	1	1	-	2	-	-	1
	T	160	5	2	12	19	-	1	1	-	4	1	2	2
	TOTAL (A67,A68)	M	241	4	1	10	15	4	-	1	-	4	3	3
	F	241	1	1	3	5	1	1	1	-	3	1	3	1
	T	482	5	2	13	20	5	1	2	-	7	4	6	4
V. MENTAL DISORDERS.														
A 69 PSYCHOSES	M	114	-	-	-	-	-	-	-	-	-	-	-	-
	F	102	-	-	-	-	-	-	-	-	-	-	-	-
	T	216	-	-	-	-	-	-	-	-	-	-	-	-
A 70 NEUROSES AND OTHER NON- PSYCHOTIC MENTAL DISORDERS	M	437	-	-	-	-	-	-	-	-	-	-	5	1
	F	164	-	-	-	-	-	-	-	-	-	1	1	2
	T	601	-	-	-	-	-	-	-	-	-	1	6	3
A 71 MENTAL RETARDATION	M	11	-	-	1	1	1	1	1	-	-	1	-	-
	F	9	-	-	1	1	-	-	-	1	1	1	-	-
	T	20	-	-	2	2	1	1	1	1	1	2	-	-
TOTAL (A69-A71)	M	562	-	-	1	1	1	1	1	-	-	1	5	1
	F	275	-	-	1	1	-	-	-	1	1	2	1	2
	T	837	-	-	2	2	1	1	1	1	1	3	6	3
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.														
A 72 MENINGITIS	M	63	2	2	14	18	2	3	2	1	4	3	-	-
	F	36	1	5	3	9	1	1	1	2	1	3	-	1
	T	99	3	7	17	27	3	4	3	3	5	6	-	1
A 73 MULTIPLE SCLEROSIS	M	93	-	-	-	-	-	-	-	-	-	-	-	1
	F	110	-	-	-	-	-	-	-	-	-	-	-	1
	T	203	-	-	-	-	-	-	-	-	-	-	-	2
A 74 EPILEPSY	M	148	-	-	2	2	-	1	2	-	5	2	11	19
	F	102	-	-	-	-	1	-	2	-	1	3	11	10
	T	250	-	-	2	2	1	1	4	-	6	5	22	29
A 75 INFLAMMATORY DISEASES OF EYE	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 76 CATARACT	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-
	T	2	-	-	-	-	-	-	-	-	-	-	-	-
A 77 GLAUCOMA	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	-	-	-	-	-	-	-	-	-	-	-	-	-
A 78 OTITIS MEDIA AND MASTOIDITIS	M	12	-	-	3	3	-	-	-	-	1	1	2	-
	F	5	-	-	1	1	-	-	-	-	1	-	-	-
	T	17	-	-	4	4	-	-	-	-	2	1	2	-
A 79 OTHER	M	707	-	-	19	19	9	4	5	1	9	28	33	21
	F	531	1	-	21	22	9	3	2	5	10	9	11	7
	T	1,238	1	-	40	41	18	7	7	6	19	37	44	28
TOTAL (A72-A79)	M	1,023	2	2	38	42	11	8	9	2	19	34	46	41
	F	786	2	5	25	32	11	4	5	7	13	15	22	19
	T	1,809	4	7	63	74	22	12	14	9	32	49	68	60
VII. DISEASES OF THE CIRCULATORY SYSTEM.														
A 80 ACTIVE RHEUMATIC FEVER.														
A WITH HEART INVOLVEMENT ... (391,392.0)	M	10	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1
	T	16	-	-	-	-	-	-	-	-	-	-	-	1
B OTHER	M	2	-	-	-	-	-	-	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-
	T	5	-	-	-	-	-	-	-	-	1	-	1	-
TOTAL (A80)	M	12	-	-	-	-	-	-	-	-	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	1
	T	21	-	-	-	-	-	-	-	-	1	-	1	1
A 81 CHRONIC RHEUMATIC HEART ... DISEASE	M	542	-	-	-	-	-	-	-	-	-	1	5	6
	F	624	-	-	-	-	-	-	-	-	-	1	-	3
	T	1,166	-	-	-	-	-	-	-	-	-	1	1	8

TABEAU 18. DECES SUIVANT LA CAUSE, LE SEXE ET L'AGE, CANADA, 1974

AGE - AGE																CAUSES DE DECES			
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.	LISTE INTERMEDIAIRE A (HUITIEME REVISION)		NO. DE LA LISTE A			
-	1	1	2	5	6	7	13	9	9	10	8	4	-	AUTRE		A 68			
1	-	-	4	3	2	6	5	6	4	9	10	5	-						
1	1	1	6	8	8	13	18	15	13	19	18	9	-						
-	3	1	3	6	9	14	22	20	34	22	32	42	-	TOTAL (A67,A68)					
5	1	1	5	5	6	13	12	24	19	33	45	56	-						
5	4	2	8	11	15	27	34	44	53	55	77	98	-						
V. TROUBLES MENTAUX.																			
-	1	2	3	1	7	5	13	16	13	17	18	18	-	PSYCHOSES		A 69			
-	-	-	1	1	3	6	6	11	12	11	22	29	-						
-	1	2	4	2	10	11	19	27	25	28	40	47	-						
16	14	29	37	57	58	59	46	48	27	10	13	16	1	NEVROSES ET AUTRES TROUBLES		A 70			
4	10	9	9	14	24	20	13	14	4	8	14	16	1	MENTAUX NON PSYCHOTIQUES					
20	24	38	46	71	82	79	59	62	31	18	27	32	2						
1	-	-	-	1	1	-	1	1	-	-	-	1	-	ARRIERATION MENTALE		A 71			
-	1	-	-	-	1	1	2	-	-	-	-	-	-						
1	1	-	-	1	2	1	3	1	-	-	-	-	-						
17	15	31	40	59	66	64	60	65	40	27	31	35	1	TOTAL (A69-A71)					
4	11	9	10	15	28	27	21	25	16	19	36	45	1						
21	26	40	50	74	94	91	81	90	56	46	67	80	2						
VI. MALADIES DU SYSTEME NERVEUX ET DES ORGANES DES SENS.																			
2	-	3	3	1	4	2	6	2	2	3	1	-	1	MENINGITE		A 72			
-	1	1	1	-	1	3	1	1	2	2	4	-	-						
2	1	4	4	1	5	5	7	3	4	5	5	-	-						
2	6	7	7	7	18	10	10	15	4	6	-	-	-	SCLEROSE EN PLAQUES		A 73			
2	5	7	16	13	12	17	15	8	7	5	1	1	-						
4	11	14	23	20	30	27	25	23	11	11	1	1	-						
19	10	13	11	8	12	10	4	6	3	5	3	2	-	EPILEPSIE		A 74			
8	5	5	8	10	4	5	11	4	5	3	5	1	-						
27	15	18	19	18	16	15	15	10	8	8	8	3	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	MALADIES INFLAMMATOIRES DE L'OEIL		A 75			
-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	CATARACTE		A 76			
-	-	-	-	-	-	-	-	-	-	1	1	-	-						
-	-	-	-	-	-	-	-	-	-	1	1	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLAUCOME		A 77			
-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2	-	-	-	1	-	-	-	-	1	1	-	-	-	OTITE MOYENNE ET MASTOIDITE		A 78			
-	-	-	-	-	-	-	2	-	-	-	-	1	-						
2	-	-	-	1	-	-	2	-	1	1	-	1	-						
14	16	7	18	23	40	56	50	73	84	82	59	56	-	AUTRE		A 79			
7	2	10	9	16	18	22	51	54	68	69	64	63	-						
21	18	17	27	39	58	78	101	127	152	151	123	119	-						
39	32	30	39	40	74	78	70	96	94	97	63	58	1	TOTAL (A72-A79)					
17	13	23	34	39	35	47	80	67	82	80	75	66	-						
56	45	53	73	79	109	125	150	163	176	177	138	124	1						
VII. MALADIES DE L'APPAREIL CIRCULATOIRE.																			
RHUMATISME ARTICULAIRE AIGU.																	A 80		
-	-	-	-	1	-	1	3	1	2	1	-	1	-	AVEC COMPLICATION CARDIAQUE (391,392.0)		A			
-	-	-	-	-	1	1	3	2	3	1	-	3	-						
-	-	-	-	-	1	-	-	-	-	-	-	-	-	AUTRE		B			
-	-	-	-	-	-	1	-	-	1	-	-	-	-						
-	-	-	-	-	1	1	-	-	1	-	-	-	-						
-	-	-	-	1	1	1	3	1	2	1	-	1	-	TOTAL (A80)					
-	-	-	-	-	1	1	-	1	2	-	-	2	-						
-	-	-	-	1	2	2	3	2	4	1	-	3	-						
5	4	11	21	45	60	57	82	92	61	43	30	19	-	CARDIOPATHIES RHUMATISMALES CHRONIQUES		A 81			
3	16	9	20	32	47	53	87	89	81	65	64	50	-						
8	20	20	41	77	107	110	169	181	142	108	94	69	-						

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1974

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, 1958-1962							AGE - AGE									
LIST NO	A	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24	
A 82 HYPERTENSIVE DISEASE.																
A	WITH HEART INVOLVEMENT ...	M 439 F 598 T 1,037	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	2 - 2	- - -	3 - 3	
B	OTHER	M 213 F 257 T 470	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
TOTAL (A82)			M 652 F 855 T 1,507	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	2 - 2	- - -	3 - 3	
A	83 ISCHAEMIC HEART DISEASE ...	M 31,354 F 20,463 T 51,817	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	2 - 2	4 - 4	5 - 8	
A	84 OTHER FORMS OF HEART DISEASE	M 2,245 F 1,910 T 4,155	- - -	- 1 1	10 10 20	10 11 21	2 4 6	- 2 2	1 - 1	- - -	- - -	5 1 6	4 6 10	13 5 18	21 5 26	
A	85 CEREBROVASCULAR DISEASE ...	M 7,764 F 8,717 T 16,481	- - -	- - -	1 3 4	1 3 4	- 1 1	1 1 2	1 - 1	- - -	- - -	3 - 3	4 6 10	11 9 20	10 12 22	
A	86 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	M 3,088 F 2,713 T 5,801	- - -	- - -	1 - 1	1 - 1	- 1 1	- - 1	1 - 1	- - -	- - -	2 1 3	1 1 2	5 1 6	6 5 11	
A	87 VENOUS THROMBOSIS AND EMBOLISM	M 552 F 545 T 1,097	- - -	- - -	1 - 1	1 - 1	- - -	- - -	- - -	- 1 1	- - -	2 - 2	1 - 1	1 2 3	4 - 9	
A	88 OTHER	M 61 F 56 T 117	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
TOTAL (A80-A88)			M 46,270 F 35,892 T 82,162	- - -	- 1 1	13 13 26	13 14 27	2 6 8	2 3 5	2 - 2	- 1 1	13 3 16	15 13 28	39 31 60	55 35 90	
VIII. DISEASES OF THE RESPIRATORY SYSTEM.																
A	89 ACUTE RESPIRATORY INFECTIONS	M 89 F 61 T 150	1 - 1	- - -	28 21 49	29 21 50	2 5 7	4 2 6	1 1 2	1 - 1	1 - 2	1 1 2	- 2 2	1 1 2	- - -	
A	90 INFLUENZA	M 231 F 210 T 441	- - -	- - -	9 2 11	9 2 11	1 2 3	- - -	1 - 1	- - -	- - -	- - -	1 - 1	1 - 1	1 2 3	
PNEUMONIA (A91, A92).																
A	91 VIRAL	M 52 F 40 T 92	2 - 2	2 3 5	20 10 30	24 13 37	4 1 5	- 1 1	- - -	- - -	- - -	- - -	- 2 2	- - -	- - -	
A	92 OTHER	M 2,852 F 2,263 T 5,115	22 15 37	10 8 18	114 76 190	146 99 245	13 17 30	8 5 13	8 2 10	3 5 8	3 5 8	6 9 15	11 6 17	13 6 19	14 15 29	
TOTAL (A91, A92)			M 2,904 F 2,303 T 5,207	24 15 39	12 11 23	134 86 220	170 112 282	17 18 35	8 6 14	8 2 10	3 5 8	6 9 15	11 8 19	13 6 19	14 15 29	
A	93 BRONCHITIS, EMPHYSEMA, AND ASTHMA	M 2,402 F 672 T 3,074	- - -	1 - 1	11 7 18	12 7 19	3 1 4	2 1 2	1 1 2	- 1 1	- 1 4	3 1 7	4 3 7	11 3 14	4 5 9	
A	94 HYPERTROPHY OF TONSILS AND ADENOIDS	M - F - T -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
A	95 EMPHYEMA AND LUNG ABSCESS	M 71 F 22 T 93	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 1	- - -	- - -	1 - 1	
A	96 OTHER	M 1,382 F 564 T 1,946	1 1 2	3 1 4	31 21 52	35 23 58	4 6 10	1 3 4	3 2 5	3 2 5	1 1 2	2 1 3	4 2 6	6 2 8	10 2 12	
TOTAL (A89-A96)			M 7,079 F 3,832 T 10,911	26 16 42	16 12 28	213 137 350	255 165 420	27 32 59	15 11 26	14 6 20	5 7 12	12 13 25	20 15 35	32 12 44	30 24 55	

TABEAU 18. DECES SUIVANT LA CAUSE, LE SEXE ET L'AGE, CANADA, 1974

AGE - AGE														CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)	MO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.		
MALADIES HYPERTENSIVES.														A 82	
-	4	4	2	10	18	28	39	46	54	67	68	94	-	AVEC COMPLICATION CARDIAQUE (400,1,400,9,402,404)	A
-	1	4	6	5	8	19	35	44	69	89	108	210	-		
-	5	8	8	15	26	47	74	90	123	156	176	304	-		
-	2	1	3	5	7	13	16	20	31	17	34	44	-	AUTRE	B
-	-	-	3	4	5	9	11	23	27	55	58	62	-		
-	2	1	6	9	12	22	27	43	58	92	92	106	-		
-	6	5	5	15	25	41	55	66	85	104	102	138	-	TOTAL (A82)	
-	1	4	9	9	13	28	46	67	96	144	166	272	-		
-	7	9	14	24	38	69	101	133	181	248	268	410	-		
22	75	224	549	1,185	1,920	2,687	3,651	4,263	4,606	4,248	3,712	4,200	1	MALADIES ISCHEMIQUES DU	A 83
13	33	100	225	413	707	1,248	1,873	2,722	3,489	3,888	5,745	1	-	COEUR	
25	88	257	649	1,410	2,333	3,394	4,899	6,136	7,328	7,737	7,600	9,945	2		
22	11	24	36	56	86	146	157	241	305	289	344	472	-	AUTRES FORMES DES	A 84
10	9	13	21	28	45	54	88	135	207	277	391	598	-	CARDIOPATHIES	
32	20	37	57	84	131	200	245	376	512	566	735	1,070	-		
15	27	48	90	129	212	347	595	828	1,136	1,278	1,410	1,617	1	MALADIES CEREYRO-VASCULAIRES	A 85
21	39	37	78	120	189	236	394	604	946	1,397	1,803	2,821	-		
36	66	85	168	249	401	583	989	1,432	2,082	2,675	3,213	4,438	1		
2	6	11	17	44	52	132	213	320	424	473	541	837	-	MALADIES DES ARTERES,	A 86
3	2	4	9	19	23	51	67	107	215	373	551	1,280	-	ARTERIOLES, ET	
5	8	15	26	63	75	183	280	427	639	846	1,092	2,117	-	CAPILLAIRES	
2	4	6	9	25	30	30	64	59	94	80	72	68	-	EMBOLIES ET THROMBOSES	A 87
5	6	6	11	18	19	25	34	59	76	88	91	99	-	VEINEUSES	
7	10	12	20	43	49	55	98	118	170	168	163	167	-		
1	1	-	1	2	4	6	8	6	5	13	5	9	-	AUTRE	A 88
1	-	3	1	2	5	4	4	3	8	9	5	11	-		
2	1	3	2	4	9	10	12	9	13	22	10	20	-		
69	134	329	728	1,502	2,390	3,447	4,828	5,876	6,718	6,529	6,216	7,361	2	TOTAL (A80-A88)	
46	86	109	249	453	755	1,159	1,968	2,938	4,353	5,842	6,959	10,876	1		
115	220	438	977	1,955	3,145	4,606	6,796	8,814	11,071	12,371	13,175	18,239	3		
VIII. MALADIES DE L'APPAREIL RESPIRATOIRE.															
3	1	-	3	-	5	3	2	7	3	6	6	11	-	AFFECTIONS AIGUES DES VOIES	A 89
1	-	-	-	-	1	-	3	3	4	1	5	8	-	RESPIRATOIRES	
4	1	-	3	-	6	3	5	10	7	9	11	19	-		
-	1	2	-	3	3	8	12	15	31	25	40	77	-	GRIPPE	A 90
1	-	2	-	3	2	3	4	13	10	26	50	90	-		
1	1	4	-	6	5	11	16	28	41	51	90	167	-		
PNEUMONIE (A91, A92).															
-	1	-	1	1	1	4	1	2	3	1	4	5	-	VIRALE	A 91
-	-	1	-	1	3	3	-	4	2	2	4	3	-		
-	1	1	1	2	4	7	1	6	5	3	8	8	-		
11	13	23	28	49	59	100	142	203	285	382	496	837	2	AUTRE	A 92
6	14	11	24	25	39	45	68	96	158	269	389	955	2		
17	27	34	52	74	98	145	210	299	443	651	885	1,792	2		
11	14	23	29	50	60	104	143	205	288	383	500	842	2	TOTAL (A91, A92)	
6	14	12	24	26	42	48	68	100	160	271	393	958	2		
17	28	35	53	76	102	152	211	305	448	654	893	1,800	2		
4	6	6	20	37	81	144	272	387	442	381	341	241	-	BRONCHITE, EMPHYSEME, ET ...	A 93
5	5	8	14	28	44	58	82	84	73	93	68	88	-	ASTHME	
9	11	14	34	65	125	202	354	471	515	474	409	329	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	HYPERTROPHIE DES AMYGDALES	A 94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	ET DES VEGETATIONS	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	ADENOIDES	
-	-	3	1	1	6	12	6	12	10	6	5	8	-	PLEUREISIE PURULENTE ET ABCES	A 95
-	-	-	-	-	3	1	4	2	2	2	4	1	-	DU POUMON	
-	-	3	1	4	7	16	8	14	12	8	9	9	-		
4	7	8	20	36	51	70	131	198	223	211	182	175	-	AUTRE	A 96
5	6	6	8	15	26	24	52	62	57	88	74	99	-		
9	13	14	28	51	77	94	183	260	280	299	256	274	-		
22	29	42	73	127	206	341	566	824	997	1,012	1,074	1,354	2	TOTAL (A89-A96)	
18	25	28	46	75	116	137	211	264	306	483	594	1,244	-		
40	54	70	119	202	322	478	777	1,088	1,303	1,495	1,668	2,598	2		

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1974

			AGE - AGE													
LIST NO	A	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24	
IX. DISEASES OF THE DIGESTIVE SYSTEM.																
A 97		DISEASES OF TEETH AND SUPPORTING STRUCTURES	M F T	4 2 6	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	- - 2	1 1 2	- - -	- - -	
A 98		PEPTIC ULCER	M F T	514 276 790	2 - 2	1 - 1	3 1 4	- - -	- - -	- - -	- - -	1 - 1	- - -	2 - 2	4 - 4	
A 99		GASTRITIS AND DUODENITIS	M F T	24 17 41	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
A 100		APPENDICITIS	M F T	54 29 83	- - -	- - -	- - -	- - -	- - -	1 - 1	- - -	2 - 2	- 1 1	- - -	- - -	
A 101		INTESTINAL OBSTRUCTION AND HERNIA	M F T	310 343 653	23 15 38	- 1 1	5 4 9	28 20 48	1 - 1	1 - 1	- 1 1	2 - 3	1 1 2	2 1 3	1 3 4	
A 102		CIRRHOSIS OF LIVER	M F T	1,802 816 2,618	- - -	- - -	3 5 8	3 5 8	- 1 1	1 - 1	- - -	2 - 2	2 2 4	1 1 2	4 3 7	
A 103		CHOLELITHIASIS AND CHOLECYSTITIS	M F T	215 253 468	- - -	- - -	- 1 1	- 1 1	- - -	- - -	- - -	- - -	- - -	1 - 1	1 2 3	
A 104		OTHER	M F T	790 727 1,517	3 - 3	- 3 3	7 6 13	10 9 19	3 1 4	- - -	- 1 1	1 3 4	8 - 5	9 1 3	21 7 18	
TOTAL (A97-A104)			M F T	3,713 2,463 6,176	28 15 43	1 4 5	15 17 32	44 36 80	4 2 6	2 - 2	1 2 3	1 - 1	8 4 12	9 5 14	8 3 15	21 15 36
X. DISEASES OF THE GENITO-URINARY SYSTEM.																
A 105		ACUTE NEPHRITIS	M F T	26 19 45	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	1 - 1	1 - 2	
A 106		OTHER NEPHRITIS AND NEPHROSIS	M F T	287 229 516	- - -	- - -	- 3 3	- 3 3	- - -	- - -	- - -	- - -	- 3 3	2 1 3	6 3 9	
A 107		INFECTIONS OF KIDNEY	M F T	208 183 391	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	2 2 2	1 - -	- - -	- - -	
A 108		CALCULUS	M F T	24 25 49	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	
A 109		HYPERPLASIA OF PROSTATE	M	167	-	-	-	-	-	-	-	-	-	-	-	
A 110		BREAST	M F T	- 2 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
A 111		OTHER	M F T	449 343 792	1 - 1	- - 4	2 2 5	3 2 5	3 - 3	- - -	- - -	- 2 2	- 1 1	3 4 6	4 2 12	
TOTAL (A105-A111)			M F T	1,161 801 1,962	1 - 1	- - 7	2 5 7	3 5 8	3 - 3	- - -	- - -	- 1 1	2 5 7	6 2 8	12 6 18	
XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.																
A 112		TOXAEMIAS	F	4	-	-	-	-	-	-	-	-	-	1	2	
A 113		HAEMORRHAGE	F	8	-	-	-	-	-	-	-	-	-	1	1	
A 114		ABORTION INDUCED FOR LEGAL INDICATIONS	F	1	-	-	-	-	-	-	-	-	-	1	-	
A 115		OTHER AND UNSPECIFIED ABORTION	F	2	-	-	-	-	-	-	-	-	-	-	-	
A 116		SEPSIS	F	9	-	-	-	-	-	-	-	-	-	-	2	
A 117		OTHER COMPLICATIONS	F	11	-	-	-	-	-	-	-	-	-	-	-	

TABLEAU 18. DECES SUIVANT LA CAUSE, LE SEXE ET L'AGE, CANADA, 1974

AGE - AGE														CAUSES DE DECES		MO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.	LISTE INTERMEDIAIRE A (HUITIEME REVISION)		
IX. MALADIES DE L'APPAREIL DIGESTIF.																
-	-	-	-	-	-	1	-	-	-	-	1	-	-	MALADIES DES DENTS ET DU ...	A 97	
-	-	-	-	-	-	1	-	-	-	-	1	-	-	PARODONTE		
2	4	7	12	22	29	43	56	69	71	61	62	66	-	ULCERE DE L'ESTOMAC ET DU	A 98	
2	1	2	4	8	12	17	21	26	36	39	41	66	-	DUODENUM		
4	5	9	16	30	41	60	77	95	107	100	103	132	-			
1	-	-	2	1	3	2	4	2	2	-	5	2	-	GASTRITE ET DUODENITE	A 99	
-	-	1	1	-	1	1	1	3	3	1	3	2	-			
1	-	1	3	1	4	3	5	5	5	1	8	4	-			
1	3	1	2	2	3	5	3	5	7	8	5	6	-	APPENDICITE	A 100	
-	2	1	-	-	2	-	2	2	4	6	2	7	-			
1	5	2	2	2	5	5	5	7	11	14	7	13	-			
3	3	3	4	6	16	15	26	31	31	36	39	61	-	OCCLUSION INTESTINALE ET ...	A 101	
1	3	1	6	5	12	14	17	24	45	50	64	74	-	HERNIE		
4	6	4	10	11	28	29	43	55	76	86	103	135	-			
10	30	64	143	228	289	270	272	237	141	57	31	17	-	CIRRHOSE DU FOIE	A 102	
15	14	35	53	88	123	103	112	101	66	49	30	15	-			
25	44	99	196	316	412	373	384	338	207	106	61	32	-			
-	-	2	4	7	9	15	15	33	30	29	40	29	-	LITHIASSE BILIAIRE ET	A 103	
2	3	1	1	3	10	14	13	23	22	34	40	84	-	CHOLECYSTITE		
2	3	3	5	10	19	29	28	56	52	63	80	113	-			
7	6	11	20	41	52	70	74	83	114	88	90	102	-	AUTRE	A 104	
8	8	21	13	28	31	29	54	55	88	94	109	167	-			
15	14	32	33	69	83	99	128	138	202	182	199	269	-			
24	46	88	187	307	401	421	450	460	396	279	273	283	-	TOTAL (A97-A104).		
28	31	62	78	132	191	178	220	234	264	273	290	415	-			
52	77	150	265	439	592	599	670	694	660	552	563	698	-			
X. MALADIES DES ORGANES GENITO-URINAIRES.																
1	-	-	-	1	1	2	-	4	1	2	4	7	-	NEPHRITE AIGUE	A 105	
-	-	-	1	-	-	3	-	2	2	7	-	3	-			
1	-	-	1	1	1	5	-	6	3	9	4	10	-			
6	6	6	8	7	16	18	28	24	44	33	37	46	-	AUTRES FORMES DE NEPHRITE	A 106	
7	-	2	5	11	9	16	14	24	32	25	35	39	-	ET NEPHROSE		
13	6	8	13	18	25	34	42	48	76	58	72	85	-			
-	1	3	1	3	2	13	9	23	31	33	45	43	-	INFECTIONS RENALES	A 107	
-	2	1	2	2	5	3	15	16	17	30	40	46	-			
-	3	4	3	5	7	16	24	39	48	63	85	89	-			
-	-	-	-	1	-	1	2	3	4	3	3	6	-	CALCULS	A 108	
-	-	-	-	1	-	3	3	3	2	4	5	4	-			
-	-	-	-	2	-	4	5	6	6	7	8	10	-			
-	-	-	-	-	-	1	2	12	22	27	39	64	-	HYPERTROPHIE DE LA PROSTATE	A 109	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	SEIN	A 110	
-	-	-	-	-	-	1	-	-	-	1	-	-	-			
-	-	-	-	-	-	1	-	-	-	1	-	-	-			
1	6	1	4	8	20	21	23	45	55	52	84	116	-	AUTRE	A 111	
3	4	4	8	11	17	14	16	28	42	34	62	92	-			
4	10	5	12	19	37	35	39	73	97	86	146	208	-			
8	13	10	13	20	39	56	64	111	157	150	212	282	-	TOTAL (A105-A111).		
10	6	7	16	25	31	40	48	73	95	101	142	184	-			
18	19	17	29	45	70	96	112	184	252	251	354	466	-			
XI. COMPLICATIONS DE LA GROSSESSE, DE L'ACCOUCHEMENT ET DES SUITES DE COUCHES.																
-	-	1	-	-	-	-	-	-	-	-	-	-	-	TOXEMIES	A 112	
3	2	1	-	-	-	-	-	-	-	-	-	-	-	HEMORRAGIE	A 113	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENTS PROVOQUES POUR RAISONS LEGALES	A 114	
1	-	1	-	-	-	-	-	-	-	-	-	-	-	AVORTEMENTS AUTRES OU SANS PRECISION	A 115	
2	1	3	-	1	-	-	-	-	-	-	-	-	-	INFECTIONS	A 116	
5	1	1	-	-	-	-	-	-	-	-	1	-	-	AUTRES COMPLICATIONS	A 117	

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1974

LIST NO	A	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	AGE - AGE													
				-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24		
A 118		DELIVERY WITHOUT MENTION OF COMPLICATION	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		TOTAL (A112-A118).	F	35	-	-	-	-	-	-	-	-	-	-	-	3	8
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.																	
A 119		INFECTIONS	M	21	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	22	-	-	-	-	-	-	-	-	-	-	1	-	-
			T	43	-	-	-	-	-	-	-	-	-	-	1	-	-
A 120		OTHER	M	26	1	-	1	2	-	-	-	1	-	-	-	-	-
			F	41	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	67	1	-	1	2	-	-	-	1	-	-	-	-	-
		TOTAL (A119,A120).	M	47	1	-	1	2	-	-	-	1	-	-	-	-	-
			F	63	-	-	-	-	-	-	-	-	-	-	1	-	-
			T	110	1	-	1	2	-	-	-	1	-	1	-	-	-
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.																	
A 121		ARTHRITIS AND SPONDYLITIS	M	106	-	-	-	-	-	-	-	-	-	1	1	-	-
			F	205	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	311	-	-	-	-	-	-	-	-	-	1	1	-	-
A 122		RHEUMATISM	M	8	-	-	-	-	-	-	-	-	-	1	-	-	1
			F	8	-	-	-	-	-	-	-	-	-	-	-	-	-
			T	16	-	-	-	-	-	-	-	-	-	1	-	-	1
A 123		OSTEOMYELITIS AND PERIOSTITIS	M	10	-	-	-	-	-	-	-	-	-	-	-	1	-
			F	12	-	-	-	-	-	-	-	-	-	-	1	-	-
			T	22	-	-	-	-	-	-	-	-	-	-	1	1	-
A 124		ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	M	9	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	18	-	-	-	-	-	-	-	-	-	-	-	-	1
			T	27	-	-	-	-	-	-	-	-	-	-	-	-	1
A 125		OTHER	M	84	-	-	1	1	-	-	-	-	1	1	2	-	-
			F	155	1	-	1	2	-	-	-	-	-	2	2	8	8
			T	239	1	-	2	3	-	-	-	-	1	3	4	8	8
		TOTAL (A121-A125).	M	217	-	-	1	1	-	-	-	-	3	2	3	1	1
			F	398	1	-	1	2	-	-	-	-	3	3	2	9	9
			T	615	1	-	2	3	-	-	-	-	3	5	5	10	10
XIV. CONGENITAL ANOMALIES.																	
A 126		SPINA BIFIDA	M	67	19	14	27	60	3	1	-	-	1	-	1	1	1
			F	81	27	12	29	68	2	1	3	-	3	1	-	1	-
			T	148	46	26	56	128	5	2	3	-	4	1	1	2	-
A 127		OF HEART	M	321	92	43	74	209	19	6	3	3	12	6	13	9	9
			F	253	50	27	74	151	14	5	6	6	13	4	10	5	5
			T	574	142	70	148	360	33	11	9	9	25	10	23	14	14
A 128		OTHER ANOMALIES OF CIRCULATORY SYSTEM	M	67	18	16	8	42	4	2	-	-	1	3	2	2	2
			F	56	6	13	16	35	-	-	1	1	-	3	2	-	-
			T	123	24	29	24	77	4	2	1	1	1	6	4	2	2
A 129		CLEFT PALATE AND CLEFT LIP	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	2	1	-	1	2	-	-	-	-	-	-	-	-	-
			T	2	1	-	1	2	-	-	-	-	-	-	-	-	-
A 130		OTHER	M	471	212	38	86	336	17	11	9	5	14	9	6	8	8
			F	400	208	27	66	301	16	9	3	4	13	5	8	4	4
			T	871	420	65	152	637	33	20	12	9	27	14	14	12	12
		TOTAL (A126-A130).	M	926	341	111	195	647	43	20	12	8	28	18	22	20	20
			F	792	292	79	186	557	32	15	13	11	29	13	20	10	10
			T	1,718	633	190	381	1,204	75	35	25	19	57	31	42	30	30
XV. CERTAIN CAUSES OF PERINATAL MORTALITY.																	
A 131		BIRTH INJURY AND DIFFICULT LABOUR	M	120	106	14	-	120	-	-	-	-	-	-	-	-	-
			F	86	78	8	-	86	-	-	-	-	-	-	-	-	-
			T	206	184	22	-	206	-	-	-	-	-	-	-	-	-
A 132		CONDITIONS OF PLACENTA AND CORD	M	116	114	2	-	116	-	-	-	-	-	-	-	-	-
			F	103	101	2	-	103	-	-	-	-	-	-	-	-	-
			T	219	215	4	-	219	-	-	-	-	-	-	-	-	-
A 133		HAEMOLYTIC DISEASE OF NEWBORN	M	16	14	2	-	16	-	-	-	-	-	-	-	-	-
			F	19	18	1	-	19	-	-	-	-	-	-	-	-	-
			T	35	32	3	-	35	-	-	-	-	-	-	-	-	-

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1974

LIST A NO	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	AGE - AGE				AGE - AGE							
			~7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN	1	2	3	4	5-9	10-14	15-19	20-24
A 134	ANOXIC AND HYPOXIC	617	563	42	12	617	-	-	-	-	-	-	-	-
	CONDITIONS NOT ELSEWHERE	421	371	41	9	421	-	-	-	-	-	-	-	-
	CLASSIFIED	1,038	934	83	21	1,038	-	-	-	-	-	-	-	-
A 135	OTHER	516	493	21	2	516	-	-	-	-	-	-	-	-
		437	423	11	3	437	-	-	-	-	-	-	-	-
		953	916	32	5	953	-	-	-	-	-	-	-	-
TOTAL (A131-A135)		1,385	1,290	81	14	1,385	-	-	-	-	-	-	-	-
		1,066	991	63	12	1,066	-	-	-	-	-	-	-	-
		2,451	2,281	144	26	2,451	-	-	-	-	-	-	-	-
XVI. SYMPTOMS AND ILL- DEFINED CONDITIONS.														
A 136	SENILITY WITHOUT MENTION OF PSYCHOSIS	94	-	-	-	-	-	-	-	-	-	-	-	-
		211	-	-	-	-	-	-	-	-	-	-	-	-
		305	-	-	-	-	-	-	-	-	-	-	-	-
A 137	SYMPTOMS AND OTHER ILL- DEFINED CONDITIONS	753	3	18	246	267	7	1	1	2	1	4	9	11
		534	5	9	146	160	2	1	1	-	2	2	3	10
		1,287	8	27	392	427	9	2	2	2	3	6	12	21
TOTAL (A136,A137)		847	3	18	246	267	7	1	1	2	1	4	9	11
		745	5	9	146	160	2	1	1	-	2	2	3	10
		1,592	8	27	392	427	9	2	2	2	3	6	12	21
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE. EXVII. EXTERNAL CAUSE.														
ACCIDENTS (AE138-AE146).														
AE 138 MOTOR VEHICLE ACCIDENTS.														
A	TRAFFIC (E810-E819)	4,536	-	1	8	9	10	19	26	32	187	172	976	924
		1,689	1	1	14	16	16	14	19	16	121	118	329	187
		6,225	1	2	22	25	26	33	45	48	308	290	1,305	1,111
B	NON-TRAFFIC (E820-E823)	71	-	-	-	-	7	1	1	-	3	4	11	9
		29	-	-	-	-	8	2	-	2	1	-	5	3
		100	-	-	-	-	15	3	1	2	4	4	16	12
TOTAL (AE138)		4,607	-	1	8	9	17	20	27	32	190	176	987	933
		1,718	1	1	14	16	24	16	19	18	122	118	334	190
		6,325	1	2	22	25	41	36	46	50	312	294	1,321	1,123
AE 139 OTHER TRANSPORT ACCIDENTS.														
A	DROWNINGS INVOLVING	291	-	-	-	-	-	-	-	-	5	10	60	41
	SMALL BOATS (E830.0, E832.0)	16	-	-	-	-	-	-	-	-	-	1	3	3
		307	-	-	-	-	-	-	-	-	5	11	63	44
B	DROWNINGS INVOLVING OTHER	16	-	-	-	-	-	-	-	1	-	-	1	2
	WATERCRAFT (E830.1- E830.9,E832.1-E832.9)	16	-	-	-	-	-	-	-	1	-	-	1	2
		16	-	-	-	-	-	-	-	-	-	-	-	-
C	OTHER TRANSPORT	271	-	-	-	-	-	1	-	1	6	12	28	49
		38	-	-	1	1	-	-	-	-	2	5	7	7
		309	-	-	1	1	-	1	-	1	8	17	35	56
TOTAL (AE139)		578	-	-	-	-	-	1	-	2	11	22	89	92
		54	-	-	1	1	-	-	-	-	2	6	10	10
		632	-	-	1	1	-	1	-	2	13	28	99	102
AE 140	ACCIDENTAL POISONING	452	-	-	2	2	4	2	1	2	1	6	43	57
		243	-	-	2	2	3	2	2	-	1	5	22	27
		695	-	-	4	4	7	4	3	2	2	11	65	84
AE 141	ACCIDENTAL FALLS	957	-	-	5	5	7	-	2	-	5	12	19	18
		874	-	-	3	3	4	3	1	-	2	4	4	7
		1,831	-	-	8	8	11	3	3	-	7	16	23	25
AE 142	ACCIDENTS CAUSED BY	492	-	-	11	11	11	17	18	13	33	20	16	27
	FIRES	313	-	-	11	11	9	10	11	10	24	14	10	21
		805	-	-	22	22	20	27	29	23	57	34	26	48
AE 143	ACCIDENTAL DROWNING	600	-	-	3	3	12	22	19	17	48	51	101	70
		112	-	-	1	1	10	10	5	3	14	10	4	4
		712	-	-	4	4	22	32	24	20	62	61	105	74
AE 144	ACCIDENT CAUSED BY	114	-	-	-	-	-	-	-	1	6	27	29	11
	FIREARM MISSILES	8	-	-	1	1	-	-	-	1	2	1	2	-
		122	-	-	1	1	-	-	-	2	8	28	31	11
AE 145	ACCIDENTS MAINLY OF	816	-	-	3	3	3	2	7	6	13	36	105	83
	INDUSTRIAL TYPE	66	-	-	1	1	4	3	1	1	7	6	9	5
		882	-	-	4	4	7	5	8	7	20	42	114	88

TABLEAU 18. DECES SUIVANT LA CAUSE, LE SEXE ET L'AGE, CANADA, 1974

AGE - AGE														CAUSES DE DECES		NO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.	LISTE INTERMEDIAIRE A (HUITIEME REVISION)		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AFFECTIIONS ANOXEMIQUES ET HYPOXENIQUES, NON CLASSEES AILLEURS	A 134
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AUTRE	A 135
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	TOTAL (A131-A135).....	
XVI. SYMPTOMES ET ETATS MORBIDES MAL DEFINIS.																
-	-	-	-	-	-	-	-	1	2	4	16	71	-	-	SENILITE, SANS MENTION DE PSYCHOSE	A 136
-	-	-	-	-	-	-	-	-	4	13	38	156	-	-		
-	-	-	-	-	-	-	-	1	6	17	54	227	-	-		
8	8	10	23	34	30	24	44	41	47	45	57	77	2	-	SYMPTOMES ET AUTRES ETATS MORBIDES MAL DEFINIS	A 137
6	5	7	16	23	16	19	15	34	25	38	42	106	1	-		
14	13	17	39	57	46	43	59	75	72	83	99	183	3	-		
8	8	10	23	34	30	24	44	42	49	49	73	148	2	-	TOTAL (A136,A137).....	
6	5	7	16	23	16	19	15	34	29	51	80	262	1	-		
13	13	17	39	57	46	43	59	76	78	100	153	410	3	-		
XVII. ACCIDENTS, EMPOISONNEMENTS ET TRAUMATISMES. EXVII. CAUSE EXTERIEURE.																
ACCIDENTS (AE138-AE146).																
ACCIDENTS DE VEHICULE A MOTEUR.																
425	270	223	195	175	189	150	158	144	97	82	51	22	-	-	DE LA CIRCULATION (E810-E819)	A
122	75	59	71	65	79	76	57	70	73	58	33	15	-	-		
547	345	282	266	240	268	226	215	214	170	140	84	37	-	-		
3	3	4	3	5	1	5	4	3	2	1	1	-	-	-	HORS DE LA VOIE PUBLIQUE (E820-E823)	B
1	-	1	2	2	-	1	-	-	-	-	-	-	-	-		
4	3	5	5	7	1	6	4	3	2	1	2	-	-	-		
428	273	227	198	180	190	155	162	147	99	83	52	22	-	-	TOTAL (AE138).....	
123	75	60	73	67	79	77	57	70	73	58	34	15	-	-		
551	348	287	271	247	269	232	219	217	172	141	86	37	-	-		
AUTRES ACCIDENTS DE TRANSPORT																
35	27	34	14	18	17	12	7	6	4	1	-	-	-	-	SUBMERSION D'UN OCCUPANT D'UNE PETITE EMBARCATION (E830.0,E832.0)	A
3	2	1	-	-	2	1	-	-	-	-	-	-	-	-		
38	29	35	14	18	19	13	7	6	4	1	-	-	-	-		
2	2	3	-	3	1	1	-	-	-	-	-	-	-	-	SUBMERSION DE TOUTE AUTRE EMBARCATION (E830.1-E832.9)	B
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	2	3	-	3	1	1	-	-	-	-	-	-	-	-		
36	24	20	22	26	17	16	8	-	1	3	-	1	-	-	AUTRE	C
6	1	1	2	-	2	1	-	1	1	-	1	-	-	-		
42	25	21	24	26	19	17	8	1	2	3	1	1	-	-		
73	53	57	36	47	35	29	15	6	5	4	-	1	-	-	TOTAL (AE139).....	
9	3	2	2	-	4	2	-	1	1	-	1	-	-	-		
82	56	59	38	47	39	31	15	7	6	4	1	1	-	-		
58	35	34	36	42	37	29	29	17	8	3	2	4	-	-	EMPOISONNEMENTS ACCIDENTELS	AE 140
15	17	19	18	32	21	16	13	14	7	1	5	1	-	-		
73	52	53	54	74	58	45	42	31	15	4	7	5	-	-		
22	18	24	35	48	51	68	65	67	77	92	105	217	-	-	CHUTES ACCIDENTELLES	AE 141
4	5	3	9	9	17	14	26	34	56	109	169	391	-	-		
26	23	27	44	57	68	82	91	101	133	201	274	608	-	-		
30	27	17	17	31	25	30	42	30	17	24	19	16	1	-	ACCIDENTS CAUSES PAR L'INCENDIE OU LE FEU	AE 142
11	8	10	8	18	21	17	30	16	17	13	11	13	-	-		
41	35	27	25	49	46	47	72	46	34	37	30	29	1	-		
43	29	25	26	24	24	22	20	19	7	7	6	3	2	-	NOYADE ACCIDENTELLE	AE 143
6	2	8	2	6	7	4	6	2	1	3	2	1	-	-		
49	31	33	28	30	31	26	26	21	8	10	8	4	1	-		
5	7	6	2	3	4	3	5	3	1	-	-	1	-	-	ACCIDENTS CAUSES PAR PROJECTILES D'ARMES A FEU	AE 144
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
5	7	6	3	3	4	3	5	3	1	-	-	1	-	-		
104	65	61	69	63	55	39	47	25	17	7	4	2	-	-	ACCIDENTS SURVENANT PRINCIPALEMENT DANS L'INDUSTRIE	AE 145
3	1	-	1	2	3	4	3	2	2	2	2	4	-	-		
107	66	61	70	65	58	43	50	27	19	9	6	6	-	-		

TABLE 18. DEATHS BY CAUSE, AGE AND SEX, CANADA, 1974

LIST A NO	CAUSE OF DEATH INTERMEDIATE LIST A (EIGHTH REVISION)	TOTAL	AGE - AGE				1	2	3	4	5-9	10-14	15-19	20-24
			-7 DAYS JOURS	7-27 DAYS JOURS	28+ DAYS JOURS	TOTAL -1 YEAR-AN								
AE 146 ALL OTHER ACCIDENTS	M	625	-	1	90	91	15	6	9	1	7	19	37	25
	F	316	2	2	61	65	5	4	4	-	6	9	12	9
	T	941	2	3	151	156	20	10	13	1	13	28	49	34
TOTAL (AE138-AE146)	M	9,241	-	2	122	124	69	70	83	74	314	369	1,426	1,316
	F	3,704	3	3	95	101	59	48	43	33	180	173	407	273
	T	12,945	3	5	217	225	128	118	126	107	494	542	1,833	1,589
AE 147 SUICIDE	M	2,103	-	-	-	-	-	-	-	-	-	13	209	319
	F	799	-	-	-	-	-	-	-	-	-	4	36	68
	T	2,902	-	-	-	-	-	-	-	-	-	17	245	387
AE 148 HOMICIDE; LEGAL INTERVENTION	M	350	1	-	5	6	7	4	1	1	8	4	31	58
	F	201	-	-	6	6	5	3	3	1	3	5	20	30
	T	551	1	-	11	12	12	7	4	2	11	9	51	88
AE 149 INJURY UNDETERMINED IF ACCIDENTALLY OR PUR- POSELY INFLICTED	M	274	-	-	-	-	3	-	1	-	1	5	22	27
	F	188	-	-	2	2	-	-	3	-	1	-	13	16
	T	462	-	-	2	2	3	-	4	-	2	5	35	43
AE 150 WAR INJURIES	M	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	1	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL (AE138-AE150)	M	11,969	1	2	127	130	79	74	85	75	323	391	1,688	1,720
	F	4,892	3	3	103	109	64	51	49	34	184	182	476	387
	T	16,861	4	5	230	239	143	125	134	109	507	573	2,164	2,107
NXVII. NATURE OF INJURY.														
AN 138 FRACTURE OF SKULL	M	2,772	-	1	4	5	6	9	12	14	98	81	602	569
	F	1,019	-	1	3	4	8	7	9	10	71	59	188	115
	T	3,791	-	2	7	9	14	16	21	24	169	140	790	684
AN 139 FRACTURE OF SPINE AND TRUNK	M	859	-	-	-	-	-	1	-	2	9	18	80	80
	F	678	-	-	1	1	-	-	-	-	1	5	9	9
	T	1,537	-	-	1	1	-	1	-	2	10	23	89	89
AN 140 FRACTURE OF LIMBS	M	3,168	-	-	10	10	18	14	21	22	106	125	505	515
	F	1,134	1	-	17	18	24	13	13	8	60	69	180	111
	T	4,302	1	-	27	28	42	27	34	30	166	194	685	626
AN 141 DISLOCATION WITHOUT FRACTURE	M	309	-	-	3	3	7	-	1	-	3	7	14	10
	F	160	-	-	2	2	2	2	1	-	1	1	3	4
	T	469	-	-	5	5	9	2	2	-	4	8	17	14
AN 142 SPRAINS AND STRAINS	M	492	-	-	11	11	11	17	18	13	33	20	16	27
	F	313	-	-	11	11	9	10	11	10	24	14	10	21
	T	805	-	-	22	22	20	27	29	23	57	34	26	48
AN 143 INTRACRANIAL INJURY EXCLUDING SKULL FRACTURE	M	599	-	-	3	3	12	22	19	17	48	51	101	69
	F	112	-	-	1	1	10	10	5	3	14	10	4	4
	T	711	-	-	4	4	22	32	24	20	62	61	105	73
AN 144 INTERNAL INJURY	M	98	-	-	-	-	-	-	-	1	5	24	27	7
	F	5	-	-	-	-	-	-	-	1	2	1	-	-
	T	103	-	-	-	-	-	-	-	2	7	25	27	7
AN 145 OPEN WOUNDS	M	598	-	-	2	2	2	1	3	4	5	27	65	63
	F	44	-	-	1	1	1	3	-	1	2	5	6	4
	T	642	-	-	3	3	3	4	3	5	7	32	71	67
AN 146 SUPERFICIAL INJURY, CON- TUSION, AND CRUSHING WITH INTACT SKIN SURFACE	M	600	-	1	90	91	15	6	9	1	7	19	36	23
	F	299	2	2	61	65	5	4	4	-	6	9	12	8
	T	899	2	3	151	156	20	10	13	1	13	28	48	31
AN 147 FOREIGN BODY ENTERING THROUGH ORIFICE	M	1,916	-	-	-	-	-	-	-	-	-	11	190	283
	F	777	-	-	-	-	-	-	-	-	-	4	36	66
	T	2,693	-	-	-	-	-	-	-	-	-	15	226	349
AN 148 BURN	M	291	1	-	4	5	6	4	1	1	8	3	30	48
	F	171	-	-	4	4	5	2	3	1	3	5	17	30
	T	462	1	-	8	9	11	6	4	2	11	8	47	78
AN 149 EFFECTS OF CHEMICAL SUBSTANCES	M	266	-	-	-	-	2	-	1	-	1	5	22	26
	F	180	-	-	2	2	-	-	3	-	-	-	11	15
	T	446	-	-	2	2	2	-	4	-	1	5	33	41
AN 150 OTHER	M	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
	T	1	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL (AN138-AN150)	M	11,969	1	2	127	130	79	74	85	75	323	391	1,688	1,720
	F	4,892	3	3	103	109	64	51	49	34	184	182	476	387
	T	16,861	4	5	230	239	143	125	134	109	507	573	2,164	2,107
ALL CAUSES.	M	96,575	1,726	247	973	2,946	212	188	148	114	504	599	1,977	2,041
	F	70,219	1,343	190	713	2,246	180	102	103	73	326	340	655	6,047
	T	166,794	3,069	437	1,686	5,192	392	250	251	187	830	939	2,632	2,688

TABLEAU 18. DECES SUIVANT LA CAUSE, LE SEXE ET L'AGE, CANADA, 1978

AGE - AGE															CAUSES DE DECES LISTE INTERMEDIAIRE A (HUITIEME REVISION)		NO. DE LA LISTE A
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	N.S.				
30	18	20	44	44	41	37	43	42	35	22	17	22	-	TOUTES AUTRES CAUSES	AE 146		
6	12	10	9	17	19	16	23	24	13	12	18	21	-	ACCIDENTELLES			
38	30	30	53	61	60	53	66	66	48	34	35	43	-				
793	525	471	463	482	462	412	428	356	266	242	205	288	3	TOTAL (AE138-AE146).	AE 147		
179	123	112	123	151	171	150	158	163	170	198	242	446	1				
972	648	583	586	633	633	562	586	519	436	440	447	734	4				
234	160	165	188	174	180	122	105	88	79	35	16	15	1	SUICIDE	AE 148		
67	81	81	70	86	94	67	53	41	22	9	6	3	-				
326	227	246	258	260	274	189	158	129	101	44	22	18	1				
48	24	30	32	27	19	14	15	9	4	4	2	2	-	HOMICIDE; INTERVENTION DE LA	AE 149		
17	30	10	12	12	12	8	8	7	2	-	4	3	-	FORCE PUBLIQUE			
65	54	40	44	39	31	22	23	16	6	4	6	5	-				
28	17	29	28	22	28	21	22	6	7	4	2	1	-	LESIONS CAUSEES D'UNE	AE 150		
17	15	21	13	25	14	19	15	4	6	-	1	2	1	MANIERE INDETERMINEE			
45	32	50	41	47	42	40	37	10	13	4	3	3	1	QUANT A L'INTENTION			
-	-	-	-	-	-	-	-	-	-	-	1	-	-	BLESSURES DE GUERRE	AE 150		
-	-	-	-	-	-	-	-	-	-	-	-	-	-				
-	-	-	-	-	-	-	-	-	-	-	1	-	-				
1,103	726	695	711	705	689	569	570	459	356	285	226	306	4	TOTAL (AE138-AE150).	NXVII. NATURE.		
305	235	224	218	274	291	244	234	215	200	207	253	454	2				
1,408	961	919	929	979	980	813	804	674	556	492	479	760	6				
252	164	140	128	114	124	106	97	98	62	48	31	12	-	FRACTURES DU CRANE	AN 138		
74	50	36	46	44	53	50	40	42	47	34	23	9	-				
326	214	176	174	158	177	156	137	140	109	82	54	21	-				
68	49	54	28	41	33	32	18	21	29	55	66	175	-	FRACTURES DE LA COLONNE	AN 139		
9	3	3	2	4	9	14	41	87	135	341	516	-	-	VERTEBRALE ET DU TRONC			
77	52	57	30	41	38	36	27	35	70	142	201	516	-				
315	194	188	179	170	162	130	155	106	88	64	42	39	-	FRACTURES DES MEMBRES	AN 140		
75	52	46	52	67	55	52	40	58	41	37	33	30	-				
390	246	234	231	237	217	182	195	164	129	101	75	69	-				
12	7	13	12	27	27	30	26	26	21	18	23	22	-	LUXATIONS SANS FRACTURE	AN 141		
4	1	2	7	7	12	6	12	10	10	15	23	35	-				
16	8	15	19	34	39	36	38	36	31	33	46	57	-				
30	27	17	17	31	25	30	42	30	17	24	19	16	1	ENTORSES ET FOULURES	AN 142		
11	8	10	8	18	21	17	30	16	17	13	11	13	-				
41	35	27	25	49	46	47	72	46	34	37	30	29	1				
43	29	25	26	24	24	22	20	19	7	7	6	3	2	TRAUMATISMES INTERCRANIENS	AN 143		
6	2	8	2	6	7	4	6	2	1	3	2	1	1	SAUF FRACTURES DU CRANE			
49	31	33	28	30	31	26	26	21	8	10	8	4	3				
5	6	5	1	3	4	3	4	2	1	-	-	-	-	TRAUMATISMES INTERNES	AN 144		
-	-	-	1	-	-	-	-	-	-	-	-	-	-				
5	6	5	2	3	4	3	4	2	1	-	-	-	-				
76	53	42	51	49	42	33	34	20	14	7	3	2	-	DECHIRURES ET PLAIES	AN 145		
1	1	-	-	2	3	4	2	2	2	-	2	2	-				
77	54	42	51	51	45	37	36	22	16	7	5	4	-				
29	16	17	39	42	40	35	43	42	33	21	16	20	-	TRAUMATISMES SUPERFICIELS,	AN 146		
6	12	10	8	17	19	16	23	22	12	9	15	17	-	CONTUSIONS, ET ECRASEMENTS			
35	28	27	47	59	59	51	66	64	45	30	31	37	-	SANS PLAIES			
207	147	144	176	161	164	114	96	82	75	34	16	15	1	CORPS ETRANGER PENETRANT ...	AN 147		
88	64	78	69	82	92	67	51	40	22	9	6	3	-	PAR UN ORIFICE NATUREL			
295	211	222	245	243	256	181	147	122	97	43	22	18	1				
38	17	22	27	22	17	13	14	8	2	3	1	1	-	BRULURES	AN 148		
14	27	10	10	7	11	6	6	5	1	-	2	2	-				
52	44	32	37	29	28	19	20	13	3	3	3	3	-				
28	17	28	27	21	27	21	21	5	7	4	2	1	-	EFFETS DES SUBSTANCES	AN 149		
17	15	21	13	24	13	18	15	4	6	-	1	1	1	CHIMIQUES			
45	32	49	40	45	40	39	36	9	13	4	3	2	1				
-	-	-	-	-	-	-	-	-	-	-	1	-	-	AUTRE	AN 150		
-	-	-	-	-	-	-	-	-	-	-	-	-	-				
-	-	-	-	-	-	-	-	-	-	-	1	-	-				
1,103	726	695	711	705	689	569	570	459	356	285	226	306	4	TOTAL (AN138-AN150).	TOUTES LES CAUSES.		
305	235	224	218	274	291	244	234	215	200	207	253	454	2				
1,408	961	919	929	979	980	813	804	674	556	492	479	760	6				
1,437	1,180	1,481	2,283	3,594	5,351	6,908	9,455	11,110	12,140	11,137	10,194	11,604	12				
571	608	776	1,171	1,967	2,832	3,532	4,922	6,133	7,686	9,395	10,449	15,539	6				
2,008	1,788	2,257	3,454	5,561	8,183	10,440	14,377	17,243	19,826	20,532	20,643	27,143	18				

QUELQUES PUBLICATIONS STATISTIQUES SUR LA SANTÉ ET LA POPULATION

En vente à la Distribution des publications, Section des finances,
Statistique Canada, ou à Information Canada, Ottawa

STATISTIQUES DE L'ÉTAT CIVIL

Catalogue

- 84-001 La statistique de l'état civil — T., Bil.
84-201 La statistique de l'état civil — Rapport annuel préliminaire, A., Bil.
84-203 Causes de décès, par provinces selon le sexe et le Canada selon le sexe et l'âge, A., Bil.
84-204 La statistique de l'état civil, Vol. I, Naissances, A., Bil.
84-205 La statistique de l'état civil, Vol. II, Mariages et divorces, A., Bil.
84-206 La statistique de l'état civil, Vol. III, Décès, A., Bil.

Rapports analytiques:

Tables de survie:

- 84-527 Tables de mortalité, Canada et provinces, 1965-1967, HS., Bil.
84-532 Tables de mortalité, Canada et provinces, 1970-1972, HS., Bil.

Autres publications:

- 84-520 Mortalité générale due au cancer, 1950-1963, HS., Bil.
84-522 Mortalité accidentelle, 1950-1964, HS., Bil.
84-523 Nuptialité, 1950-1964, HS., Bil.
84-524 Mortalité infantile, 1950-1964, HS., Bil.
84-528 Mortalité due au suicide, 1950-1968, HS., Bil.
84-529 Cardiovasculaire-rénale mortalité, 1950-1968, HS., Bil.
84-530 Taux de suicide du Canada, par localité et par centre urbain, 1970-1972, HS., Bil.

STATISTIQUES DES HÔPITAUX

- 83-001 Indicateurs des hôpitaux — T., Bil.
83-201 Hôpitaux canadiens et des installations connexes — A., Bil.
83-205 La statistique de l'hygiène mentale, Vol. III, Installations, services et finances des établissements — A., Bil.
83-207 La statistique de la tuberculose, Installations, services et finances des établissements — A., Bil.
83-217 La statistique hospitalière, Rapport annuel préliminaire — A., Bil.
83-227 La statistique hospitalière, Vol. I, Lits, Services, Personnel — A., Bil.
Auparavant — 83-210 La statistique hospitalière, Vol. I, Lits d'hôpital — A., Bil.
83-211 La statistique hospitalière, Vol. II, Services hospitaliers — A., Bil.
83-212 La statistique hospitalière, Vol. III, Personnel hospitalier — A., Bil.
83-228 La statistique hospitalière, Vol. II, Dépenses, Revenus, Bilans — A., Bil.
Auparavant — 83-213 La statistique hospitalière, Vol. IV, Bilans hospitaliers — A., Bil.
83-214 La statistique hospitalière, Vol. V, Revenus hospitaliers — A., Bil.
83-215 La statistique hospitalière, Vol. VI, Dépenses hospitalières — A., Bil.
83-229 La statistique hospitalière, Vol. III, Indicateurs — A., Bil.
Auparavant — 83-216 La statistique hospitalière, Vol. VII, Indicateurs hospitaliers — A., Bil.
Nota: Voir la préface pour les renseignements concernant les volumes I à VII pour l'année 1972 et les années précédentes.

STATISTIQUES DE LA MAIN-D'OEUVRE

- 83-220 Main-d'oeuvre sanitaire — Infirmières autorisées — A., Bil.
83-223 Main-d'oeuvre sanitaire — Médecins et chirurgiens — A., Bil.
83-224 Main-d'oeuvre sanitaire — Techniciens en radiologie, A., Bil.
83-225 Main-d'oeuvre sanitaire — Physiothérapeutes, A., Bil.
83-401 Traitements annuels du personnel infirmier des hôpitaux, Bienn., Bil.
83-402 Traitements annuels des infirmiers d'hygiène publique, Bienn., Bil.

STATISTIQUES DE L'HYGIÈNE MENTALE

- 83-204 La statistique de l'hygiène mentale, Vol. I, Admissions et radiations des institutions — A., Bil.
83-208 La statistique de l'hygiène mentale, Vol. II, Les malades inscrits dans les établissements — A., Bil.
83-505 *Trends in Hospital Care and Patient Characteristics, 1955-1963*, HS., Angl.
83-506 Probabilité d'hospitalisation dans un établissement psychiatrique du Canada, HS., Bil.
— La statistique de l'hygiène mentale, mouvement des malades, Préliminaire — A., Bil. (gratuit)

STATISTIQUES DE LA MORBIDITÉ

- 82-206 La morbidité hospitalière — A., Bil.
82-208 Interventions chirurgicales et traitements, A., Bil.
82-209 La morbidité hospitalière, Liste canadienne de diagnostics, A., Bil.
82-211 Avortement thérapeutiques, A., Bil.

STATISTIQUES DE L'ÉPIDÉMIOLOGIE

- 82-201 Les maladies à déclaration obligatoire — A., Bil.
— Maladies à déclaration obligatoire, (1924-1968), résumé chronologique, Bil.
82-207 Nouveaux sièges primaires de tumeurs malignes au Canada, A., Bil.
— Nouveaux sièges primaires de tumeurs malignes au Canada selon la région de recensement 1969-70 (Supplément à 82-207), A., Bil.
— Registre canadien de la dialyse, Préliminaire, A., Bil.
82-212 La statistique de la tuberculose, Morbidité et mortalité — A., Bil.
82-522 *Infectious Hepatitis*, HS., Angl.

M. — Mensuel T. — Trimestriel A. — Annuel Bienn. — Biennale HS. — Hors série F. — Français Angl. — Anglais

Outre les publications ci-dessus énumérées, Statistique Canada publie une grande variété de rapports statistiques sur le Canada tant dans le domaine économique que social, y compris des rapports détaillés sur les recensements de 1966 et 1971. On peut se procurer gratuitement un catalogue complet des publications courantes à Statistique Canada, Ottawa (Canada), K1A 0T6.

SELECTED PUBLICATIONS ON HEALTH STATISTICS

Obtainable from Publications Distribution Unit, Financial Services Section,
Statistics Canada or Information Canada, Ottawa

VITAL STATISTICS

Catalogue

- 84-001 Vital Statistics, Q., Bil.
- 84-201 Vital Statistics, Preliminary Annual Report, A., Bil.
- 84-203 Causes of Death, Provinces by Sex and Canada by Sex and Age, A., Bil.
- 84-204 Vital Statistics, Vol. I, Births, A., Bil.
- 84-205 Vital Statistics, Vol. II, Marriages and Divorces, A., Bil.
- 84-206 Vital Statistics, Vol. III, Deaths, A., Bil.

Analytical Reports:

Life Tables:

- 84-527 Life Tables, Canada and Provinces, 1965-1967, O., Bil.
- 84-532 Life Tables, Canada and Provinces, 1970-1972, O., Bil.

Other:

- 84-520 General Cancer Mortality, 1950-1963, O., Bil.
- 84-522 Accident Mortality, 1950-1964, O., Bil.
- 84-523 Nuptiality, 1950-1964, O., Bil.
- 84-524 Infant Mortality, 1950-1964, O., Bil.
- 84-528 Suicide Mortality, 1950-1968, O., Bil.
- 84-529 Cardiovascular-renal Mortality, 1950-1968, O., Bil.
- 84-530 Canadian Suicide Ratios by Local Areas and by Urban Centres, 1970-1972, O., Bil.

HOSPITAL STATISTICS

- 83-001 Hospital Indicators, Q., Bil.
 - 83-201 Canadian Hospitals and Related Facilities, A., Bil.
 - 83-205 Mental Health Statistics, Vol. III, Institutional Facilities, Services and Finances, A., Bil.
 - 83-207 Tuberculosis Statistics, Institutional Facilities, Services and Finances, A., Bil.
 - 83-217 Hospital Statistics, Preliminary Annual Report, A., Bil.
 - 83-227 Hospital Statistics, Vol. I, Beds, Services, Personnel, A., Bil.
 - Formerly — 83-210 Hospital Statistics, Vol. I, Hospital Beds, A., Bil.
 - 83-211 Hospital Statistics, Vol. II, Hospital Services, A., Bil.
 - 83-212 Hospital Statistics, Vol. III, Hospital Personnel, A., Bil.
 - 83-228 Hospital Statistics, Vol. II, Expenditures, Revenues, Balance Sheets, A., Bil.
 - Formerly — 83-213 Hospital Statistics, Vol. IV, Balance Sheets, A., Bil.
 - 83-214 Hospital Statistics, Vol. V, Hospital Revenues, A., Bil.
 - 83-215 Hospital Statistics, Vol. VI, Hospital Expenditures, A., Bil.
 - 83-229 Hospital Statistics, Vol. III, Indicators, A., Bil.
 - Formerly — 83-216 Hospital Statistics, Vol. VII, Hospital Indicators, A., Bil.
- Note: See Preface for information re: Volumes I — VII for years previous to and including 1972.

HEALTH MANPOWER STATISTICS

- 83-220 Health Manpower — Registered Nurses, A., Bil.
- 83-223 Health Manpower — Physicians and Surgeons, A., Bil.
- 83-224 Health Manpower — Radiological Technicians, A., Bil.
- 83-225 Health Manpower — Physiotherapists, A., Bil.
- 83-401 Annual Salaries of Hospital Nursing Personnel, Bien., Bil.
- 83-402 Annual Salaries of Public Health Nurses, Bien., Bil.

MENTAL HEALTH STATISTICS

- 83-204 Mental Health Statistics, Vol. I, Institutional Admissions and Separations, A., Bil.
- 83-208 Mental Health Statistics, Vol. II, Patients on Books of Institutions, A., Bil.
- 83-505 Trends in Hospital Care and Patient Characteristics, 1955-1963, O., E.
- 83-506 Expectation of Admission to a Canadian Psychiatric Institution, O., Bil.
- Mental Health Statistics, Patient Movement, Preliminary, A., Bil. (Free)

HOSPITAL MORBIDITY STATISTICS

- 82-206 Hospital Morbidity, A., Bil.
- 82-208 Surgical Procedures and Treatments, A., Bil.
- 82-209 Hospital Morbidity, Canadian Diagnostic List, A., Bil.
- 82-211 Therapeutic Abortions, A., Bil.

EPIDEMIOLOGY STATISTICS

- 82-201 Notifiable Diseases, A., Bil.
 - Notifiable Diseases, (1924-1968), Historical Supplement, Bil.
- 82-207 New Primary Sites of Malignant Neoplasms in Canada, A., Bil.
 - New Primary Sites of Malignant Neoplasms in Canada by Census District 1969-70 (Supplement to 82-207), A., Bil.
 - Canadian Dialysis Register, Preliminary, A., Bil.
- 82-212 Tuberculosis Statistics, Morbidity and Mortality, A., Bil.
- 82-522 Infectious Hepatitis, 1961, O., E.

M. — Monthly Q. — Quarterly A. — Annual Bien. — Biennial O. — Occasional E. — English F. — French

In addition to the selected publications listed above, Statistics Canada publishes a wide range of statistical reports on Canadian economic and social affairs including detailed reports on the 1966 and 1971 Censuses. A comprehensive catalogue of all current publications is available free on request from Statistics Canada, Ottawa (Canada), K1A 0T6.



